Cumulative Index

Alloy Systems (Evaluations, Updates, and Comments and Addenda)

All Phase Diagram evaluations published under the auspices of the International Programme for Alloy Phase Diagrams Data. An asterisk (*) indicates that phase diagrams in both atomic and weight percent are included in the *Bulletin of Alloy Phase Diagrams* or the *Journal of Phase Equilibria.*

Unary Systems

As ..... *BAPD 10*(1) 11-22
Au ..... *Binary Au* 3
Ba ..... *BAPD 9*(2) 98-99 co
Be ..... *Binary Be* 1-3
Ce ..... *BAPD 2*(2) 233-234, *4*(1) 27 ad
Co* ..... *BAPD 4*(4) 387-390, 420
Cu* ..... *Binary Cu* 1-3
Fe* ..... *Binary Fe* 3-6, *BAPD 3*(2) 161-165, 224; *4*(1) 27 ad
H ..... *BAPD 2*(3) 362-366
Hg* ..... *JPE 13*(6) 657-663, *JPE 13*(4) 339 co
In ..... *In* 9-14
Mg ..... *Binary Mg* 1-3
Mn ..... *BAPD 2*(1) 113-114, *10*(4) 313 co
Ti ..... *Binary Ti* 1-5
V ..... *BAPD 2*(1) 40-41, *2*(2) 172, *Binary V* 1-3
W ..... *Binary W* 1-3
Zr ..... *BAPD 3*(1) 28

Binary Systems

Ac-Ag ..... *Binary Ac* 1
Ac-Au ..... *Binary Au* 4, *Binary Ac* 1
Ac-B ..... *Binary Ac* 2
Ac-Cr* ..... *Binary Ac* 3-4, *BAPD 6*(5) 413-414
Ac-Cu ..... *Binary Ac* 5, *Binary Cu* 4
Ac-H ..... *Binary Ac* 5
Ac-Hg ..... *JPE 16*(4) 332
Ac-Mg ..... *Binary Ac* 6-7
Ac-Mo ..... *Binary Ac* 7, *IAEA No. 7* 200-202
Ac-Pt* ..... *Binary Ac* 8-9, *BAPD 10*(4a) 471-472
Ac-S ..... *Binary Ac* 9-10
Ac-V ..... *Binary Ac* 10
Ac-W ..... *Binary Ac* 10, *Binary W* 4
Ag-Al* ..... *BAPD 8*(6) 526-533
Ag-As* ..... *BAPD 11*(2) 113-116
Ag-Au* ..... *BAPD 4*(1) 30-38, *Binary Au* 4-12
Ag-B ..... *JPE 13*(2)upd 211-212, *BAPD 11*(6) 547
Ag-Ba ..... *JPE 13*(4)upd 434-435
Ag-Be ..... *Binary Be* 4-8
Ag-Bi* ..... *JPE 14*(4) 525-530, *BAPD 1*(2) 62-64
Ag-C* ..... *BAPD 9*(3) 226-227
Ag-Ca* ..... *BAPD 9*(3) 228-231
Ag-Ce* ..... *BAPD 6*(5) 439-443
Ag-Co* ..... *BAPD 7*(3) 259-263
Ag-Cr* ..... *BAPD 11*(3) 263-265
Ag-Cs ..... *BAPD 7*(3) 222-223
Ag-Cu* ..... *Binary Cu* 5-17, *JPE 14*(1) 62-75, *BAPD 1*(1) 41-45, *1*(2) 23 ad
Ag-Dy* ..... *BAPD 6*(1) 15-17
Ag-Er* ..... *BAPD 6*(1) 17-19
Ag-Eu* ..... *BAPD 6*(1) 19-21
Ag-Fe* ..... *Binary Fe* 7-11, *BAPD 5*(6) 560-564
Ag-Ga* ..... *JPE 13*(3)upd 324-325, *BAPD 11*(4) 334-339
Ag-Gd* ..... *BAPD 6*(2) 138-140
Ag-Ge* ..... *BAPD 9*(1) 58-64
Ag-H * ..... *JPE 12*(6) 649-651
Ag-Hf ..... *JPE 17*(6) upd 547, *BAPD 10*(2) 110
Ag-Hg ..... *JPE 17*(2) *122-128*
Ag-Ho* ..... *BAPD 6*(2) 140-141, *7*(1) 13 ad
Ag-In ..... *In* 15-19
Ag-Ir* ..... *BAPD 7*(4) 359-360
Ag-K ..... *BAPD 7*(3) 223
Ag-La* ..... *BAPD 4*(4) 370-374
Ag-Li* ..... *BAPD 7*(3) 223-228
Ag-Lu* ..... *BAPD 4*(4) 374-375
Ag-Mg* ..... *BAPD 5*(4) 348-358, *Binary Mg* 4-17
Ag-MM ..... *BAPD 4*(4) 364-366
Ag-Mn* ..... *BAPD 11*(5) 480-486
Ag-Mo* ..... *BAPD 11*(6) 548-549, *IAEA No. 7* 202-204
Ag-N ..... *BAPD 11*(5) 486-487
Ag-Na* ..... *BAPD 7*(2) 133-136
Ag-Nb ..... *BAPD 10*(6) 640
Ag-Nd* ..... *BAPD 6*(1) 21-23
Ag-Ni ..... *Binary Ni* 1-3, *BAPD 8*(2) 119-121
Ag-Np ..... *Binary Ac* 247-248
Ag-O* ..... *JPE 13*(2) 137-142
Ag-Os* ..... *BAPD 7*(4) 360-362
Ag-P* ..... *BAPD 9*(3) 232-236
Ag-Pa ..... *Binary Ac* 123
Ag-Pb* ..... *BAPD 8*(4) 326-334
Ag-Pd* ..... *BAPD 9*(3) 237-243
Ag-Pm ..... *JPE 12*(3)upd 390-391
Ag-Pr* ..... *BAPD 6*(1) 23-26
Ag-Pt ..... *BAPD 8*(4) 334-340
Ag-Pu ..... *Binary Ac* 281-282
Ag-Rb ..... *BAPD 7*(1) 19
Ag-RE ..... *BAPD 4*(4) 364-370, *5*(1) 21 ad
Ag-Re* ..... *BAPD 9*(3)243-244
Ag-Rh* ..... *BAPD 7*(4) 362-365
Ag-Ru* ..... *BAPD 7*(4) 365-368
Ag-S* ..... *BAPD 7*(3) 263-269
Ag-Sb* ..... *JPE 14*(4)upd 531-532
Ag-Sc* ..... *BAPD 4*(4) 375-377
Ag-Se* ..... *BAPD 11*(3) 266-271
Ag-Si* ..... *BAPD 10*(6) 635-640
Ag-Sm* ..... *BAPD 6*(2) 142-143
Ag-Sn ..... *BAPD 8*(4) 340-347
Ag-Sr* ..... *BAPD 11*(2) 117-120
Ag-Ta ..... *BAPD 9*(3) 244-245
Ag-Tb* ..... *BAPD 6*(2) 144-145
Ag-Te* ..... *JPE 12*(1) 56-63
Ag-Th* ..... *Binary Ac* 11-12, *JPE 13*(1)upd 95-96, *12*(3) 321-323
Ag-Ti* ..... *BAPD 4*(2) 178-183,

BAPD *=Bulletin of Alloy Phase Diagrams,* ASM International, Materials Park, OH (1980-1991). ***IAEA No. 7*** *=Molybdenum: Physico-Chemical Properties of Its Compounds and Alloys, Special Issue No. 7,* International Atomic Energy Agency, Vienna (1980). ***IMR*** *=International Metals Reviews,* The Metals Society, London, and ASM International, Materials Park, OH (1971-1987). ***JAPD*** *=Journal of Alloy Phase Diagrams,* Indian Institute of Metals, Calcutta (1986-1990). ***JPE*** *=Journal of Phase Equilibria,* ASM International, Materials Park, OH (1991-1995). ***Binary Ac*** *= Phase Diagrams of Binary Actinide Alloys,* ASM International, Materials Park, OH (1995).***Binary Be*** *=Phase Diagrams of Binary Beryllium Alloys,* ASM International, Metals Park, OH (1987). ***Binary Cu*** *=Phase Diagrams of Binary Copper Alloys,* ASM International, Materials Park, OH (1994). ***Binary Au*** *=Phase Diagrams of Binary Gold Alloys,* ASM International, Metals Park, OH (1987). ***Binary Fe*** *=Phase Diagram of Binary Iron Alloys,* ASM International, Materials Park, OH (1993). ***Binary Mg*** *=Phase Diagrams of Binary Magnesium Alloys,* ASM International, Metals Park, OH (1988). ***Binary Ni*** *=Phase Diagrams of Binary Nickel Alloys,* ASM International, Materials Park, OH (1991). ***Binary Ti*** *=Phase Diagrams of Binary Titanium Alloys,*, ASM International, Metals Park, OH (1987). ***Binary V*** *=Phase Diagrams of Binary Vanadium Alloys,* ASM International, Metals Park, OH (1989). ***Binary W*** *=Phase Diagrams of Binary Tungsten Alloys,* Indian Institute of Metals, Calcutta (1991). ***In*** *=Phase Diagrams of Indium Alloys and Their Engineering Applications,* ASM International, Materials Park, OH (1992). ***Ternary Cu-O-X*** *=Phase Diagrams of Ternary Copper-Oxygen-Metal Systems,* ASM International, Metals Park, OH (1989). ***Ternary Au*** *=Phase Diagrams of Ternary Gold Alloys,* The Institute of Metals, London (1990). ***Ternary Fe1*** *=Phase Diagrams of Ternary Iron Alloys, Part 1,* ASM International, Metals Park, OH (1987). ***Ternary Fe2*** *=Phase Diagrams of Ternary Iron Alloys, Part 2,* Indian Institute of Metals, Calcutta (1988). ***Ternary Fe3*** *=Phase Diagrams of Ternary Iron Alloys, Part 3,* Indian Institute of Metals, Calcutta (1988). ***Ternary Fe4*** *=Phase Equilibria in Iron Ternary Alloys, Part 4,* The Institute of Metals, London (1988). ***Ternary Fe5*** *=Phase Diagrams of Ternary Iron Alloys, Part 5,* Indian Institute of Metals, Calcutta (1989). ***Ternary Fe6*** *=Phase Diagrams of Ternary Iron Alloys, Part 6,* Indian Institue of Metals, Calcutta (1992). ***Ternary Ni1*** *=Phase Diagrams of Ternary Nickel Alloys, Part 1,* Indian Institute of Metals, Calcutta (1990). ***Ternary Ni2*** *=Phase Diagrams of Ternary Nickel Alloys, Part 2,* Indian Institute of Metals, Calcutta (1991). ***TA,Ag1*** *=Ternary Alloys, Vol. 1 Ag-Al-Au to Ag-Cu-P,* VCH Verlagsgesellschaft, Weinheim, FGR (1988). ***TA,Ag2*** *=Ternary Alloys, Vol. 2 Ag-Cu-Pb to Ag-Zn-Zr,* VCH Verlagsgesellschaft, Weinheim, FGR (1988). ***TA,Al3*** *=Ternary Alloys, Vol. 3 Al-Ar-O to Al-Ca-Zn,* VCH Verlagsgesellschaft, Weinheim, FGR (1990). ***TA,Al4*** *=Ternary Alloys, Vol. 4 Al-Cd-Ce to Al-Cu-Ru,* VCH Verlagsgesellschaft, Weinheim, FGR (1991). ***TA,Al5*** *=Ternary Alloys, Vol. 5 Al-Cu-S to Al-Gd-Sn,* VCH Verlagsgesellschaft, Weinheim, FGR (1992). ***TA,Al6*** *=Ternary Alloys, Vol. 6 Al-Gd-Tb to Al-Mg-Sc,* VCH Verlagsgesellschaft, Weinheim, FGR (1993). ***TA,Al7*** *=Ternary Alloys, Vol. 7 Al-Mg-Se to Al-Ni-Ta,* VCH Verlagsgesellschaft, Weinheim, FGR (1993). ***TA,Al8*** *=Ternary Alloys, Vol. 8 Al-Ni-Tb to Al-Zn-Zr,* VCH Verlagsgesellschaft, Weinheim, FGR (1993). ***Ternary BNSiN*** *=Phase Diagrams of Ternary Boron Nitride and Silicon Nitride Systems,* ASM International, Materials Park, OH (1992). ***TIIM*** *=Transactions of the Indian Institute of Metals,* Indian Institute of Metals, Calcutta (1986).

Cumulative Index

Alloy Systems (Evaluations, Updates, and Comments and Addenda)

All Phase Diagram evaluations published under the auspices of the International Programme for Alloy Phase Diagrams Data. An asterisk (*) indicates that phase diagrams in both atomic and weight percent are included in the *Bulletin of Alloy Phase Diagrams* or the *Journal of Phase Equilibria.*

Unary Systems

As ..... *BAPD 10*(1) 11-22
Au ..... *Binary Au* 3
Ba ..... *BAPD 9*(2) 98-99 co
Be ..... *Binary Be* 1-3
Ce ..... *BAPD 2*(2) 233-234, *4*(1) 27 ad
Co* ..... *BAPD 4*(4) 387-390, 420
Cu* ..... *Binary Cu* 1-3
Fe* ..... *Binary Fe* 3-6, *BAPD 3*(2) 161-165, 224; *4*(1) 27 ad
H ..... *BAPD 2*(3) 362-366
Hg* ..... *JPE 13*(6) 657-663, *JPE 13*(4) 339 co
In ..... *In* 9-14
Mg ..... *Binary Mg* 1-3
Mn ..... *BAPD 2*(1) 113-114, *10*(4) 313 co
Ti ..... *Binary Ti* 1-5
V ..... *BAPD 2*(1) 40-41, *2*(2) 172, *Binary V* 1-3
W ..... *Binary W* 1-3
Zr ..... *BAPD 3*(1) 28

Binary Systems

Ac-Ag ..... *Binary Ac* 1
Ac-Au ..... *Binary Au* 4, *Binary Ac* 1
Ac-B ..... *Binary Ac* 2
Ac-Cr* ..... *Binary Ac* 3-4, *BAPD 6*(5) 413-414
Ac-Cu ..... *Binary Ac* 5, *Binary Cu* 4
Ac-H ..... *Binary Ac* 5
Ac-Hg ..... *JPE 16*(4) 332
Ac-Mg ..... *Binary Ac* 6-7
Ac-Mo ..... *Binary Ac* 7, *IAEA No. 7* 200-202
Ac-Pt* ..... *Binary Ac* 8-9, *BAPD 10*(4a) 471-472
Ac-S ..... *Binary Ac* 9-10
Ac-V ..... *Binary Ac* 10
Ac-W ..... *Binary Ac* 10, *Binary W* 4
Ag-Al* ..... *BAPD 8*(6) 526-533
Ag-As* ..... *BAPD 11*(2) 113-116
Ag-Au* ..... *BAPD 4*(1) 30-38, *Binary Au* 4-12
Ag-B ..... *JPE 13*(2)upd 211-212, *BAPD 11*(6) 547
Ag-Ba ..... *JPE 13*(4)upd 434-435
Ag-Be ..... *Binary Be* 4-8
Ag-Bi* ..... *JPE 14*(4) 525-530, *BAPD 1*(2) 62-64
Ag-C* ..... *BAPD 9*(3) 226-227
Ag-Ca* ..... *BAPD 9*(3) 228-231
Ag-Ce* ..... *BAPD 6*(5) 439-443
Ag-Co* ..... *BAPD 7*(3) 259-263
Ag-Cr* ..... *BAPD 11*(3) 263-265
Ag-Cs ..... *BAPD 7*(3) 222-223
Ag-Cu* ..... *Binary Cu* 5-17, *JPE 14*(1) 62-75, *BAPD 1*(1) 41-45, *1*(2) 23 ad
Ag-Dy* ..... *BAPD 6*(1) 15-17
Ag-Er* ..... *BAPD 6*(1) 17-19
Ag-Eu* ..... *BAPD 6*(1) 19-21
Ag-Fe* ..... *Binary Fe* 7-11, *BAPD 5*(6) 560-564
Ag-Ga* ..... *JPE 13*(3)upd 324-325, *BAPD 11*(4) 334-339
Ag-Gd* ..... *BAPD 6*(2) 138-140
Ag-Ge* ..... *BAPD 9*(1) 58-64
Ag-H * ..... *JPE 12*(6) 649-651
Ag-Hf ..... *JPE 17*(6) upd 547, *BAPD 10*(2) 110
Ag-Hg ..... *JPE 17*(2) *122-128*
Ag-Ho* ..... *BAPD 6*(2) 140-141, *7*(1) 13 ad
Ag-In ..... *In* 15-19
Ag-Ir* ..... *BAPD 7*(4) 359-360
Ag-K ..... *BAPD 7*(3) 223
Ag-La* ..... *BAPD 4*(4) 370-374
Ag-Li* ..... *BAPD 7*(3) 223-228
Ag-Lu* ..... *BAPD 4*(4) 374-375
Ag-Mg* ..... *BAPD 5*(4) 348-358, *Binary Mg* 4-17
Ag-MM ..... *BAPD 4*(4) 364-366
Ag-Mn* ..... *BAPD 11*(5) 480-486
Ag-Mo* ..... *BAPD 11*(6) 548-549, *IAEA No. 7* 202-204
Ag-N ..... *BAPD 11*(5) 486-487
Ag-Na* ..... *BAPD 7*(2) 133-136
Ag-Nb ..... *BAPD 10*(6) 640
Ag-Nd* ..... *BAPD 6*(1) 21-23
Ag-Ni ..... *Binary Ni* 1-3, *BAPD 8*(2) 119-121
Ag-Np ..... *Binary Ac* 247-248
Ag-O* ..... *JPE 13*(2) 137-142
Ag-Os* ..... *BAPD 7*(4) 360-362
Ag-P* ..... *BAPD 9*(3) 232-236
Ag-Pa ..... *Binary Ac* 123
Ag-Pb* ..... *BAPD 8*(4) 326-334
Ag-Pd* ..... *BAPD 9*(3) 237-243
Ag-Pm ..... *JPE 12*(3)upd 390-391
Ag-Pr* ..... *BAPD 6*(1) 23-26
Ag-Pt ..... *BAPD 8*(4) 334-340
Ag-Pu ..... *Binary Ac* 281-282
Ag-Rb ..... *BAPD 7*(1) 19
Ag-RE ..... *BAPD 4*(4) 364-370, *5*(1) 21 ad
Ag-Re* ..... *BAPD 9*(3)243-244
Ag-Rh* ..... *BAPD 7*(4) 362-365
Ag-Ru* ..... *BAPD 7*(4) 365-368
Ag-S* ..... *BAPD 7*(3) 263-269
Ag-Sb* ..... *JPE 14*(4)upd 531-532
Ag-Sc* ..... *BAPD 4*(4) 375-377
Ag-Se* ..... *BAPD 11*(3) 266-271
Ag-Si* ..... *BAPD 10*(6) 635-640
Ag-Sm* ..... *BAPD 6*(2) 142-143
Ag-Sn ..... *BAPD 8*(4) 340-347
Ag-Sr* ..... *BAPD 11*(2) 117-120
Ag-Ta ..... *BAPD 9*(3) 244-245
Ag-Tb* ..... *BAPD 6*(2) 144-145
Ag-Te* ..... *JPE 12*(1) 56-63
Ag-Th* ..... *Binary Ac* 11-12, *JPE 13*(1)upd 95-96, *12*(3) 321-323
Ag-Ti* ..... *BAPD 4*(2) 178-183,

BAPD *=Bulletin of Alloy Phase Diagrams,* ASM International, Materials Park, OH (1980-1991). ***IAEA No. 7*** *=Molybdenum: Physico-Chemical Properties of Its Compounds and Alloys, Special Issue No. 7,* International Atomic Energy Agency, Vienna (1980). ***IMR*** *=International Metals Reviews,* The Metals Society, London, and ASM International, Materials Park, OH (1971-1987). ***JAPD*** *=Journal of Alloy Phase Diagrams,* Indian Institute of Metals, Calcutta (1986-1990). ***JPE*** *=Journal of Phase Equilibria,* ASM International, Materials Park, OH (1991-1995). ***Binary Ac*** *= Phase Diagrams of Binary Actinide Alloys,* ASM International, Materials Park, OH (1995).***Binary Be*** *=Phase Diagrams of Binary Beryllium Alloys,* ASM International, Metals Park, OH (1987). ***Binary Cu*** *=Phase Diagrams of Binary Copper Alloys,* ASM International, Materials Park, OH (1994). ***Binary Au*** *=Phase Diagrams of Binary Gold Alloys,* ASM International, Metals Park, OH (1987). ***Binary Fe*** *=Phase Diagram of Binary Iron Alloys,* ASM International, Materials Park, OH (1993). ***Binary Mg*** *=Phase Diagrams of Binary Magnesium Alloys,* ASM International, Metals Park, OH (1988). ***Binary Ni*** *=Phase Diagrams of Binary Nickel Alloys,* ASM International, Materials Park, OH (1991). ***Binary Ti*** *=Phase Diagrams of Binary Titanium Alloys,*, ASM International, Metals Park, OH (1987). ***Binary V*** *=Phase Diagrams of Binary Vanadium Alloys,* ASM International, Metals Park, OH (1989). ***Binary W*** *=Phase Diagrams of Binary Tungsten Alloys,* Indian Institute of Metals, Calcutta (1991). ***In*** *=Phase Diagrams of Indium Alloys and Their Engineering Applications,* ASM International, Materials Park, OH (1992). ***Ternary Cu-O-X*** *=Phase Diagrams of Ternary Copper-Oxygen-Metal Systems,* ASM International, Metals Park, OH (1989). ***Ternary Au*** *=Phase Diagrams of Ternary Gold Alloys,* The Institute of Metals, London (1990). ***Ternary Fe1*** *=Phase Diagrams of Ternary Iron Alloys, Part 1,* ASM International, Metals Park, OH (1987). ***Ternary Fe2*** *=Phase Diagrams of Ternary Iron Alloys, Part 2,* Indian Institute of Metals, Calcutta (1988). ***Ternary Fe3*** *=Phase Diagrams of Ternary Iron Alloys, Part 3,* Indian Institute of Metals, Calcutta (1988). ***Ternary Fe4*** *=Phase Equilibria in Iron Ternary Alloys, Part 4,* The Institute of Metals, London (1988). ***Ternary Fe5*** *=Phase Diagrams of Ternary Iron Alloys, Part 5,* Indian Institute of Metals, Calcutta (1989). ***Ternary Fe6*** *=Phase Diagrams of Ternary Iron Alloys, Part 6,* Indian Institue of Metals, Calcutta (1992). ***Ternary Ni1*** *=Phase Diagrams of Ternary Nickel Alloys, Part 1,* Indian Institute of Metals, Calcutta (1990). ***Ternary Ni2*** *=Phase Diagrams of Ternary Nickel Alloys, Part 2,* Indian Institute of Metals, Calcutta (1991). ***TA,Ag1*** *=Ternary Alloys, Vol. 1 Ag-Al-Au to Ag-Cu-P,* VCH Verlagsgesellschaft, Weinheim, FGR (1988). ***TA,Ag2*** *=Ternary Alloys, Vol. 2 Ag-Cu-Pb to Ag-Zn-Zr,* VCH Verlagsgesellschaft, Weinheim, FGR (1988). ***TA,Al3*** *=Ternary Alloys, Vol. 3 Al-Ar-O to Al-Ca-Zn,* VCH Verlagsgesellschaft, Weinheim, FGR (1990). ***TA,Al4*** *=Ternary Alloys, Vol. 4 Al-Cd-Ce to Al-Cu-Ru,* VCH Verlagsgesellschaft, Weinheim, FGR (1991). ***TA,Al5*** *=Ternary Alloys, Vol. 5 Al-Cu-S to Al-Gd-Sn,* VCH Verlagsgesellschaft, Weinheim, FGR (1992). ***TA,Al6*** *=Ternary Alloys, Vol. 6 Al-Gd-Tb to Al-Mg-Sc,* VCH Verlagsgesellschaft, Weinheim, FGR (1993). ***TA,Al7*** *=Ternary Alloys, Vol. 7 Al-Mg-Se to Al-Ni-Ta,* VCH Verlagsgesellschaft, Weinheim, FGR (1993). ***TA,Al8*** *=Ternary Alloys, Vol. 8 Al-Ni-Tb to Al-Zn-Zr,* VCH Verlagsgesellschaft, Weinheim, FGR (1993). ***Ternary BNSiN*** *=Phase Diagrams of Ternary Boron Nitride and Silicon Nitride Systems,* ASM International, Materials Park, OH (1992). ***TIIM*** *=Transactions of the Indian Institute of Metals,* Indian Institute of Metals, Calcutta (1986).

Binary Ti 6-11
Ag-Tl ..... *BAPD 10*(6) 641-643
Ag-Tm* ..... *BAPD 6*(2) 146-147, *7*(1) 73 ad
Ag-U ..... *Binary Ac* 134-136, *BAPD 10*(6) 644-645
Ag-V ..... *BAPD 2*(3) 343-344, *Binary V* 4-6
Ag-W ..... *Binary W* 5-6, *JAPD 2*(3) 210
Ag-Y* ..... *BAPD 4*(4) 377-379
Ag-Yb* ..... *BAPD 6*(2) 147-149
Ag-Zr* ..... *JPE 13*(2) 143-146
Al-Am ..... *Binary Ac* 424, *BAPD 10*(3) 277
Al-As* ..... *BAPD 5*(6) 577-579
Al-Au* ..... *JPE 12*(1)upd 114-115, *BAPD 8*(1) 20-30, *8*(2) 102 ad, *Binary Au* 13-22
Al-B* ..... *JPE 15*(5) 543-552, *16*(1) 6 ad, *BAPD 11*(6) 560-566
Al-Ba* ..... *JPE 14*(4) 518-524, *JPE 13*(5)upd 571-572, *BAPD 2*(3) 351-353
Al-Be* ..... *BAPD 4*(1) 50-55, *4*(2) 145 ad, *4*(3) 248 ad, *Binary Be* 9-14
Al-Bi* ..... *BAPD 5*(3) 247-250
Al-C ..... *JPE 13*(1)upd 97-98
Al-Ca* ..... *BAPD 9*(6) 652-657
Al-Cd* ..... *JAPD 6*(3) 153-157, *BAPD 3*(2) 172-177
Al-Ce* ..... *BAPD 9*(6) 669-672
Al-Co* ..... *BAPD 10*(6) 646-650, *JPE 17*(4) upd 367
Al-Cs ..... *JPE 14*(3(365
Al-Cu* ..... *Binary Cu* 18-42, *BAPD 1*(1) 27-33, *1*(2) 23 ad, *IMR 30*(5) 211-233
Al-Dy* ..... *BAPD 9*(6) 673-675
Al-Er* ..... *BAPD 9*(6) 676-678
Al-Eu ..... *JPE 12*(4)upd 499-500, *BAPD 9*(6) 679
Al-Fe ..... *Binary Fe* 12-28
Al-Ga ..... *BAPD 4*(2) 183-190, *5*(1) 21 ad
Al-Gd* ..... *BAPD 9*(6) 680-683
Al-Ge* ..... *JPE 14*(1)upd 118-119, *BAPD 5*(4) 341-347, *6*(2) 111-113 ad
Al-H ..... *JPE 13*(1) 17-21
Al-Hg* ..... *BAPD 6*(3) 219-222
Al-Ho* ..... *BAPD 9*(6) 684-686
Al-In* ..... *In* 19-25, *BAPD 4*(3) 271-278, 9(4) 441 ad
Al-K ..... *JPE 14*(3) 366
Al-La* ..... *JPE 16*(1)upd 98, *BAPD 9*(6) 686-689
Al-Li* ..... *BAPD 3*(2) 177-183, *5*(1) 21 ad, 19-21 co
Al-Lu* ..... *JPE 14*(3)upd 394-395, *BAPD 9*(6) 690-691
Al-Mg* ..... *BAPD 3*(1) 60-74, *Binary Mg* 17-34
Al-MM* ..... *BAPD 9*(6) 658-668
Al-Mn* ..... *JPE 15*(1)upd 123-124, *BAPD 8*(5) 438-447, *10*(3) 219 ad
Al-Mo ..... *BAPD 1*(2) 71-75
Al-N* ..... *BAPD 7*(4) 329-333
Al-Na* ..... *BAPD 4*(4) 407-410
Al-Nb* ..... *BAPD 2*(1) 75-81
Al-Nd* ..... *JPE 12*(4)upd 500-501, *BAPD 10*(1) 28-30
Al-Ni* ..... *JPE 14*(2)upd 257-259, *Binary Ni* 3-11
Al-Np ..... *Binary Ac* 248-249, *BAPD 10*(2) 111-112
Al-O* ..... *BAPD 6*(6) 548-553
Al-P* ..... *BAPD 6*(3) 222-224
Al-Pb* ..... *BAPD 5*(1) 69-73
Al-Pd* ..... *BAPD 7*(4) 368-374
Al-Pr* ..... *JPE 14*(3)upd 395-396, *BAPD 10*(1) 30-33
Al-Pt* ..... *BAPD 7*(1) 47-51
Al-Pu* ..... *Binary Ac* 282-288, *BAPD 10*(4a) 459-465
Al-Rb ..... *JPE 14*(3) 367
Al-RE ..... *BAPD 9*(6) 658-668
Al-S ..... *BAPD 8*(2) 128-131
Al-Sb* ..... *JPE 14*(4)upd 532, *BAPD 5*(5) 462-465, 7(6) 522 ad
Al-Sc* ..... *JPE 12*(5)upd 612-613, *BAPD 10*(1) 34-36, *10*(3) 219 ad
Al-Se* ..... *BAPD 10*(6) 650-652
Al-Si* ..... *BAPD 5*(1) 74-84
Al-Sm* ..... *BAPD 10*(1) 37-39
Al-Sn* ..... *BAPD 4*(4) 410-414
Al-Sr* ..... *BAPD 10*(6) 624-630
Al-Tb ..... *JPE 15*(1)upd 125, *BAPD 10*(1) 40-42
Al-Te* ..... *BAPD 11*(2) 202-206
Al-Th* ..... *Binary Ac* 12-16, *BAPD 10*(4a) 466-470
Al-Ti ..... *JPE 14*(6)upd 764, *14*(1)upd 120-121, *Binary Ti* 12-24
Al-Tl* ..... *JPE 13*(3)upd 325-326, *BAPD 10*(2) 112-114
Al-Tm ..... *BAPD 10*(1) 42-43
Al-U* ..... *Binary Ac* 136-142, *BAPD 11*(1) 82-89
Al-V* ..... *Binary V* 6-12, *BAPD 10*(4) 351-357
Al-W ..... *Binary W* 7-13
Al-Y* ..... *BAPD 10*(1) 44-47
Al-Yb* ..... *BAPD 10*(1) 47-49
Al-Zn* ..... *JPE 15*(1)upd 125, *16*(3)upd 281-282, *BAPD 4*(1) 55-73
Al-Zr* ..... *JPE 14*(2)upd 259-260, *JPE 13*(3) 277-291
Am-As ..... *Binary Ac* 425
Am-B ..... *Binary Ac* 425-426
Am-Ba ..... *Binary Ac* 427
Am-Be ..... *Binary Ac* 428, *Binary Be* 15
Am-Bi ..... *Binary Ac* 429
Am-C ..... *Binary Ac* 429-430
Am-Co ..... *Binary Ac* 430
Am-Cr* ..... *Binary Ac* 430-432, *BAPD 6*(5) 415-416
Am-Cu ..... *Binary Ac* 432, *Binary Cu* 42
Am-Fe ..... *Binary Ac* 433
Am-H ..... *Binary Ac* 433
Am-Hg ..... *Binary Ac* 434, *JPE 16*(4) 333
Am-Ir ..... *Binary Ac* 435
Am-La ..... *Binary Ac* 435-436
Am-Li ..... *Binary Ac* 436-437
Am-Mg ..... *Binary Ac* 437-438
Am-Mo ..... *Binary Ac* 438-439, *IAEA No. 7* 208-209
Am-N ..... *Binary Ac* 439
Am-Ni ..... *Binary Ac* 440, *Binary Ni* 12
Am-Np ..... *Binary Ac* 440-441
Am-O ..... *Binary Ac* 441-442, *JPE 12*(6)upd 696-697
Am-Os ..... *Binary Ac* 443
Am-P ..... *Binary Ac* 443
Am-Pd ..... *Binary Ac* 444
Am-Pt* ..... *Binary Ac* 444-446, *BAPD 10*(2) 115-116
Am-Pu ..... *Binary Ac* 446-447
Am-Rh ..... *Binary Ac* 448
Am-Ru ..... *Binary Ac* 448-449
Am-S ..... *Binary Ac* 449
Am-Sb ..... *Binary Ac* 450
Am-Se ..... *Binary Ac* 450-451
Am-Si ..... *Binary Ac* 451-452
Am-Te ..... *Binary Ac* 452-453
Am-Th ..... *Binary Ac* 453-454
Am-V ..... *Binary Ac* 454
Am-W ..... *Binary Ac* 455, *Binary W* 14
Ar-Au ..... *PDGBA* 22
Ar-Be ..... *Binary Be* 16
Ar-Mo ..... *IAEA No. 7* 209-210
Ar-Mg ..... *Binary Mg* 34
Ar-W ..... *Binary W* 15
As-Au* ..... *BAPD 5*(1) 56-59, *Binary Au* 22-24
As-Be ..... *Binary Be* 16
As-Bk ..... *Binary Ac* 471-472
As-Cd* ..... *JPE 13*(2) 147-154
As-Ce ..... *BAPD 7*(3) 276-277
As-Cf ..... *Binary Ac* 478
As-Cm ..... *Binary Ac* 455-456
As-Co* ..... *BAPD 11*(6) 550-554
As-Cr* ..... *BAPD 11*(5) 424-430
As-Cs ..... *JPE 14*(2) 232-233
As-Cu* ..... *Binary Cu* 43-52, *JPE 15*(1) 225-226, *BAPD 9*(5) 605-618
As-Dy ..... *BAPD 7*(3) 277-278
As-Er ..... *BAPD 7*(3) 278-279
As-Eu* ..... *BAPD 7*(3) 279-283
As-Fe* ..... *Binary Fe* 29-32, *JPE 12*(4) 457-461
As-Gd ..... *BAPD 7*(4) 340-341
As-Ge* ..... *JPE 12*(1)upd 115-116, *BAPD 6*(3) 250-254
As-Hg ..... *JPE 17*(5) 419-421
As-Ho ..... *BAPD 7*(4) 341-342
As-In ..... *In* 26-28
As-K* ..... *JPE 14*(2) 234-237
As-La ..... *BAPD 7*(4) 342-344
As-Li ..... *JPE 14*(2) 238-239
As-Lu ..... *BAPD 7*(4) 344-345
As-Mg* ..... *BAPD 6*(5) 432-434, *Binary Mg* 35-37
As-Mn* ..... *BAPD 10*(5) 549-554
As-Mo ..... *BAPD 1*(2) 76-78
As-Na ..... *JPE 14*(2) 240-242
As-Nd* ..... *BAPD 7*(4) 345-347
As-Ni* ..... *Binary Ni* 115, *BAPD 8*(5) 419-422
As-Np ..... *Binary Ac* 249-250
As-P* ..... *JPE 12*(3) 343-346
As-Pa ..... *Binary Ac* 124
As-Pb* ..... *JPE 14*(2)upd 260, *BAPD 11*(2) 120-124
As-Pd* ..... *JPE 13*(5)upd 572-573, *BAPD 11*(5) 503-507
As-Pr ..... *BAPD 7*(4) 347-348
As-Pt* ..... *BAPD 11*(5) 508-510, *JPE 17*(5) upd 456
As-Pu ..... *Binary Ac* 288
As-Rb* ..... *JPE 14*(2) 243-245
As-RE ..... *BAPD 7*(3) 274-276
As-Sc ..... *BAPD 7*(4) 348-349
As-Si* ..... *BAPD 6*(3) 254-258
As-Sm ..... *BAPD 7*(4) 349-350
As-Sn* ..... *BAPD 11*(3) 271-278
As-Tb ..... *BAPD 7*(4) 351
As-Te ..... *JPE 14*(6)upd 764-765
As-Th ..... *Binary Ac* 17
As-Ti ..... *Binary Ti* 25-26
As-Tl* ..... *JPE 17*(5) 442-424
As-Tm ..... *BAPD 7*(4) 352
As-U ..... *Binary Ac* 142-143
As-V ..... *JPE 12*(4) 428-431, *Binary V* 13-16
As-W ..... *Binary W* 16-17
As-Y ..... *BAPD 7*(4) 352-353
As-Yb ..... *BAPD 7*(4) 353-354
As-Zr ..... *BAPD 11*(6) 574-575
As-Zn* ..... *JPE 13*(2) 155-161
At-Au ..... *Binary Au* 25
At-Cu ..... *Binary Cu* 53
At-Hg ..... *JPE 16*(6) 525
At-Mo ..... *IAEA No. 7* 211
At-W ..... *Binary W* 18
Au-B ..... *Binary Au* 25-27
Au-Ba ..... *BAPD 7*(4) 336-337, *7*(6) 522 ad, *Binary Au* 27-28
Au-Be* ..... *BAPD 2*(4) 478-479, *Binary Be* 17-21, *Binary Au* 28-31
Au-Bi* ..... *BAPD 4*(4) 401-407, *Binary Au* 32-37
Au-Br ..... *Binary Au* 37
Au-C* ..... *BAPD 5*(4) 378-379, *Binary Au* 38-39
Au-Ca ..... *Binary Au* 39-42
Au-Cd* ..... *BAPD 7*(1) 52-67, *Binary Au* 42-57
Au-Ce ..... *Binary Au* 57-60
Au-Cl ..... *Binary Au* 60-62
Au-Co* ..... *BAPD 6*(5) 449-454,

Binary Au 63-68
Au-Cr* ..... *BAPD 6*(3) 224-228, *Binary Au* 68-72
Au-Cs* ..... *BAPD 7*(1) 19-23, *Binary Au* 72-76
Au-Cu* ..... *Binary Cu* 54-73, *BAPD 8*(5) 454-474, *Binary Au* 76-95
Au-Dy ..... *Binary Au* 96-98
Au-Er ..... *Binary Au* 98-101
Au-Eu ..... *Binary Au* 101-102
Au-F ..... *Binary Au* 102
Au-Fe* ..... *Binary Fe* 33-40, *BAPD 5*(6) 592-601, *6*(6) 516 ad, *7*(6) 522 ad, *Binary Au* 102-111
Au-Fr ..... *Binary Au* 111
Au-Ga* ..... *BAPD 2*(3) 356-358, *Binary Au* 111-118
Au-Gd ..... *Binary Au* 118-121
Au-Ge* ..... *BAPD 5*(6) 601-610, *Binary Au* 121-130
Au-H ..... *BAPD 6*(4) 365, *Binary Au* 130
Au-He ..... *Binary Au* 131
Au-Hf* ..... *BAPD 5*(4) 379-380, *Binary Au* 131-132
Au-Hg* ..... *Binary Au* 132-139, *BAPD 10*(1) 50-58
Au-Ho ..... *Binary Au* 139-141
Au-I ..... *Binary Au* 141-142
Au-IG ..... *BAPD 7*(4) 358-359
Au-In* ..... *JPE 14*(4)upd 532-533, *In* 28-40, *Binary Au* 142-153
Au-Ir ..... *BAPD 5*(4) 381, *Binary Au* 154
Au-K* ..... *BAPD 7*(1) 23-25, *Binary Au* 154-156
Au-Kr ..... *Binary Au* 156-157
Au-La ..... *Binary Au* 157-159
Au-Li* ..... *BAPD 7*(3) 228-231, *Binary Au* 159-162
Au-Lu ..... *Binary Au* 162-164
Au-Mg* ..... *Binary Au* 165-168, *Binary Mg* 38-42
Au-Mn* ..... *BAPD 6*(5) 454-467, *Binary Au* 169-182
Au-Mo* ..... *BAPD 7*(5) 449-452, *Binary Au* 182-184
Au-N ..... *BAPD 5*(4) 381-382, *Binary Au* 185
Au-Na* ..... *BAPD 7*(2) 136-139, *Binary Au* 185-188
Au-Nb* ..... *BAPD 6*(2) 134-136, *Binary Au* 188-190
Au-Nd ..... *Binary Au* 191-193
Au-Ne ..... *Binary Au* 193
Au-Ni ..... *Binary Ni* 16-30, *Binary Au* 193-208
Au-Np ..... *Binary Ac* 250, *Binary Au* 208
Au-O ..... *Binary Au* 208-209
Au-Os ..... *BAPD 5*(4) 382, *Binary Au*210
Au-P* ..... *BAPD 5*(5) 490-491, *Binary Au* 210-212
Au-Pa ..... *Binary Ac* 124-125, *Binary Au* 212
Au-Pb* ..... *JPE 14*(5)upd 648-649, *BAPD 5*(3) 276-284, *Binary Au* 212-220
Au-Pd* ..... *BAPD 6*(3) 229-235, *Binary Au* 220-226
Au-Pm ..... *Binary Au* 227-228
Au-Po ..... *BAPD 5*(4) 382-383, *Binary Au* 228
Au-Pr ..... *Binary Au* 228-232
Au-Pt* ..... *BAPD 6*(1) 46-56, *Binary Au* 232-242
Au-Pu* ..... *Binary Ac* 288-292, *BAPD 7*(6) 525-528, *Binary Au* 242-245
Au-Ra ..... *Binary Au* 245
Au-Rb* ..... *BAPD 7*(2) 139-142, *Binary Au* 246-248
Au-Re ..... *BAPD 5*(4) 383, *Binary Au* 248
Au-Rh* ..... *BAPD 5*(4) 384-387, *Binary Au* 249-251
Au-Rn ..... *Binary Au* 252
Au-Ru* ..... *BAPD 5*(4) 388-390, *Binary Au* 252-254
Au-S* ..... *BAPD 6*(6) 518-519, *Binary Au* 254-255
Au-Sb* ..... *BAPD 5*(2) 166-171, *JPE 17*(1) upd 78, *Binary Au* 255-261
Au-Sc ..... *Binary Au* 261-263
Au-Se ..... *Binary Au* 263-266
Au-Si* ..... *BAPD 4*(2) 190-198, *4*(4) 362 ad, *Binary Au* 266-275
Au-Sm ..... *Binary Au* 275-278
Au-Sn* ..... *JPE 14*(6)upd 765-766, *BAPD 5*(5) 492-503, *7*(6) 522 ad, *Binary Au* 278-289
Au-Sr* ..... *BAPD 7*(5) 452-454, *Binary Au* 289-291
Au-Ta* ..... *BAPD 6*(4) 365-368, *Binary Au* 291-294
Au-Tb ..... *Binary Au* 294-297
Au-Tc ..... *BAPD 5*(4) 390-391, *Binary Au* 297
Au-Te* ..... *BAPD 5*(2) 172-177, *Binary Au* 298-303
Au-Th* ..... *Binary Ac* 18-20, *BAPD 7*(6) 528-531, *Binary Au* 303-305
Au-Ti* ..... *BAPD 4*(3) 278-283, *Binary Au* 306-311, *Binary Ti* 27-32
Au-Tl* ..... *BAPD 4*(2) 199-204, *4*(4) 362 ad, *Binary Au* 311-316
Au-Tm ..... *Binary Au* 317-319
Au-U* ..... *Binary Ac* 143-144, *BAPD 7*(6) 532-535, *Binary Au* 319-322
Au-V* ..... *BAPD 2*(3) 344-347, *Binary Au* 322-325, *Binary V* 16-20
Au-W* ..... *Binary W* 19-20, *BAPD 6*(2) 136-137, *Binary Au* 325-326
Au-Xe ..... *Binary Au* 327
Au-Y ..... *Binary Au* 327-328
Au-Yb ..... *Binary Au* 328-331
Au-Zn* ..... *Binary Au* 331-340, *BAPD 10*(1) 59-69
Au-Zr* ..... *BAPD 6*(6) 519-522, *Binary Au* 340-343
B-Be ..... *Binary Be* 21-26
B-Bi ..... *JPE 12*(3)upd 391
B-C ..... *JPE 13*(4)upd 436
B-Cd* ..... *JPE 17*(3) 229
B-Co* ..... *BAPD 9*(4) 452-457
B-Cr* ..... *BAPD 7*(3) 232-237
B-Cu* ..... *Binary Cu* 74-78, *BAPD 3*(1) 45-48
B-Er* ..... *JPE 17*(4) 326-329
B-Fe ..... *Binary Fe* 41-47, *JPE 16*(4)upd 364-365
B-Ga ..... *JPE 12*(4)upd 501-502
B-Gd* ..... *JPE 17*(4) 330-334
B-Ge* ..... *BAPD 5*(5) 476-478
B-In ..... *In* 41
B-Li ..... *BAPD 10*(3) 230-232
B-Mg ..... *Binary Mg* 43-46
B-Mn* ..... *JPE 14*(1)upd 121-122, *BAPD 7*(6) 543-549
B-Mo ..... *IAEA No. 7* 213-217, *BAPD 9*(4) 457-466
B-Nd* ..... *JPE 17*(4) 335-339
B-Ni ..... *Binary Ni* 31-36
B-Np ..... *Binary Ac* 251
B-Pa ..... *Binary Ac* 125
B-Pd* ..... *JPE 17*(4) 340-346
B-Pu ..... *Binary Ac* 292-296
B-Sb ..... *JPE 12*(3)upd 391-392
B-Sc* ..... *BAPD 11*(4) 321-324
B-Si* ..... *BAPD 5*(5) 478-484
B-Sm* ..... *JPE 17*(4) 347-350
B-Sn* ..... *JPE 17*(2) 129-130
B-Ta* ..... *JPE 14*(3)upd 393-394
B-Tb* ..... *BAPD 11*(4) 325-328
B-Th ..... *Binary Ac* 21
B-Ti* ..... *BAPD 7*(6) 550-555, *BAPD 10*(3) 219 ad *Binary Ti* 33-38
B-Tl ..... *JPE 12*(5)upd 613-614
B-U ..... *Binary Ac* 145
B-V* ..... *BAPD 8*(5) 447-454, *Binary V* 20-26
B-Y* ..... *JPE 16*(6) 521-524
B-W ..... *Binary W* 21-28
B-Zn ..... *JPE 12*(4)upd 502
B-Zr* ..... *JPE 14*(2)upd 261-262
Ba-Be ..... *Binary Be* 26-28
Ba-Ca* ..... *BAPD 7*(4) 338-340
Ba-Cr ..... *BAPD 6*(4) 334
Ba-Cs ..... *BAPD 5*(5) 451
Ba-Cu* ..... *Binary Cu* 79-84, *JPE 15*(5)upd 564-565, *BAPD 5*(6) 564-570
Ba-Eu* ..... *BAPD 9*(3) 218-219, *JPE 12*(6)upd 698
Ba-Fe ..... *Binary Fe* 48
Ba-Ga* ..... *JPE 12*(5) 575-577
Ba-In ..... *In* 42-43
Ba-K ..... *BAPD 5*(5) 451
Ba-Li* ..... *BAPD 5*(5) 452-454
Ba-Mg* ..... *BAPD 7*(2) 144-149, *Binary Mg* 46-51
Ba-Mo ..... *IAEA No. 7* 217
Ba-Na* ..... *BAPD 6*(1) 26-29
Ba-Nd* ..... *BAPD 9*(3) 220-221
Ba-Ni ..... *Binary Ni* 36-37
Ba-Pd* ..... *JPE 12*(4) 462-464
Ba-Pr* ..... *BAPD 9*(3) 221-223
Ba-Pt* ..... *JPE 12*(4) 464-466
Ba-Pu ..... *Binary Ac* 296
Ba-Rb ..... *BAPD 5*(5) 454
Ba-Re ..... *BAPD 9*(3) 218
Ba-Se* ..... *JPE 12*(4) 467-469
Ba-Sm* ..... *BAPD 9*(3) 223-224
Ba-Sr* ..... *BAPD 8*(6) 534-536
Ba-Th ..... *Binary Ac* 22
Ba-Ti ..... *Binary Ti* 38-39
Ba-U ..... *Binary Ac* 146
Ba-V* ..... *BAPD 9*(4)466-469, *Binary V* 27-28
Ba-W ..... *Binary W* 29, *JAPD 4*(1) 14-15
Ba-Yb* ..... *JPE 12*(4)upd 502-504, *BAPD 9*(3) 224-225
Ba-Zn* ..... *JPE 12*(4) 469-471, *Binary Be* 17-21, *Binary Au* 28-31
Be-Bi ..... *Binary Be* 28-30
Be-Br ..... *Binary Be* 30-31
Be-C ..... *Binary Be* 31-33
Be-Ca ..... *Binary Be* 33-37
Be-Cd ..... *BAPD 7*(4) 355, *Binary Be* 38
Be-Ce ..... *Binary Be* 38-40
Be-Cl ..... *Binary Be* 40-44
Be-Cm ..... *Binary Ac* 456, *Binary Be* 44
Be-Co ..... *Binary Be* 45-55, *BAPD 9*(5) 552-562
Be-Cr* ..... *BAPD 7*(1) 15-18, *Binary Be* 56-59
Be-Cs ..... *BAPD 6*(1) 29-30, *Binary Be*60
Be-Cu ..... *Binary Cu* 85-98, *JPE 13*(1)upd 98-99, *BAPD 1*(1) 50-52, *2*(1) 27-28, *8*(3) 269-282; *Binary Be* 60-76
Be-F ..... *Binary Be* 77-81
Be-Fe* ..... *Binary Fe* 49-61, *Binary Be* 81-96, *BAPD 9*(4) 494-508
Be-Ga ..... *Binary Be* 96-98
Be-Ge ..... *Binary Be* 98-99
Be-H ..... *Binary Be* 100-103
Be-Hf ..... *Binary Be* 103-107
Be-Hg ..... *Binary Be* 108

Be-I ..... *Binary Be* 109-110
Be-In ..... *In* 44-45, *Binary Be* 110-112
Be-Ir ..... *Binary Be* 112-113
Be-K ..... *BAPD 6*(1) 30, *Binary Be* 113
Be-Li* ..... *BAPD 6*(1) 30-32, *Binary Be* 114-115
Be-Mg ..... *BAPD 8*(1) 57-58, *Binary Be* 115-117, *Binary Mg* 51-53
Be-Mn ..... *Binary Be* 118-119
Be-Mo ..... *Binary Be* 119-123
Be-N ..... *BAPD 8*(2) 136-139, *Binary Be* 123-127
Be-Na* ..... *BAPD 6*(1) 32-33, *Binary Be* 127-129
Be-Nb . *JPE 14*(4)upd 532-534, *Binary Be* 129-134
Be-Ni* ..... *Binary Ni* 38-47, *Binary Be* 134-144, *BAPD 9*(5) 563-573
Be-Np ..... *Binary Be* 145
Be-O* ..... *BAPD 6*(6) 553-558, *Binary Be* 146-152
Be-Os ..... *Binary Be* 152-153
Be-P ..... *Binary Be* 154
Be-Pa ..... *Binary Ac* 125-126, *Binary Be* 155
Be-Pb ..... *Binary Be* 156
Be-Pd ..... *BAPD 8*(4) 389-392, *Binary Be* 157-160
Be-Po ..... *Binary Be* 161
Be-Pt ..... *BAPD 8*(4) 392-395, *Binary Be* 162-164
Be-Pu ..... *Binary Ac* 297-300, *Binary Be* 165-168
Be-Rb ..... *BAPD 6*(1) 33-34, *Binary Be* 169
Be-Re ..... *Binary Be* 170-175
Be-Re ..... *Binary Be* 175-177
Be-Rh ..... *Binary Be* 178
Be-Ru ..... *Binary Be* 179-181
Be-S ..... *Binary Be* 181-182
Be-Sb ..... *Binary Be* 182-183
Be-Sc ..... *Binary Be* 184
Be-Se ..... *Binary Be* 185
Be-Si ..... *Binary Be* 186-188
Be-Sn ..... *Binary Be* 189-190
Be-Sr ..... *Binary Be* 191-192
Be-Ta ..... *Binary Be* 193-196
Be-Tc ..... *BAPD 7*(4) 355-356, *Binary Be* 196-197
Be-Te ..... *Binary Be* 197-198
Be-Th ..... *Binary Ac* 22-24, *Binary Be* 198-200
Be-Ti ..... *Binary Be* 201-205, *Binary Ti* 40-43
Be-U ..... *Binary Ac* 146-151, *Binary Be* 205-210
Be-V ..... *Binary Be* 211-212, *Binary V* 28-29
Be-W* ..... *Binary W* 30-32, *BAPD 7*(4) 356-358, *Binary Be* 213-215
Be-Y ..... *Binary Be* 216-218
Be-Yb ..... *Binary Be* 218-219
Be-Zn ..... *Binary Be* 219-222
Be-Zr ..... *Binary Be* 223-229
Bi-Cd* ..... *BAPD 9*(4) 445-448
Bi-Ce* ..... *BAPD 10*(4a) 427-430
Bi-Cm ..... *Binary Ac* 457
Bi-Co* ..... *JPE 12*(3) 346-348
Bi-Cr* ..... *BAPD 9*(3) 271-273
Bi-Cs* ..... *JPE 12*(4) 443-446
Bi-Cu* ..... *Binary Cu* 99-105, *BAPD 5*(2)148-155
Bi-Dy* ..... *JPE 15*(4)upd 450-451, *BAPD 10*(4a) 431-432
Bi-Fe ..... *Binary Fe* 62-63
Bi-Er ..... *BAPD 10*(4a) 433-434
Bi-Eu ..... *BAPD 10*(4a) 434-435
Bi-Gd* ..... *JPE 15*(6)upd 650-651, *BAPD 10*(4a) 436-438
Bi-Ge* ..... *BAPD 7*(6) 535-540
Bi-Hg* ..... *JPE 17*(3) 230-236
Bi-Ho ..... *JPE 15*(6)upd 651-652, *BAPD 10*(4a) 439-440
Bi-In ..... *In* 46-54
Bi-K* ..... *JPE 12*(1) 29-33
Bi-La* ..... *BAPD 10*(4a) 440-443
Bi-Li* ..... *JPE 12*(4) 447-450
Bi-Lu ..... *BAPD 10*(4a) 443-444, *JPE 17*(3) upd 268
Bi-Mg* ..... *JPE 13*(6)upd 672-673, *BAPD 6*(6) 528-533, *Binary Mg* 54-60
Bi-MM* ..... *BAPD 10*(4a) 419-427
Bi-Mo ..... *IAEA No. 7* 219
Bi-Na* ..... *JPE 12*(4) 451-456
Bi-Nd* ..... *BAPD 10*(4a) 444-446
Bi-Ni* ..... *Binary Ni* 47-49, *BAPD 6*(4) 345-347
Bi-Np ..... *Binary Ac* 252-253
Bi-Os* ..... *JPE 15*(2) 189-190
Bi-Pa ..... *Binary Ac* 126, *BAPD 2*(4) 484-485
Bi-Pb* ..... *JPE 13*(1) 21-32, *15*(3)upd 361-362, *BAPD 1*(2) 67-70
Bi-Pd* ..... *JPE 15*(2) 191-194
Bi-Pr* ..... *BAPD 10*(4a) 447-450
Bi-Pt* ..... *JPE 12*(2) 207-210
Bi-Pu ..... *Binary Ac* 300-301
Bi-Rb* ..... *JPE 14*(3) 368-372
Bi-RE ..... *BAPD 10*(4a) 419-427
Bi-S* ..... *JPE 17*(2) 132-139
Bi-Sc ..... *BAPD 10*(4a) 450
Bi-Se* ..... *JPE 15*(2) 195-201
Bi-Si* ..... *BAPD 6*(4) 359-361
Bi-Sm ..... *BAPD 10*(4a) 451-452
Bi-Ta ..... *JPE 13*(3) 269-270
Bi-Tb ..... *BAPD 10*(4a) 453-454
Bi-Th ..... *Binary Ac* 25-26, *BAPD 3*(1) 96-98
Bi-Ti* ..... *BAPD 5*(6) 610-613, *Binary Ti* 44-46
Bi-Tm ..... *BAPD 10*(4a) 454-455
Bi-U ..... *Binary Ac* 152
Bi-V ..... *JAPD 6*(1) 19-23, *Binary V* 30-32
Bi-W ..... *Binary W* 33
Bi-Y ..... *BAPD 10*(4a) 455-457
Bi-Yb ..... *BAPD 10*(4a) 458-459, JPE 16(4)upd 365-366
Bi-Zr* ..... *BAPD 11*(3) 295-297
Bk-Hg ..... *Binary Ac* 459-460
Bk-Mg ..... *Binary Ac* 472-473
Bk-Mo ..... *Binary Ac* 473, *IAEA No. 7* 220
Bk-N ..... *Binary Ac* 474
Bk-O ..... *Binary Ac* 474
Bk-P ..... *Binary Ac* 475
Bk-Pt ..... *Binary Ac* 475-476
Bk-S ..... *Binary Ac* 476
Bk-Sb ..... *Binary Ac* 477
Bk-W ..... *Binary Ac* 477-478, *Binary W* 34
Br-Ca ..... *JPE 15*(3)upd 363
Br-Cu ..... *Binary Cu* 106-108
Br-In* ..... *In* 54-56, *BAPD 11*(3) 297-300
Br-Mg ..... *Binary Mg* 60
Br-Mo ..... *IAEA No. 7* 220-222
Br-Ni ..... *Binary Ni* 50
Br-W ..... *Binary W* 35-36
C-Ce ..... *BAPD 7*(5) 437-438
C-Co* ..... *JPE 12*(4) 417-424
C-Cu* ..... *Binary Cu* 109-111
C-Cr* ..... *BAPD 11*(2) 152-159
C-Dy ..... *BAPD 7*(5) 439-440
C-Er ..... *BAPD 7*(5) 440-442
C-Eu ..... *BAPD 7*(5) 442-443
C-Fe* ..... *Binary Fe* 64-83, *JPE 13*(5) 543-565, *Ternary Fe1* 87-88
C-Gd ..... *BAPD 7*(5) 443-445
C-Ge* ..... *BAPD 5*(5) 484-486, 6(4) 325 ad
C-Hf* ..... *BAPD 11*(4) 396-403
C-Hg ..... *JPE 14*(2) 219-220
C-Ho ..... *BAPD 7*(5) 445-446
C-In ..... *In* 57
C-La* ..... *BAPD 7*(5) 446-449
C-Li* ..... *BAPD 10*(1) 69-72
C-Lu ..... *BAPD 7*(6) 555-556
C-Mg ..... *Binary Mg* 60-61
C-Mo ..... *IAEA No. 7* 222-225
C-Nb ..... *J. Nucl. Mater.*, 148 1-16
C-Nd ..... *BAPD 7*(6) 557-558
C-Ni* ..... *Binary Ni* 50-55, *BAPD 10*(2) 121-126
C-Np ..... *Binary Ac* 253
C-Pa ..... *Binary Ac* 127
C-Pr ..... *BAPD 7*(6) 558-559
C-Pu ..... *Binary Ac* 302
C-RE ..... *BAPD 7*(5) 421-436
C-Sc ..... *BAPD 7*(6)559-560
C-Si* ..... *BAPD 5*(5) 486-489
C-Sm ..... *BAPD 7*(6) 560-562
C-Tb ..... *BAPD 7*(6) 562-563
C-Te ..... *JPE 17*(2) 131
C-Th ..... *Binary Ac* 26-27
C-Ti ..... *JPE 16*(6)upd 532-533, *Binary Ti* 47-51
C-Tm ..... *BAPD 7*(6) 563-564
C-U ..... *Binary Ac* 153
C-V* ..... *BAPD 6*(2) 115-124, *Binary V* 33-42, *JPE 12*(6)upd 699
C-W ..... *Binary W* 37-50
C-Y* ..... *BAPD 7*(6) 564-568, *JPE 17*(6) upd 548
C-Yb ..... *BAPD 7*(6) 568-570
C-Zr ..... *JPE 17*(2) upd 162
Ca-Cl ..... *JPE 15*(1)upd 127
Ca-Ce* ..... *BAPD 8*(6) 511-512
Ca-Cr ..... *BAPD 6*(4) 335
Ca-Cs ..... *BAPD 6*(2) 168
Ca-Cu* .... *Binary Cu* 112-118, *BAPD 5*(6) 570-576
Ca-Dy ..... *BAPD 8*(6) 512-513
Ca-Er ..... *BAPD 8*(6) 513
Ca-Eu* ..... *BAPD 8*(6) 513-514
Ca-Fe ..... *JPE 15*(5)upd 564-566, *Binary Fe* 84-86
Ca-Ga* ..... *JPE 13*(3) 273-277
Ca-Gd ..... *BAPD 8*(6) 515
Ca-I ..... *JPE 15*(3)upd 364
Ca-In* ..... *In* 57-60, *JPE 12*(3) 379-383
Ca-K ..... *BAPD 6*(1) 34
Ca-La* ..... *BAPD 8*(6) 515-516
Ca-Li ..... *BAPD 8*(2) 125-127
Ca-Mg ..... *BAPD 8*(1) 58-65, *Binary Mg* 62-69
Ca-Mo ..... *IAEA No. 7* 225
Ca-N ..... *BAPD 11*(5) 497-503
Ca-Na* ..... *BAPD 6*(1) 35-37
Ca-Nd* ..... *BAPD 8*(6) 517-518
Ca-Ni ..... *Binary Ni* 56-58
Ca-O* ..... *BAPD 6*(4) 337-342
Ca-Pb* ..... *JPE 13*(2) 162-169
Ca-Pd ..... *JPE 13*(1) 99-100
Ca-Pr ..... *BAPD 8*(6) 518-519
Ca-Pu* ..... *Binary Ac* 303-304, *BAPD 10*(4a) 472-473
Ca-Rb ..... *BAPD 6*(1) 37
Ca-RE* ..... *BAPD 8*(6) 510-511
Ca-Sm ..... *BAPD 8*(6) 519
Ca-Sr* ..... *BAPD 7*(5) 455-457
Ca-Th ..... *Binary Ac* 27
Ca-Ti ..... *Binary Ti* 53-53
Ca-U ..... *Binary Ac* 154
Ca-V* ..... *BAPD 9*(4) 466-469, *Binary V* 43-44
Ca-W ..... *Binary W* 51, *JAPD 4*(1) 14-15
Ca-Y* ..... *BAPD 8*(6) 519-520
Ca-Yb* ..... *BAPD 8*(6) 521-522
Ca-Zn* ..... *BAPD 11*(4) 328-333
Cd-Ce* ..... *BAPD 9*(1) 21-23
Cd-Cr* ..... *JPE 13*(2) 169-171, *JPE 17*(2) upd 163
Cd-Cs* ..... *BAPD 8*(6) 541-542
Cd-Cu* ..... *Binary Cu* 119-126, *BAPD 11*(2) 160-169, *BAPD 1*(1) 62-63

Cd-Dy ..... *BAPD 9*(1) 24-25
Cd-Er ..... *BAPD 9*(1) 25-26
Cd-Eu* ..... *BAPD 9*(1) 26-28
Cd-Fe ..... *Binary Fe* 87-88
Cd-Ga* ..... *BAPD 9*(6) 691-694
Cd-Gd* ..... *BAPD 9*(1) 29-31
Cd-Ge* ..... *BAPD 7*(2) 167-169
Cd-Hg* ..... *JPE 13*(4) 401-410, *JPE 17*(6) upd 549
Cd-Ho ..... *BAPD 9*(1) 31-32
Cd-In* ..... *JPE 13*(3) 261-269, *In* 61-68
Cd-K* ..... *BAPD 8*(6) 543-546
Cd-La* ..... *BAPD 9*(1) 32-34
Cd-Li* ..... *BAPD 9*(1) 36-41
Cd-Lu ..... *BAPD 9*(1) 35
Cd-Mg* ..... *BAPD 5*(1) 23-30, *Binary Mg* 70-78
Cd-MM* ..... *BAPD 9*(1) 16-21
Cd-Mn* ..... *JPE 14*(1) 84-85
Cd-Mo ..... *IAEA No. 7* 226
Cd-N ..... *BAPD 9*(3) 245-247
Cd-Na* ..... *BAPD 9*(1) 41-46
Cd-Nd* ..... *BAPD 9*(2) 128-130
Cd-Ni ..... *Binary Ni* 59-61, *BAPD 8*(2) 122-124
Cd-Np ..... *Binary Ac* 254, *BAPD 2*(4) 485-488
Cd-O ..... *BAPD 8*(2) 140-147
Cd-Pb* ..... *BAPD 9*(6) 694-701
Cd-Pr* ..... *BAPD 9*(2) 130-132
Cd-Pu ..... *Binary Ac* 304-305
Cd-Rb* ..... *BAPD 8*(6) 546-547
Cd-RE ..... *BAPD 9*(1) 16-21, 9(2) 98 ad
Cd-S* ..... *JPE 17*(5) 425-431
Cd-Sc ..... *BAPD 9*(2) 132
Cd-Se* ..... *JPE 17*(2) 140-145
Cd-Si* ..... *BAPD 6*(6) 534-536
Cd-Sm* ..... *BAPD 9*(2) 133-135
Cd-Sn* ..... *BAPD 10*(3) 223-229
Cd-Tb ..... *BAPD 9*(2) 136-137
Cd-Te* ..... *BAPD 10*(4) 334-339
Cd-Th* ..... *Binary Ac* 28-30, *JPE 14*(1) 86-89
Cd-Ti* ..... *BAPD 4*(4) 399-401, *Binary Ti* 54-56
Cd-Tm ..... *BAPD 9*(2) 137-138
Cd-U* ..... *Binary Ac* 154-155, *BAPD 1*(2) 97-99
Cd-V ..... *Binary V* 44-47, *JAPD 5*(3) 195-200
Cd-W ..... *Binary W* 52
Cd-Y* ..... *BAPD 9*(2) 139-141
Cd-Yb* ..... *BAPD 9*(2) 141-143
Cd-Zn* ..... *JPE 14*(5)upd 649, *BAPD 5*(1) 30-36
Ce-Cr* ..... *BAPD 11*(5) 488-491
Ce-Cu* .. *Binary Cu* 127-133, *BAPD 9*(3a) 322-331
Ce-Dy ..... *BAPD 3*(1) 85-86
Ce-Er ..... *BAPD 3*(1) 86-87
Ce-Eu* ..... *BAPD 3*(2) 183-185
Ce-Fe ..... *Binary Fe* 89-92, *JPE 16*(5)upd 471
Ce-Gd* ..... *BAPD 3*(2) 185-187
Ce-Ge* ..... *BAPD 10*(2) 142-146
Ce-Hg* ..... *JPE 14*(3) 382-387
Ce-Ho ..... *BAPD 3*(1) 87-88
Ce-In ..... *In* 69-72
Ce-Ir* ..... *JPE 12*(5) 563-565
Ce-La* ..... *BAPD 2*(4) 445-447, *3*(1) 26 ad
Ce-Lu ..... *BAPD 3*(1) 88-89
Ce-Mg* ..... *BAPD 9*(2) 162-172, *Binary Mg* 78-88
Ce-Mn* ..... *JPE 17*(1) 53-56
Ce-Mo* ..... *IAEA No. 7* 226-227 *JPE 17*(1) 57-59
Ce-Nd ..... *BAPD 3*(1) 90
Ce-Ni ..... *Binary Ni* 62-67
Ce-Pd ..... *JPE 12*(6)upd 700-701
Ce-Pr* ..... *BAPD 3*(2) 187-188
Ce-Pu ..... *Binary Ac* 306
Ce-Rh ..... *JPE 14*(6)upd 766-767,
Ce-Ru ..... *JPE 13*(4)upd 437-438
Ce-Sc* ..... *BAPD 3*(2) 189-190
Ce-Si* ..... *BAPD 10*(1) 73-78
Ce-Sm* ..... *BAPD 3*(2) 190-192
Ce-Tb ..... *BAPD 3*(1) 90-91
Ce-Th ..... *Binary Ac* 31
Ce-Ti ..... *Binary Ti* 56-58
Ce-Tm ..... *BAPD 3*(1) 92
Ce-U ..... *Binary Ac* 155-156
Ce-V* ..... *BAPD 8*(6) 523-525, *Binary V* 47-50
Ce-W ..... *Binary W* 53-55, *JAPD 4*(2) 82
Ce-Y* ..... *BAPD 3*(2) 192-194
Ce-Yb ..... *BAPD 3*(1) 89
Ce-Zr* ..... *JPE 12*(1) 49-52
Cf-Hg ..... *Binary Ac* 459-460
Cf-Mg ..... *Binary Ac* 479
Cf-Mo ..... *Binary Ac* 479-480, *IAEA No. 7* 227-230
Cf-O ..... *Binary Ac* 480-481
Cf-Pt ..... *Binary Ac* 481
Cf-S ..... *Binary Ac* 482
Cf-Sb ..... *Binary Ac* 482
Cf-W ..... *Binary Ac* 483, *Binary W* 56
Cl-Cu ..... *Binary Cu* 134-136
Cl-Hg* ..... *JPE 15*(1) 101-107
Cl-In* ..... *In* 73-75, *BAPD 11*(3) 300-303
Cl-Mg ..... *Binary Mg* 88
Cl-Mo ..... *IAEA No. 7* 229-230
Cl-Ni ..... *Binary Ni* 68-69
Cl-Th ..... *Binary Ac* 32
Cl-W ..... *Binary W* 57-58
Cm-Cr* ... *Binary Ac* 457-458, *BAPD 6*(5) 416-417
Cm-Cu ..... *Binary Ac* 459, *Binary Cu* 137
Cm-Hg ..... *Binary Ac* 459-460
Cm-Ir ..... *Binary Ac* 461
Cm-Mg ..... *Binary Ac* 461
Cm-Mo ..... *Binary Ac* 462, *IAEA No. 7* 230-231
Cm-N ..... *Binary Ac* 463
Cm-O ..... *Binary Ac* 463-464
Cm-P ..... *Binary Ac* 464
Cm-Pd ..... *Binary Ac* 465
Cm-Pt* ... *Binary Ac* 465-467, *BAPD 10*(2) 117-118
Cm-Rh ..... *Binary Ac* 467
Cm-S ..... *Binary Ac* 468
Cm-Sb ..... *Binary Ac* 468-469
Cm-Se ..... *Binary Ac* 469
Cm-Si ..... *Binary Ac* 470
Cm-Te ..... *Binary Ac* 470
Cm-W ..... *Binary Ac* 471, *Binary W* 59
Co-Cr* ..... *BAPD 11*(4) 357-370
Co-Cu* .... *Binary Cu* 138-143, *BAPD 5*(2) 161-165
Co-Dy ..... *JPE 17*(1) upd 79
Co-Er ..... *JPE 17*(4) upd 368
Co-Fe* ..... *Binary Fe* 93-101, *BAPD 5*(3) 250-259
Co-Gd ..... *JPE 13*(6)upd 673-674
Co-Ge* ..... *JPE 12*(1) 77-83
Co-Hf* ..... *JPE 12*(4) 424-427
Co-Hg* ..... *JPE 14*(5) 643-646
Co-In* ..... *In* 76-77, *BAPD 11*(2) 137-139
Co-Li ..... *BAPD 11*(5) 440-441
Co-Mg ..... *BAPD 8*(4) 352-354, *Binary Mg* 89-91
Co-Mn* ..... *BAPD 11*(2) 125-137
Co-Mo ..... *IAEA No. 7* 231-234
Co-Na ..... *BAPD 11*(5) 442-443
Co-Nd* ..... *JPE 14*(1)upd 122-124
Co-Ni* ..... *Binary Ni* 69-74, *BAPD 4*(4) 390-395
Co-Np ..... *Binary Ac* 255
Co-P* ..... *BAPD 11*(6) 555-560
Co-Pd* ..... *JPE 12*(1) 83-87
Co-Pr ..... *JPE 13*(6)upd 675-676
Co-Pu ..... *Binary Ac* 307
Co-Sb* ..... *JPE 12*(2)upd 244-245, *BAPD 11*(3) 243-248
Co-Si* ..... *JPE 12*(5) 578-586
Co-Sm ..... *JPE 16*(4)upd 367-368
Co-Sn* .... *JPE 14*(3)upd 396-397, *JPE 12*(1) 88-93
Co-Sr ..... *JPE 13*(3) 272
Co-Th ..... *Binary Ac* 33-34
Co-Ti* ..... *BAPD 3*(1) 74-85 *Binary Ti* 59-68
Co-U ..... *Binary Ac* 156-157
Co-V* ..... *JPE 12*(3) 324-331, *Binary V* 50-58
Co-W ..... *Binary W* 60-68, *JAPD 2*(1) 43-52
Co-Y* ..... *JPE 13*(3)upd 326-328, *JPE 12*(5) 587-592
Cr-Cs ..... *BAPD 5*(4) 397
Cr-Cu* ..... *Binary Cu* 144-152, *BAPD 5*(1) 59-68, *5*(3) 245 ad
Cr-Fe ..... *Binary Fe* 102-129, *BAPD 2*(1) 99-100, 2(3) 299 ad
Cr-Ge* ..... *BAPD 7*(5) 477-485
Cr-H ..... *JPE 12*(6) 672-677
Cr-Hf* ..... *BAPD 7*(6) 570-573
Cr-Hg* ..... *BAPD 10*(2) 157-159
Cr-In ..... *In* 78-79
Cr-K ..... *BAPD 5*(4) 398
Cr-Ir* ..... *BAPD 11*(1) 5-8
Cr-Li ..... *BAPD 5*(4) 399-400
Cr-Lu ..... *JPD 13*(2)upd 212-213
Cr-Mg ..... *BAPD 6*(4) 335-336, *Binary Mg* 92
Cr-Mn* ..... *BAPD 7*(5) 457-462
Cr-Mo* ..... *IAEA No. 7* 234-236, *BAPD 8*(3) 216-220, *9*(2) 99-100 co, *10*(1) 5-8 co, *10*(4) 329-331 co, *10*(4a) 416 co, *10*(5) 524 co
Cr-Na ..... *BAPD 5*(4) 400-401
Cr-Nb* ..... *JPE 14*(4)upd 534-535, *BAPD 7*(5) 462-466
Cr-Ni* ..... *Binary Ni* 75-84, *BAPD 7*(5) 466-476
Cr-Np* .... *Binary Ac* 255-256, *BAPD 6*(5) 418-419
Cr-Os* ..... *BAPD 11*(1) 8-11
Cr-P* ..... *BAPD 11*(5) 430-434
Cr-Pb* ..... *BAPD 9*(2) 155-157
Cr-Pd* ..... *BAPD 11*(1) 11-15
Cr-Pt* ..... *BAPD 11*(1) 16-21
Cr-Po ..... *BAPD 9*(2) 158-159
Cr-Pu* ..... *Binary Ac* 308-310, *BAPD 6*(5) 419-421
Cr-Ra ..... *BAPD 6*(4) 336
Cr-Rb ..... *BAPD 5*(4) 402
Cr-Re ..... *BAPD 8*(2) 105-107
Cr-Rh ..... *BAPD 8*(2) 107-109
Cr-Ru ..... *BAPD 8*(2) 109-112
Cr-Sb* ..... *JPE 13*(4)upd 438-439, *BAPD 11*(5) 435-440
Cr-Sc* ..... *BAPD 6*(5) 422-423
Cr-Si* ..... *BAPD 8*(5) 474-484
Cr-Sn* ..... *BAPD 9*(2) 159-162
Cr-Sr ..... *BAPD 6*(4) 336-337
Cr-Ta ..... *BAPD 8*(2) 112-116, *JPE 17*(5) upd 457
Cr-Te* ..... *JPE 15*(4) 431-440
Cr-Tc ..... *BAPD 7*(6) 573-574
Cr-Th* ..... *Binary Ac* 34-35, *BAPD 6*(5)423-425
Cr-Ti* ..... *BAPD 2*(2) 174-181, *10*(3) 219 ad, *Binary Ti* 68-78
Cr-U* ..... *Binary Ac* 157-161, *BAPD 6*(5) 425-429
Cr-V* ..... *BAPD 2*(4) 469-473, *Binary V* 58-62
Cr-W* ..... *Binary W* 69-74, *BAPD 5*(3) 289-292, *6*(2)111 co, *TIIM 36*(4/5) xxv-xxix
Cr-Y* ..... *JPE 13*(1)upd 100-101, *BAPD 6*(5) 429-431
Cr-Zn* ..... *JPE 13*(2) 172-176
Cr-Zr* ..... *JPE 14*(6)upd 768, *BAPD 7*(3) 237-244
Cs-Cu ..... *Binary Cu* 153, *BAPD 8*(1) 42-43
Cs-Fe ..... *Binary Fe* 130
Cs-Ga* ..... *BAPD 11*(4) 340-343
Cs-H* ..... *JPE 15*(1) 84-86
Cs-Hf ..... *BAPD 8*(1) 43-44
Cs-In ..... *In* 80-82

Cs-K* ... *BAPD 4*(4) 379-382
Cs-In* ... *BAPD 11*(3) 229-232
Cs-Li* ... *BAPD 10*(5) 232-233
Cs-Mg* ... *BAPD 6*(1) 37-39, *Binary Mg* 92-94
Cs-Mo ... *IAEA No. 7* 236, *JPE 12*(6)upd 701-702
Cs-Na* ... *BAPD 3*(3) 310-313
Cs-Nb* ... *BAPD 9*(1) 47-50
Cs-Rb* ... *BAPD 4*(4) 382-384
Cs-Sr ... *BAPD 6*(1) 39
Cs-Ta ... *JAPD 6*(2) 116-117
Cs-Te* ... *JPE 14*(2) 246-249, *JPE 17*(6) upd 550
Cs-Ti* ... *Binary Ti* 79-80, *BAPD 10*(2) 132-133
Cs-V* ... *BAPD 9*(1) 47-50 *Binary V* 63-65
Cs-W ... *Binary W* 75
Cs-Zn ... *BAPD 8*(5) 484
Cs-Zr ... *BAPD 8*(1) 44-45, *8*(2) 102 ad
Cu-Dy* ... *Binary Cu* 154-157, *BAPD 9*(3a) 331-337
Cu-Er* ... *Binary Cu* 158-169, *BAPD 9*(3a) 337-342
Cu-Eu* ... *Binary Cu* 161-164, *BAPD 9*(3a) 342-347
Cu-F ... *Binary Cu* 165-166
Cu-Fe ... *Binary Cu* 167-172, *Binary Fe* 131-137
Cu-Fr ... *Binary Cu* 173
Cu-Ga* ... *Binary Cu* 174-184
Cu-Gd* . *Binary Cu* 185-190, *BAPD 9*(3a) 347-354
Cu-Ge* ... *Binary Cu* 191-198, *BAPD 7*(1) 28-35
Cu-H* ... *Binary Cu* 199
Cu-Hf* ... *Binary Cu* 200-204, *BAPD 9*(1) 51-56
Cu-Hg* ... *Binary Cu* 205-212, *BAPD 6*(6) 522-527
Cu-Ho* ... *Binary Cu* 213-215, *BAPD 9*(3a) 355-358
Cu-I ... *Binary Cu* 216
Cu-In* ... *Binary Cu* 218-229, *In* 83-95, *BAPD 10*(5) 554-568, *JPE 12*(6)upd 702, *15*(2)upd 226-227
Cu-Inert Gases ... *Binary Cu* 217
Cu-Ir* ... *Binary Cu* 230-233, *BAPD 8*(2) 132-136
Cu-K ... *Binary Cu* 234, *BAPD 7*(3) 231
Cu-La* ... *Binary Cu* 235-238, JPE 12(4)upd 504-505, *BAPD 2*(3) 302-305
Cu-Li* ... *Binary Cu* 239-241, *BAPD 7*(2) 142-144
Cu-Lu* ... *Binary Cu* 242-244, *BAPD 9*(3a) 358-361
Cu-Mg* ... Binary Cu 245-252, JPE 13(2)upd 213-214, *BAPD 5*(1) 36-43, Binary Mg 94-103
Cu-Mn* ... *Binary Cu* 253-259, *JPE 14*(1) 76-83
Cu-Mo* ... *Binary Cu* 260-262, BAPD 11(2) 169-172, *IAEA No. 7* 236-238
Cu-N ... *Binary Cu* 263
Cu-Na* ... *Binary Cu* 264-265, *BAPD 7*(1) 25-27
Cu-Nb* ... *Binary Cu* 266-270, JPE 12(5)upd 614-615, *BAPD 2*(4) 455-460, 5(2) 133-134 co
Cu-Nd* ... *Binary Cu* 271-275, *BAPD 9*(3a) 362-369
Cu-Ni* ... *Binary Cu* 276-286, *Binary Ni* 85-95
Cu-Np ... *Binary Ac* 257, *Binary Cu* 287
Cu-O* ... *Binary Cu* 288-292, *BAPD 5*(2) 136-140, *Ternary Cu-O-X* 19-25
Cu-Os* ... *Binary Cu* 293-294
Cu-P* .. *Binary Cu* 295-300, *JPE 16*(4)upd 368-369
Cu-Pa ... *Binary Ac* 127, *Binary Cu* 300
Cu-Pb* ... *Binary Cu* 301-307, JPE 14(5)upd 649-650, BAPD 5(5) 503-510, 6(6) 516 ad, 7(6)522 ad
Cu-Pd* ... *Binary Cu* 308-318, *JPE 12*(2) 231-243
Cu-Pm* ... *Binary Cu* 319-320, *BAPD 9*(3a) 369-371
Cu-Po ... *Binary Cu* 321
Cu-Pr* ... *Binary Cu* 322-325, *BAPD 9*(3a) 372-377
Cu-Pt* ... *Binary Cu* 326-337
Cu-Pu* ... *Binary Ac* 310-311, *Binary Cu* 338-340
Cu-Ra ... *Binary Cu* 341
Cu-Rb ... *Binary Cu* 342, *BAPD 7*(1) 28
Cu-Re ... *Binary Cu* 343-347, *BAPD 9*(3a) 316-321
Cu-Re* ... *Binary Cu* 348-349
Cu-Rh* ... *Binary Cu* 350-352, *BAPD 2*(4) 460-462, *3*(1) 26 ad
Cu-Ru ... *Binary Cu* 353-354, *JPE 13*(4)upd 440
Cu-S* ... *Binary Cu* 355-371, *BAPD 4*(3) 254-271
Cu-Sb* ... *Binary Cu* 372-383, *JPE 16*(5)upd 472
Cu-Sc* .. *Binary Cu* 384-387, *BAPD 9*(3a) 378-382
Cu-Se* ... *Binary Cu* 388-397, *BAPD 2*(3) 305-315
Cu-Si* ... *Binary Cu* 398-405, *BAPD 7*(2) 170-178
Cu-Sm* ... *Binary Cu* 406-411, *BAPD 9*(3a) 382-389
Cu-Sn* ... *Binary Cu* 412-418, *BAPD 11*(3) 278-286, *BAPD 1*(1) 87-89
Cu-Sr* ... *Binary Cu* 419-424, *BAPD 5*(4) 391-396, 6(6) 516 ad
Cu-Ta* ... *Binary Cu* 425-427, *BAPD 10*(6) 652-655
Cu-Tb* .. *Binary Cu* 428-431, *BAPD 9*(3a) 390-394
Cu-Tc* ... *Binary Cu* 432-433, *JPE 14*(2)upd 262-263
Cu-Te* ... *Binary Cu* 434-439
Cu-Th* ... *Binary Ac* 36-43, *Binary Cu* 440-446, *BAPD 7*(1) 36-43
Cu-Ti* ... *Binary Cu* 447-460, *JPE 15*(5)upd 566-567, *BAPD 4*(1) 81-95, *Binary Ti* 80-95
Cu-Tl* ... *Binary Cu* 461-464, *BAPD 5*(2) 156-160
Cu-Tm* ... *Binary Cu* 465-467, BAPD 9(3a) 395-398
Cu-U* ... *Binary Ac* 162, *Binary Cu* 468-470
Cu-V* ... *Binary Cu* 471-474, *BAPD 2*(3) 348-351, *Binary V* 65-68
Cu-W* ... *Binary Cu* 475-477, *Binary W* 76-79
Cu-Y* ... *Binary Cu* 478-481, *JPE 13*(1)upd 102-103, *BAPD 2*(3) 315-319
Cu-Yb* ... *Binary Cu* 482-486, *BAPD 9*(3a) 398-403
Cu-Zn* ... *Binary Cu* 487-496
Cu-Zr* ... *Binary Cu* 497-502, *BAPD 11*(5) 452-459
D-Fe ... *Binary Fe* 138
D-Nb ... *BAPD 4*(1) 39-46
D-Ta ... *JPE 13*(4)upd 440-441
D-V* ... *BAPD 3*(1) 49-54, *Binary V* 69-75
Dy-Er* ... *BAPD 4*(3) 290-291
Dy-Fe ... *JPE 17*(1) upd 80, *Binary Fe* 139-141
Dy-Gd* ... *BAPD 4*(3) 291-292
Dy-Hg* ... *JPE 16*(1) 73-76
Dy-Ho* ... *BAPD 4*(3) 293-294
Dy-In ... *In* 96-98
Dy-Ir* ... *JPE 13*(2) 177-179
Dy-La ... *BAPD 2*(4) 447-448
Dy-Mg ... *JPE 13*(2)upd 214-216, Binary Mg 104-108
Dy-Mo ... *IAEA No. 7* 238-239
Dy-Nd* ... *BAPD 3*(3) 348-350
Dy-Ni ... *Binary Ni* 96-101
Dy-Pu ... *Binary Ac* 311-312, *JPE 13*(2)upd 216-217
Dy-Sn* ... *JPE 14*(3)upd 397-398, *16*(1)upd 99-100
Dy-Tb ... *BAPD 4*(2) 160
Dy-Th ... *Binary Ac* 43
Dy-U ... *Binary Ac* 163
Dy-V ... *Binary V* 76-77
Dy-W ... *Binary W* 80-81, *JAPD 4*(2) 95
Dy-Y* ... *BAPD 4*(1) 74-75
Er-Fe ... *Binary Fe* 142-144
Er-Gd* ... *BAPD 4*(3) 294-296
Er-Hg* ... *JPE 16*(2) 177-180
Er-Ho* ... *BAPD 4*(3) 296-297
Er-In ... *In* 99-101
Er-Ir* ... *JPE 13*(2) 179-181
Er-Lu ... *JPD 13*(6)upd 676-677, *BAPD 4*(3) 297-298
Er-Mg ... *JPE 13*(6)upd 677-678, Binary Mg 108-112
Er-Mo ... *IAEA No. 7* 239-241
Er-Nd* ... *BAPD 3*(3) 350-351
Er-Ni ... *Binary Ni* 101-106
Er-Pd ... *JPE 12*(1)upd 116-117
Er-Pu ... *Binary Ac* 312-313
Er-Sb ... *JPE 16*(3)upd 283
Er-Sc* ... *BAPD 4*(1) 75-76
Er-Sn ... *JPE 16*(2)upd 197-198
Er-Tb* ... *BAPD 4*(3) 298-299
Er-Th ... *Binary Ac* 44
Er-Ti ... *Binary Ti* 96-98
Er-Tm ... *BAPD 4*(3) 299-300
Er-U ... *Binary Ac* 163
Er-V ... *Binary V* 78-80
Er-W ... *Binary W* 82-83, *JAPD 4*(2) 102-105
Er-Y* ... *BAPD 4*(1) 77-78
Es-Hg ... *Binary Ac* 459-460
Es-Mo ... *Binary Ac* 483-484, *IAEA No. 7* 241
Es-O ... *Binary Ac* 484
Es-W ... *Binary Ac* 485
Es-W ... *Binary Ac* 485, *Binary W* 84
Eu-Fe ... *Binary Fe* 145-146
Eu-Ge* ... *JPE 12*(4) 490-493
Eu-Hg ... *JPE 14*(1) 97-99
Eu-Ho ... *BAPD 4*(2) 161
Eu-In* ... *In* 102-104, *BAPD 11*(2) 140-143
Eu-La ... *JPE 12*(1)upd 118
Eu-Mg ... *JPE 13*(1)upd 103-104, *Binary Mg* 113-116
Eu-Mo ... *IAEA No. 7* 241
Eu-Ni* ... *JPE 13*(4)upd 441-442, Binary Ni 106-108, *BAPD 10*(2) 127-129
Eu-Pu ... *Binary Ac* 313-314
Eu-Sc ... *BAPD 4*(1) 78
Eu-Th ... *Binary Ac* 45
Eu-Ti ... *Binary Ti* 98
Eu-U ... *Binary Ac* 163-164
Eu-V ... *BAPD 8*(3) 221-224, *Binary V* 80-82
Eu-W ... *Binary W* 85-86, *JAPD 4*(2) 86-91
Eu-Y ... *BAPD 4*(1) 79
Eu-Yb ... *BAPD 4*(2) 161
F-In ... *In* 105
F-Mg ... *Binary Mg* 117
F-Mo ... *IAEA No. 7* 241-244
F-Ni ... *Binary Ni* 109
F-W ... *Binary W* 87-88
Fe-Ga* ... *Binary Fe* 147-151, *BAPD 11*(6) 576-581
Fe-Gd ... *Binary Fe* 152-155, *JPE 17*(6) upd 552
Fe-Ge ... *Binary Fe* 156-160
Fe-H ... *Binary Fe* 161-170, *BAPD 11*(2) 173-184
Fe-Hf ... *Binary Fe* 171-173
Fe-Hg ... *Binary Fe* 174-178
Fe-Ho ... *Binary Fe* 179-181
Fe-In* ... *Binary Fe* 182-183, *In* 106-108, *BAPD 11*(2) 143-146
Fe-Ir* ... *Binary Fe* 184-188 *BAPD 5*(1) 48-52, *5*(2) 134 ad
Fe-K* ... *Binary Fe* 189-191, *JPE 12*(1) 46-49
Fe-La ... *Binary Fe* 192-193
Fe-Li ... *Binary Fe* 194-197
Fe-Lu ... *Binary Fe* 198-199
Fe-Mg* ... *Binary Fe* 200-202, *BAPD 6*(3) 235-238, *Binary Mg* 118-121
Fe-Mn ... *Binary Fe* 203-213, *BAPD 2*(1) 106, 2(3) 299-300 ad, 2(4) 439-440 ad
Fe-Mo* ... *Binary Fe* 214-221, *BAPD 3*(3) 359-367, *4*(1) 28 ad
Fe-N ... *Binary Fe* 222-242, *BAPD 8*(4) 355-377
Fe-Nb* ... *Binary Fe* 247-252, *BAPD 7*(3) 248-254,

JPE 14(5)upd 650-652, *16*(4)upd 369-370
Fe-Nd* ..... *Binary Fe* 253-255, *JPE 13*(6) 645-648
Fe-Ni* ..... *Binary Fe* 256-278, *Binary Ni* 110-132, *JPE 12*(3) 288-312, *BAPD 2*(1) 10 ad
Fe-Np ..... *Binary Ac* 257, *JPE 16*(6)upd 533-534
Fe-O* ..... *Binary Fe* 280-306, *JPE 12*(2) 170-200
Fe-Os* ..... *Binary Fe* 307-309, *BAPD 4*(4) 396-399
Fe-P* ..... *Binary Fe* 310-315, *BAPD 11*(4) 404-412, *Ternary Fe3* 5-8
Fe-Pb ..... *Binary Fe* 316-318, *JPE 12*(2) 200-202
Fe-Pd ..... *Binary Fe* 319-324
Fe-Pm ..... *Binary Fe* 325-326
Fe-Pr ..... *Binary Fe* 327-329, *JPE 16*(6)upd 534, *JPE 17*(3) upd 269
Fe-Pt ..... *Binary Fe* 330-336
Fe-Pu ..... *Binary Ac* 314-317, *Binary Fe* 337-339
Fe-Rb ..... *Binary Fe* 340
Fe-RE ..... *Binary Fe* 341-348
Fe-Re ..... *Binary Fe* 349-352
Fe-Rh* ..... *Binary Fe* 353-358, *BAPD 5*(5) 456-462
Fe-Ru* ... *Binary Fe* 359-363, *BAPD 4*(2) 155a-160
Fe-S* ..... *Binary Fe* 364-365, *Ternary Fe2* 5-9
Fe-Sb ..... *Binary Fe* 366-370
Fe-Sc ..... *Binary Fe* 371-373
Fe-Se* ..... *Binary Fe* 374-379, *JPE 12*(3) 383-389
Fe-Si ..... *Binary Fe* 380-381
Fe-Sm ..... *Binary Fe* 382-384
Fe-Sn ..... *Binary Fe* 385-392
Fe-Sr ..... *Binary Fe* 393-394
Fe-Ta* ..... *Binary Fe* 395-399, *BAPD 7*(3) 254-259, *JPE 17*(1) upd 81
Fe-Tb ..... *Binary Fe* 400-402, *JPE 17*(2) upd 165
Fe-Tc ..... *Binary Fe* 403-404
Fe-Te* ..... *Binary Fe* 405-409, *BAPD 11*(4) 371-376
Fe-Th ..... *Binary Ac* 46-49, *Binary Fe* 410-413
Fe-Ti* ..... *Binary Fe* 414-425, *BAPD 2*(3) 320-334, *Binary Ti* 99-111, *JPE 17*(4) upd 369
Fe-Tl ..... *Binary Fe* 426, *BAPD 11*(6) 581-582
Fe-Tm ..... *Binary Fe* 427-428
Fe-U ..... *Binary Ac* 164-168, *Binary Fe* 429-432
Fe-V* ..... *Binary Fe* 433-443, *BAPD 5*(2) 184-194, *Binary V* 82-93
Fe-W ..... *Binary Fe* 444-452, *Binary W* 89-101, *JAPD 2*(3) 176-188
Fe-Y* ..... *Binary Fe* 453-456, *JPE 13*(3) 304-308, *16*(5)upd 473
Fe-Yb ..... *Binary Fe* 457-458
Fe-Zn ..... *Binary Fe* 459-466
Fe-Zr* ..... *JPE 14*(5)upd 652-653, *Binary Fe* 467, *BAPD 9*(5) 574-604
Fm-Hg ..... *Binary Ac* 459-460
Fm-Mo ..... *Binary Ac* 485-486, *IAEA No. 7* 249
Fr-Mo ..... *IAEA No. 7* 249
Fr-W ..... *Binary W* 102
Ga-Gd* ..... *BAPD 11*(1) 67-72
Ga-Ge* ..... *BAPD 6*(3) 258-262
Ga-Hg* ..... *JPE 14*(5) 719-725
Ga-In* ..... *In* 109-166, *JPE 12*(1) 64-72
Ga-K* ..... *BAPD 11*(4) 343-347
Ga-La* ..... *BAPD 11*(1) 72-77
Ga-Li* ..... *JPE 12*(1) 33-37
Ga-Mg* ..... *JPE 12*(1)upd 119-120, *BAPD 6*(5) 434-439, *Binary Mg* 122-128
Ga-Mo ..... *IAEA No. 7* 249-251
Ga-Ni ..... *Binary Ni* 1133-40, *BAPD 11*(4) 347-353
Ga-Np ..... *Binary Ac* 258
Ga-Pb* ..... *JPE 12*(1) 73-77
Ga-Pm ..... *JPE 14*(1)upd 124-125
Ga-Pu* ..... *Binary Ac* 317-323, *BAPD 9*(3) 261-267
Ga-Rb* ..... *JPE 13*(3)upd 328-329, *BAPD 11*(4) 354-356
Ga-Sb* ..... *BAPD 9*(5) 586-591
Ga-Si* ..... *BAPD 6*(4) 362-364
Ga-Sn* ..... *JPE 13*(2) 181-189
Ga-Sr* ..... *JPE 13*(2) 190-192
Ga-Th ..... *Binary Ac* 49-50
Ga-Ti* ..... *BAPD 6*(4) 327-330, *Binary Ti* 112-115
Ga-Tl* ..... *JPE 12*(6) 652-660
Ga-U* ..... *Binary Ac* 168-169, *JPE 14*(1)upd 125-126
Ga-V* ..... *BAPD 2*(2) 201-209, *Binary V* 94-98
Ga-W ..... *Binary W* 103-104
Ga-Yb* ..... *JPE 13*(1) 32-35
Ga-Zn* ..... *BAPD 11*(1) 77-82
Gd-Ge* ..... *BAPD 10*(2) 147-152
Gd-Hg* ..... *JPE 16*(2) 181-185
Gd-Ho* ..... *BAPD 4*(3) 300-301
Gd-In* ..... *In* 117-122, *BAPD 10*(3) 234-240
Gd-La* ..... *BAPD 2*(4) 448-451, *3*(1) 26 ad
Gd-Lu ..... *BAPD 4*(2) 162
Gd-Mg ..... *Binary Mg* 128-134
Gd-Mo ..... *BAPD 1*(2) 78-79
Gd-Nd* ..... *BAPD 3*(3) 351-353
Gd-Ni ..... *Binary Ni* 140-145
Gd-Pb* ..... *JPE 12*(6) 686-690
Gd-Pr ..... *BAPD 3*(2) 195-196
Gd-Pu ..... *Binary Ac* 324
Gd-Sc* ..... *BAPD 4*(2) 163-164
Gd-Si* ..... *JPE 16*(2)upd 198-199, *BAPD 9*(5) 574-578
Gd-Sm* ..... *BAPD 4*(2) 164-167
Gd-Sn* ..... *JPE 12*(6) 690-695, *16*(1)upd 100-101
Gd-Tb* ..... *BAPD 4*(3) 301-302
Gd-Th ..... *Binary Ac* 50-51
Gd-Ti ..... *Binary Ti* 115-118
Gd-U ..... *Binary Ac* 169
Gd-V ..... *Binary V* 99-100
Gd-W ..... *Binary W* 105-106, *JAPD 4*(2) 91
Gd-Y* ..... *BAPD 4*(2) 167-168
Gd-Yb* ..... *BAPD 4*(3) 303-304
Ge-Hf* ..... *BAPD 11*(3) 253-256
Ge-In* ..... *In* 123-126, *BAPD 6*(6) 536-539
Ge-La* ..... *BAPD 10*(4) 385-390
Ge-Mg* ..... *JPE 14*(4)upd 534-535, *BAPD 5*(4) 359-365, *Binary Mg* 135-142
Ge-Mn* ..... *BAPD 11*(5) 460-468
Ge-Mo ..... *IAEA No. 7* 253-255, *BAPD 8*(1) 53-56
Ge-N ..... *BAPD 11*(6) 567-568
Ge-Nd* ..... *BAPD 10*(2) 153-156
Ge-Ni ..... *Binary Ni* 145-150, *BAPD 8*(3) 255-264
Ge-P* ..... *BAPD 6*(3) 262-266
Ge-Pb* ..... *BAPD 5*(4) 374-377
Ge-Pd* ..... *JPE 13*(4) 410-413
Ge-Pr* ..... *BAPD 10*(3) 241-246
Ge-Pt* ..... *JPE 13*(4) 413-417
Ge-Pu ..... *Binary Ac* 325
Ge-Sb* ..... *BAPD 7*(3) 219-222
Ge-Sc* ..... *BAPD 7*(6) 540-543
Ge-Se* ..... *BAPD 11*(3) 257-263
Ge-Si* ..... *BAPD 5*(2) 180-183
Ge-Sm* ..... *BAPD 9*(5) 578-581
Ge-Sn* ..... *BAPD 5*(3) 265-271
Ge-Ta ..... *JPE 12*(6) 661-663
Ge-Th ..... *Binary Ac* 51-52
Ge-Ti ..... *Binary Ti* 118-122
Ge-Tl* ..... *BAPD 6*(2) 125-128
Ge-U ..... *Binary Ac* 170
Ge-V* ..... *BAPD 2*(2) 205-209, *Binary V* 101-105
Ge-W* ..... *Binary W* 107-110, *JAPD 5*(3) 159-163
Ge-Y* ..... *BAPD 9*(1) 64-68
Ge-Zn* ..... *BAPD 6*(6) 540-543
Ge-Zr* ..... *BAPD 7*(1) 43-47
H-Hf ..... *JPE 12*(1)upd 120
H-In ..... *In* 127
H-La ..... *BAPD 11*(1) 90-99
H-Li* ..... *JPE 14*(3) 373-381
H-Mg* ..... *BAPD 8*(5) 431-437, *Binary Mg* 142-150
H-Mn ..... *JPE 16*(3) 255-262
H-Mo ..... *IAEA No. 7* 255-256
H-Na* ..... *BAPD 11*(3) 287-294
H-Nb* ..... *BAPD 4*(1) 39-46
H-Ni ..... *Binary Ni* 154-63, *BAPD 10*(5) 569-580
H-Np ..... *Binary Ac* 258
H-Pa ..... *Binary Ac* 128
H-Pd* ..... *JPE 15*(1) 62-83
H-Pu ..... *Binary Ac* 325-326
H-Rb* ..... *JPE 15*(1) 87-89
H-Sm ..... *JPE 17*(5) 432-441
H-Ta* ..... *JPE 12*(3) 332-343
H-Th ..... *Binary Ac* 52-53
H-Ti ..... *JPE 13*(4)upd 443, *BAPD 8*(1) 30-42, *Binary Ti* 123-135
H-U* ..... *BAPD 1*(2) 99-106, *2*(2) 172 ad, *Binary Ac* 171-172, *JPE 16*(3) 263-275
H-V* ..... *JPE 13*(6)upd 679, *BAPD 3*(1) 55-60, *Binary V* 106-112
H-W ..... *Binary W* 111-112
H-Y* ..... *BAPD 9*(3) 252-260
H-Yb ..... *JPE 15*(6)upd 653-654
H-Zn ..... *BAPD 10*(6) 664-666
H-Zr* ..... *BAPD 11*(4) 385-395
He-Mo ..... *IAEA No. 7* 256
He-W ..... *Binary W* 113
Hf-Hg* ..... *JPE 16*(4) 334-336
Hf-In ..... *In* 128, *BAPD 11*(4) 412-413
Hf-Ir ..... *JPE 15*(3)upd 365-366
Hf-K ..... *BAPD 8*(1) 45-46
Hf-Li* ..... *BAPD 10*(3) 251-252
Hf-Mg ..... *Binary Mg* 150-151
Hf-Mn* ..... *JPE 16*(4) 361-363
Hf-Mo ..... *IAEA No. 7* 256-259
Hf-N* ..... *BAPD 11*(2) 146-149
Hf-Na ..... *BAPD 8*(1) 46-47
Hf-Nb* ..... *JPE 12*(2) 211-214
Hf-Ni* ..... *JPE 14*(6)upd 769, *Binary Ni* 163-167, *JPE 12*(3)upd 393, *BAPD 8*(1) 47-48
Hf-Os ..... *JPE 15*(6)upd 654-655
Hf-Pd* ..... *JPE 16*(3)upd 284, *JPE 16*(6) 527-531
Hf-Pu ..... *Binary Ac* 327
Hf-Rh* ..... *JPE 14*(3)upd 399-400
Hf-Ru ..... *JPE 15*(3)upd 366-367
Hf-Si* ..... *BAPD 10*(4) 390-393
Hf-Sn* ..... *JPE 12*(4) 472-474
Hf-Ta ..... *JPE 17*(3) upd 270, *JAPD 5*(2) 117-124
Hf-Th ..... *Binary Ac* 53-54
Hf-Ti* ..... *BAPD 2*(2) 181-185, *Binary Ti* 136-140
Hf-U ..... *Binary Ac* 172-173
Hf-V ..... *Binary V* 112-115
Hf-W ..... *Binary W* 114-121, *JAPD 3*(1) 38-46
Hf-Zr* ..... *BAPD 3*(1) 29-34
Hg-Cm, Bk, Cf, Es, Fm, Md, No ..... *JPE 17*(5) 443-444
Hg-Ho* ..... *JPE 16*(1) 77-80
Hg-In ..... *In* 129-134
Hg-La* ..... *JPE 16*(2) 186-192
Hg-Lu ..... *JPE 16*(3) 276
Hg-Md ..... *Binary Ac* 459-460
Hg-Mg ..... *BAPD 8*(1) 65-70, *Binary Mg* 152-156
Hg-Mn* ..... *JPE 14*(6) 726-733
Hg-Mo* ..... *JPE 15*(1) 108-110, *IAEA No. 7* 259-261
Hg-Nb* ..... *JPE 14*(3) 388-390
Hg-Nd* ..... *JPE 16*(5) 448-453
Hg-Ni ..... *Binary Ni* 167-173
Hg-Np ..... *Binary Ac* 259
Hg-No ..... *Binary Ac* 459-460
Hg-Os* ..... *JPE 16*(1) 81-82
Hg-Pa ..... *Binary Ac* 128
Hg-Pb* ..... *JPE 14*(6) 734-742
Hg-Pd* ..... *BAPD 11*(1) 22-26

Hg-Pm ..... *JPE 16*(6) 526
Hg-Po ..... *JPE 16*(4) 337
Hg-Pr* ..... *JPE 16*(5) 454-458
Hg-Pt* ..... *BAPD 11*(1) 26-32
Hg-Pu ..... *Binary Ac* 328
Hg-Ru* ..... *JPE 16*(1) 83-85
Hg-S* ..... *JPE 14*(1) 100-109
Hg-Sb* ..... *BAPD 11*(4) 317-320
Hg-Sc ..... *JPE 14*(3) 391-392
Hg-Se* ..... *JPE 13*(6) 663-671
Hg-Sm* ..... *JPE 16*(1) 86-91
Hg-Sn* ..... *JPE 14*(6) 743-752
Hg-Tb* ..... *JPE 16*(2) 193-196
Hg-Tc ..... *JPE 14*(2) 220
Hg-Te* ..... *JPE 16*(4) 338-347
Hg-Th* ..... *Binary Ac* 54-58, *JPE 15*(2) 204-207
Hg-Ti ..... *Binary Ti* 140-142
Hg-Tl* ..... *JPE 15*(1) 111-116
Hg-Tm* ..... *JPE 16*(5) 459
Hg-U* ..... *Binary Ac* 173-174, *BAPD 1*(2) 106-108
Hg-V ..... *JAPD 6*(3) 179-182, *Binary V* 116-118
Hg-W ..... *Binary W* 122-123
Hg-Xe ..... *JPE 17*(5) 442
Hg-Y* ..... *JPE 16*(3) 277-280
Hg-Yb* ..... *JPE 16*(4) 348-352
Hg-Zn* ..... *JPE 16*(4) 353-360
Ho-In ..... *In* 134-137
Ho-La ..... *BAPD 2*(4) 451-452
Ho-Mg ..... *JPE 15*(1)upd 128, *Binary Mg* 157-160
Ho-Mo ..... *IAEA No. 7* 260
Ho-Nd ..... *BAPD 3*(3) 354-355
Ho-Ni ..... *JPE 13*(5)upd 573-574, *Binary Ni* 173-176
Ho-Pd ..... *JPE 12*(2)upd 246-247
Ho-Pu ..... *Binary Ac* 329
Ho-Sc ..... *BAPD 4*(1) 79-80
Ho-Si ..... *JPE 17*(4) upd 370
Ho-Sn ..... *JPE 16*(2)upd 199-200
Ho-Tb* ..... *BAPD 4*(3) 304-305
Ho-Th ..... *Binary Ac* 58-59
Ho-U ..... *Binary Ac* 174
Ho-V ..... *Binary V* 118-119
Ho-W ..... *Binary W* 124-125, *JAPD 4*(2) 95-102
Ho-Y* ..... *BAPD 4*(1) 80-81
I-In ..... *In* 138-139
I-Mg ..... *Binary Mg* 160
I-Mo ..... *BAPD 1*(2) 80-81, *9*(2) 99-100 co
I-Ni ..... *Binary Ni* 176
I-Th ..... *Binary Ac* 59-60
I-W ..... *Binary W* 126
In-Ir ..... *In* 140
In-K* ..... *JPE 13*(2)upd 217-218, *In* 141-144, *BAPD 11*(3) 232-236
In-La* ..... *In* 145-151, *BAPD 10*(5) 580-588
In-Li* ..... *In* 152-155, *JPE 12*(1) 37-41
In-Lu ..... *In* 156-158
In-Mg* ..... *In* 159-170, *BAPD 6*(2) 149-160, *Binary Mg* 161-173
In-Mn* ..... *JPE 13*(5)upd 574-575, *In* 170-172, *BAPD 11*(3) 303-306
In-Mo ..... *In* 173-174, *IAEA No. 7* 261-263
In-N ..... *In* 175, *BAPD 10*(6) 656
In-Na* ..... *In* 176-180, *JPE 12*(3) 371-376
In-Nb ..... *In* 181-183
In-Nd ..... *In* 183-185
In-Ni* ..... *In* 186-190, *Binary Ni* 177-181, *BAPD 9*(5) 592-597
In-O ..... *In* 191-192
In-Os ..... *In* 193, *BAPD 9*(6) 702
In-P ..... *In* 194-196
In-Pb ..... *In* 197-206, *BAPD 8*(3) 246-255
In-Pd ..... *In* 207-210
In-Pm ..... *In* 211
In-Pr ..... *In* 212-215
In-Pt ..... *In* 216-219
In-Pu ..... *Binary Ac* 330-332, *In* 220-222
In-Rb* ..... *In* 223-224, *JPE 12*(3) 377-379
In-Re ..... *In* 225, *BAPD 9*(6) 702
In-Rh ..... *In* 226, *BAPD 9*(6) 703
In-Ru ..... *In* 227, *BAPD 9*(6) 704
In-S ..... *In* 228-232
In-Sb* ..... *In* 233-239, *BAPD 10*(6) 657-664
In-Sc ..... *In* 240-241
In-Se ..... *In* 242-249
In-Si* ..... *In* 250-252, *BAPD 6*(2) 128-130
In-Sm ..... *In* 252-254
In-Sn ..... *In* 255-257
In-Sr ..... *In* 258-259
In-Ta* ..... *In* 260-261, *BAPD 9*(1) 56-58
In-Tb ..... *In* 262-264
In-Te ..... *In* 265-273
In-Th ..... *Binary Ac* 60-62, *In* 274-276
In-Ti ..... *In* 277-278, *Binary Ti* 143-145
In-Tl ..... *In* 279-290
In-Tm ..... *In* 291-293
In-U ..... *Binary Ac* 175-176, *In* 294-295
In-V* ..... *In* 296-298, *BAPD 6*(1) 66-68, *Binary V* 120-122
In-W ..... *In* 219, *Binary W* 127
In-Y ..... *In* 300-302
In-Yb* ..... *In* 303-306, *BAPD 10*(5) 588-592
In-Zn* ..... *In* 307-311, *BAPD 5*(3) 284-289
In-Zr* ..... *In* 312-313, *BAPD 11*(2) 150-152
Ir-La* ..... *JPE 12*(5) 565-567
Ir-Li* ..... *JPE 13*(1) 59-62
Ir-Mg ..... *Binary Mg* 174-175
Ir-Mn* ..... *JPE 17*(1) 60-62
Ir-Mo ..... *IAEA No. 7* 263-265
Ir-Nb* ..... *JPE 15*(1) 52-54
Ir-Ni ..... *Binary Ni* 181-182
Ir-Np ..... *Binary Ac* 259-260
Ir-Os* ..... *JPE 15*(1) 55-57
Ir-P* ..... *BAPD 11*(4) 413-415
Ir-Pa ..... *Binary Ac* 129
Ir-Pd* ..... *JPE 12*(5) 603-605
Ir-Pt* ..... *JPE 16*(5) 460-464
Ir-Pu ..... *Binary Ac* 333
Ir-Re* ..... *JPE 13*(6) 649-650
Ir-Rh* ..... *JPE 12*(5) 606-608
Ir-Ru ..... *JPE 13*(5) 565-567
Ir-Sb ..... *JPE 15*(5)upd 567-568
Ir-Sc* ..... *JPE 16*(3)upd 285-286, *JPE 17*(5) 445-450
Ir-Si ..... *JPE 16*(5)upd 473-474
Ir-Th* ..... *Binary Ac* 63-65, *JPE 12*(5) 568-570, *BAPD 3*(1) 98-99
Ir-Ti* ..... *JPE 13*(3)upd 329-331, *BAPD 3*(2) 205-211, *Binary Ti* 145-150
Ir-U ..... *Binary Ac* 177-179, *JPE 13*(5) 567-570
Ir-V ..... *JAPD 4*(2) 117-121, *Binary V* 123-125
Ir-W ..... *Binary W* 128-134
Ir-Y* ..... *JPE 13*(6) 651-653
Ir-Yb* ..... *JPE 13*(2) 193-194
Ir-Zr* ..... *JPE 13*(6) 653-656
K-Li* ..... *BAPD 10*(3) 262-264
K-Mg* ..... *BAPD 6*(1) 39-41, *Binary Mg* 176-177
K-Mo ..... *IAEA No. 7* 265
K-Na* ..... *BAPD 3*(3) 313-318
K-Nb* ..... *BAPD 9*(4) 469-474
K-Pu ..... *Binary Ac* 333
K-Rb* ..... *BAPD 4*(4) 385-387
K-Sb* ..... *JPE 14*(4) 510-514
K-Sr ..... *BAPD 6*(2) 168
K-Ta ..... *JAPD 6*(1) 12-13
K-Te* ..... *BAPD 11*(5) 443-447
K-Th ..... *Binary Ac* 65
K-Ti* ..... *Binary Ti* 150-151, *BAPD 10*(2) 134-135
K-U ..... *Binary Ac* 180
K-V* ..... *BAPD 9*(4) 469-474, *Binary V* 126-128
K-W ..... *Binary W* 135
K-Zn* ..... *BAPD 8*(6) 548-549
K-Zr* ..... *BAPD 10*(3) 269-270
Kr-Mo ..... *IAEA No. 7* 266
Kr-W ..... *Binary W* 136
La-Lu ..... *BAPD 3*(1) 92-93
La-Mg* ..... *BAPD 9*(2) 172-178, *Binary Mg* 178-183
La-Mn* ..... *BAPD 11*(5) 491-493
La-Mo ..... *IAEA No. 7* 266
La-Nb* ..... *JPE 15*(2) 202-203
La-Ni ..... *Binary Ni* 183-188, *JPE 12*(5)upd 615-616
La-Nd* ..... *BAPD 2*(4) 452-453, *3*(1) 26 ad
La-Np ..... *Binary Ac* 260-261
La-Pb* ..... *JPE 13*(1) 36-42
La-Pu ..... *Binary Ac* 334
La-Rh* ..... *JPE 14*(2) 221-224, *JPE 17*(5) upd 458
La-Ru ..... *JPE 12*(2)upd 247-248
La-Sc* ..... *BAPD 3*(1) 93-94
La-Sn* ..... *JPE 13*(1) 42-49
La-Tb ..... *BAPD 2*(4) 454-455
La-Th ..... *Binary Ac* 66
La-Ti ..... *Binary Ti* 151-153
La-U ..... *Binary Ac* 180
La-V ..... *Binary V* 129-131
La-W ..... *Binary W* 137-139, *JAPD 4*(2) 78-82
La-Y* ..... *BAPD 3*(1) 94-96
Li-Mg* ..... *BAPD 5*(4) 365-374, *Binary Mg* 184-194
Li-Mo ..... *IAEA No. 7* 267
Li-N* ..... *JPE 13*(3) 291-296
Li-Na* ..... *BAPD 10*(3) 265-268
Li-Nb* ..... *BAPD 9*(4) 474-478
Li-Ni ..... *Binary Ni* 188-191
Li-O ..... *JPE 13*(3) 296-299
Li-Os ..... *JPE 13*(1) 62-63
Li-P ..... *JPE 16*(1) 92-93
Li-Pb ..... *JPE 14*(6)upd 770
Li-Pd* ..... *JPE 14*(5)upd 653, *JPE 13*(1) 63-66
Li-Pt* ..... *JPE 12*(6) 678-681
Li-Pu ..... *Binary Ac* 335
Li-Rb* ..... *BAPD 10*(3) 268-269
Li-Re ..... *JPE 12*(6) 681
Li-Rh* ..... *JPE 12*(6) 682-684
Li-Ru ..... *JPE 12*(6) 685
Li-S* ..... *JPE 16*(1) 94-97
Li-Sb* ..... *JPE 14*(4) 514-517, *JPE 17*(3) upd 271
Li-Si ..... *BAPD 11*(3) 306-312
Li-Sr* ..... *BAPD 10*(3) 278-280
Li-Ta ..... *JAPD 6*(1) 8-9
Li-Te* ..... *JPE 13*(3) 300-303
Li-Ti* ..... *Binary Ti* 153-155, *BAPD 10*(2) 135-138
Li-U ..... *Binary Ac* 180
Li-V* ..... *BAPD 9*(4) 474-478, *Binary V* 132-134
Li-W ..... *Binary W* 140, *JPE 12*(2) 203
Li-Zn* ..... *JPE 12*(1) 42-45
Li-Zr ..... *BAPD 8*(1) 48-50
Lr-Mo ..... *Binary Ac* 488-489, *BAPD 1*(2) 81-82
Lu-Mg ..... *Binary Mg* 195-198
Lu-Mo ..... *IAEA No. 7* 269
Lu-Nd ..... *BAPD 3*(3) 355
Lu-Ni ..... *Binary Ni* 192-193
Lu-Np ..... *Binary Ac* 261
Lu-Pu ..... *Binary Ac* 336
Lu-Sb ..... *JPE 12*(3)upd 393-394
Lu-Sn ..... *JPE 16*(2)upd 200-201
Lu-Tb ..... *BAPD 4*(2) 169
Lu-Th ..... *Binary Ac* 67
Lu-U ..... *Binary Ac* 181
Lu-V ..... *Binary V* 134-135
Lu-W ..... *Binary W* 141-142, *JAPD 4*(2) 109-111
Lu-Yb* ..... *BAPD 4*(3) 305-306

Md-Mo.....*Binary Ac* 486-487, *IAEA No. 7* 270
Mg-Mn*..... *BAPD 6*(2) 160-164, *Binary Mg* 199-203
Mg-Mo..... *IAEA No. 7* 271, *Binary Mg* 204-205
Mg-N .....*Binary Mg* 205-208
Mg-Na*..... *BAPD 5*(5) 454-456, *Binary Mg* 209-210
Mg-Nb .....*Binary Mg* 210-213
Mg-Nd* .....*JPE 12*(2)upd 249-250, *BAPD 9*(5) 618-623, *Binary Mg* 213-218
Mg-Ni* ..... *Binary Ni* 193-199, *BAPD 6*(3) 238-244, *Binary Mg* 219-225
Mg-Np .....*Binary Ac* 262
Mg-O ..... *BAPD 8*(3) 227-233, *Binary Mg* 226-234
Mg-P ..... *BAPD 6*(3) 244-245, *Binary Mg* 234-235
Mg-Pa .....*Binary Ac* 129
Mg-Pb*..... *BAPD 6*(1) 56-66, *Binary Mg* 236-247
Mg-Pd*..... *BAPD 6*(2) 164-167, *Binary Mg* 247-251
Mg-Po .....*BAPD 8*(2) 116-117, *Binary Mg* 251
Mg-Pr*.....*Binary Mg* 252-256, *BAPD 10*(1) 23-27, *JPE 16*(6)upd 535
Mg-Pt..... *BAPD 6*(6) 533-534, *Binary Mg* 257-258
Mg-Pu..... *Binary Ac* 337, *Binary Mg* 259-263
Mg-Rb*..... *BAPD 6*(1) 41-42, *Binary Mg* 263-265
Mg-Rh .....*BAPD 8*(2) 117-118, *Binary Mg* 265-266
Mg-Ru .....*Binary Mg* 266-267
Mg-S .....*Binary Mg* 267-268
Mg-Sb*..... *BAPD 5*(6) 579-584, *7*(6) 522 ad, *Binary Mg* 268-274
Mg-Sc* ..... *BAPD 7*(6) 574-578, *Binary Mg* 275-278
Mg-Se .....*BAPD 8*(2) 118-119, *Binary Mg* 279
Mg-Si*.....*BAPD 5*(6) 584-592, *7*(6) 522 ad, *Binary Mg* 280-288
Mg-Sm.....*Binary Mg* 289-292
Mg-Sn* ..... *BAPD 5*(5) 466-476, *Binary Mg* 293-304
Mg-Sr*..... *BAPD 7*(2) 149-156, *Binary Mg* 305-312
Mg-Tb..... *JPE 15*(2)upd 227-228, *Binary Mg* 313-316
Mg-Te .....*BAPD 7*(3) 244-245, *Binary Mg* 317-318
Mg-Th*..... *Binary Ac* 68-72, *BAPD 5*(1) 43-48, *Binary Mg* 318-323
Mg-Ti*..... *BAPD 7*(3) 245-248, *Binary Ti* 156-158, *Binary Mg* 324-327
Mg-Tl.....*Binary Mg* 327-333
Mg-Tm..... *Binary Mg* 333-336, *JPE 17*(6) upd 553
Mg-U* ....*Binary Ac* 181-184, *BAPD 1*(2) 108-109, *Binary Mg* 337-340
Mg-V .....*Binary Mg* 341-344, *Binary V* 136-138
Mg-W .....*Binary W* 143, *JAPD 2*(1) 30
Mg-Y ..... *JPE 13*(1)upd 105-106, *Binary Mg* 344-349
Mg-Yb .....*Binary Mg* 349-352
Mg-Zn.....*JPE 15*(1)upd 129-130, *16*(5)upd 474-475, *Binary Mg* 353-364
Mg-Zr* ..... *BAPD 6*(3) 246-250, *Binary Mg* 365-370
Mn-Mo.....*IAEA No. 7* 271-274
Mn-N* ..... *JPE 15*(4)upd 451-452, *BAPD 11*(1) 33-42
Mn-Nd .....*JPE 13*(3)upd 331-332, *JPE 15*(5)upd 568-569
Mn-Ni* .....*Binary Ni* 199-206, *JPE 12*(3) 313-321, *16*(2) 108-109 co, *BAPD 2*(1) 27 co, 110-112
Mn-Np .....*Binary Ac* 262
Mn-Pd .....*JPE 14*(5)upd 654-655
Mn-Pm .....*JPE 12*(3)upd 395
Mn-Pu .....*Binary Ac* 338
Mn-Si* .....*JPE 12*(4)upd 505-507, *BAPD 11*(5) 468-480
Mn-Th.....*Binary Ac* 73
Mn-Ti* ..... *BAPD 2*(3) 334-343, *Binary Ti* 159-168
Mn-U .....*Binary Ac* 184-185
Mn-V* .....*JPE 13*(5)upd 575-576, *BAPD 2*(4) 473-478, *Binary V* 139-144
Mn-W .....*Binary W* 144, *JAPD 2*(1) 38-39
Mn-Y* .....*JPE 12*(4) 474-478
Mn-Zn*..... *BAPD 11*(4) 377-384
Mo-N .....*BAPD 1*(2) 82-85
Mo-Na.....*IAEA No. 7* 277
Mo-Nb .....*JPE 12*(5)upd 616-617, *IAEA No. 7* 277
Mo-Nd .....*IAEA No. 7* 277-278
Mo-Ne.....*IAEA No. 7* 279
Mo-Ni ..... *Binary Ni* 207-212, *IAEA No. 7* 280-283, *JPE 12*(6) 703
Mo-No ..... *Binary Ac* 488, *IAEA No. 7* 283
Mo-Np ..... *Binary Ac* 263, *IAEA No. 7* 283-285
Mo-O .....*BAPD 1*(2) 85-89, *9*(2) 99-100 co
Mo-Os.....*IAEA No. 7* 289-291
Mo-P .....*IAEA No. 7* 291-293
Mo-Pa ..... *Binary Ac* 129-130*IAEA No. 7* 293-295
Mo-Pb .....*IAEA No. 7* 295
Mo-Pd .....*JPE 15*(4)upd 452-452-453, *JPE 14*(3)upd 400, *JPE 13*(3)upd 332-334, *IAEA No. 7* 295-297
Mo-Pm.....*IAEA No. 7* 298
Mo-Po .....*IAEA No. 7* 299
Mo-Pr.....*IAEA No. 7* 299-300
Mo-Pt.....*BAPD 1*(2) 89-92
Mo-Pu ..... *Binary Ac* 339, *IAEA No. 7* 305
Mo-Ra.....*IAEA No. 7* 306
Mo-Rb.....*IAEA No. 7* 306
Mo-Re.....*IAEA No. 7* 306-309
Mo-Rh..... *JPE 15*(3)upd 368, *IAEA No. 7* 309-312
Mo-Rn.....*IAEA No. 7* 312
Mo-Ru.....*IAEA No. 7* 312-313
Mo-S .....*BAPD 1*(2) 93-95
Mo-Sb .....*IAEA No. 7* 316-317
Mo-Sc .....*IAEA No. 7* 317-319
Mo-Se .....*IAEA No. 7* 319-320
Mo-Si* .....*JPE 12*(4) 493-498
Mo-Sm .....*IAEA No. 7* 322
Mo-Sn .....*BAPD 1*(2) 96-97
Mo-Sr .....*IAEA No. 7* 325
Mo-Ta .....*IAEA No. 7* 326, *JAPD 2*(3) 205-209
Mo-Tb .....*IAEA No. 7* 326
Mo-Tc .....*IAEA No. 7* 327
Mo-Te .....*IAEA No. 7* 329
Mo-Th .....*Binary Ac* 74, *BAPD 3*(1) 100-101, *3*(3) 308 co
Mo-Ti* .....*BAPD 2*(2) 185-192 *Binary Ti* 169-175
Mo-Tl .....*IAEA No. 7* 335
Mo-Tm .....*IAEA No. 7* 335-336
Mo-U ..... *Binary Ac* 185-186, *IAEA No. 7* 336-339
Mo-V* .....*JPE 13*(1) 50-53, *IAEA No. 7* 339, *Binary V* 144-147
Mo-W* ..... *Binary W* 145-149, *IAEA No. 7* 340, *BAPD 5*(2) 177-180, *5*(2) 113 ad, *TIIM 37*(2) 107-110
Mo-Xe .....*IAEA No. 7* 341
Mo-Y .....*IAEA No. 7* 341-343
Mo-Yb .....*IAEA No. 7* 343
Mo-Zn .....*IAEA No. 7* 343-344
Mo-Zr .....*IAEA No. 7* 344-347
N-Ni* .....*Binary Ni* 213-218, *BAPD 6*(6) 55
N-Np .....*Binary Ac* 263-264
N-Pa .....*Binary Ac* 130
N-Pu* ..... *Binary Ac* 339-347*BAPD 10*(5) 593-601
N-Si..... *BAPD 11*(6) 569-573
N-Th.....*Binary Ac* 74-75
N-Ti ..... *BAPD 8*(4) 378-388, *Binary Ti* 176-186
N-U .....*Binary Ac* 187
N-V .....*JPE 15*(4)upd 454, *Metall. Trans. A, 17* 1647-1656, *Binary V* 148-158
N-W ..... *Binary W* 150-161, *BAPD 6*(2) 111 co, *10*(4) 358-367, *10*(4a) 416 co
N-Zn .....*BAPD 9*(3) 247-251
N-Zr* .....*JPE 15*(4) 441-449
Na-Nb* .....*BAPD 9*(4) 479-483
Na-Ni .....*Binary Ni* 218-219
Na-O .....*BAPD 8*(3) 234-246
Na-Pu .....*Binary Ac* 348
Na-Rb* .....*BAPD 3*(3) 318-321
Na-Sb* . *JPE 14*(6) 660-661 co, *JPE 14*(2) 250-255
Na-Si..... *JPE 13*(1) 67-69
Na-Sr* .....*BAPD 6*(1) 43-45
Na-Ta .....*JAPD 6*(1) 10-11
Na-Te* ..... *BAPD 11*(5) 447-451
Na-Th.....*Binary Ac* 75-76
Na-Ti* ..... *JPE 14*(4)upd 536, *Binary Ti* 187, *BAPD 10*(2) 138-139
Na-U .....*Binary Ac* 188
Na-V* .....*BAPD 9*(4) 479-483, *Binary V* 159-161
Na-W .....*Binary W* 162, *JPE 12*(2) 204
Na-Zn* .....*BAPD 8*(6) 550-553
Na-Zr .....*BAPD 8*(1) 50-51
Nb-Ni* .....*JPE 13*(4)upd 444-445, *15*(2)upd 229, *Binary Ni* 219-225, *BAPD 7*(2) 124-130
Nb-Pd* .....*BAPD 9*(4) 449-452
Nb-Pt* .....*JPE 16*(5) 465-470
Nb-Pu* ..... *Binary Ac* 348-350, *JPE 15*(5) 558-560
Nb-Rb ..... *BAPD 11*(3) 249-252
Nb-Si* .....*JPE 14*(4) 502-509, *16*(4) 296 ad
Nb-Sm.....*JPE 13*(3)upd 334-345
Nb-Ta ..... *JAPD 3*(1) 28-30
Nb-Th*.....*Binary Ac* 76-78, *JPE 15*(5) 561-563
Nb-Ti* ..... *BAPD 2*(1) 55-61, *Binary Ti* 188-194
Nb-U .....*Binary Ac* 188-194
Nb-V* .....*BAPD 4*(1) 46-49, *4*(4) 361-362 co, *Binary V* 161-165
Nb-W .....*Binary W* 163-166, *JAPD 4*(3) 184-190
Nb-Y* .....*JPE 12*(2) 204-207
Nb-Zn* .....*JPE 13*(4) 425-429
Nb-Zr* .....*JPE 13*(5)upd 576-577, *BAPD 3*(1) 34-44
Nd-Ni .. *JPE 13*(2)upd 218-220, *Binary Ni* 225-229
Nd-Np .....*Binary Ac* 264-265
Nd-Pd.....*JPE 13*(2)upd 220-222
Nd-Pr* .....*BAPD 3*(2) 196-198
Nd-Pu.....*Binary Ac* 350-351
Nd-Ru .....*JPE 12*(2)upd 250-252
Nd-Sb..... .....*JPE 15*(2)upd 229-230
Nd-Sc* .....*BAPD 3*(3) 356-357, *4*(2) 145 ad
Nd-Si*.....*BAPD 10*(3) 246-251
Nd-Sm* .....*BAPD 3*(2) 201-202
Nd-Sn.....*JPE 15*(5)upd 569-570
Nd-Th.....*Binary Ac* 78-79
Nd-Ti .....*Binary Ti* 195-196
Nd-Tm .....*BAPD 3*(3) 357
Nd-U .....*Binary Ac* 195
Nd-V ..... *Binary V* 166-167
Nd-W .....*Binary W* 167-168, *JAPD 4*(2) 86
Nd-Y* .....*BAPD 3*(2) 202-205
Nd-Yb* .....*BAPD 3*(3) 358

Ne-W ..... *Binary W* 169
Ni-Np ..... *Binary Ac* 265, *Binary Ni* 229-230
Ni-O* ..... *Binary Ni* 230-233, *BAPD 5*(2) 141-144
Ni-Os ..... *Binary Ni* 233-234
Ni-P ..... *Binary Ni* 235-246
Ni-Pb ..... *Binary Ni* 247-251, *BAPD 8*(3) 264-268
Ni-Pd* ..... *Binary Ni* 251-256, *BAPD 5*(5) 446-450
Ni-Pm ..... *Binary Ni* 256
Ni-Pr* ..... *Binary Ni* 256-260, *BAPD 10*(3) 253-257
Ni-Pt* ..... *Binary Ni* 261-264, *BAPD 10*(3) 258-262
Ni-Pu* ..... *Binary Ac* 351-355, *Binary Ni* 265-268, *BAPD 9*(4) 483-486
Ni-Re* ..... *JPE 13*(3)upd 335, *Binary Ni* 268-270, *BAPD 6*(4) 348-350
Ni-Rh* ..... *Binary Ni* 271-273, *BAPD 5*(4) 403-405
Ni-Ru* ..... *Binary Ni* 274-276, *BAPD 7*(2) 130-133
Ni-S ..... *Binary Ni* 277-283
Ni-Sb ..... *Binary Ni* 284-290
Ni-Sc ..... *Binary Ni* 291-293
Ni-Se ..... *Binary Ni* 293-298
Ni-Si* ..... *Binary Ni* 299-306, *BAPD 8*(1) 6-14, *8*(5) 417 ad
Ni-Sm ..... *Binary Ni* 307-310
Ni-Sn* ..... *Binary Ni* 310-318, *BAPD 6*(4) 350-359
Ni-Sr ..... *Binary Ni* 319
Ni-Ta* ..... *Binary Ni* 320-325, *BAPD 5*(3) 259-265, *5*(5) 444 ad
Ni-Tb ..... *Binary Ni* 326-329
Ni-Tc* ..... *Binary Ni* 329-330, *BAPD 6*(2) 124-125
Ni-Te ..... *Binary Ni* 330-338
Ni-Th* ..... *Binary Ac* 79-80, *Binary Ni* 339-341, *BAPD 9*(4) 487-490, *JPE 12*(6)upd 704-705
Ni-Ti ..... *Binary Ni* 342-355, *Binary Ti* 197-211, *JPE 17*(4) upd 371
Ni-Tm ..... *Binary Ni* 356-358, *BAPD 10*(5) 602-604
Ni-U* ..... *Binary Ac* 196-199, *Binary Ni* 358-361, *BAPD 9*(4) 490-493
Ni-V* ..... *Binary Ni* 361-367, *BAPD 3*(3) 342-348, *Binary V* 168-174
Ni-W ..... *Binary W* 170-177, *Binary Ni* 367-374, *JAPD 2*(1) 1-11, *JPE 12*(6)upd 706
Ni-Y ..... *Binary Ni* 374-379
Ni-Yb* ..... *Binary Ni* 379-381, *BAPD 10*(2) 129-132
Ni-Zn* ..... *Binary Ni* 382-390, *BAPD 8*(5) 422-430
Ni-Zr* ..... *Binary Ni* 390-394, *BAPD 5*(2) 144-148
Np-O ..... *Binary Ac* 266
Np-Os ..... *Binary Ac* 267
Np-P ..... *Binary Ac* 267
Np-Pd ..... *Binary Ac* 268
Np-Pt ..... *Binary Ac* 268-269, *BAPD 10*(2) 119-120
Np-Pu* ..... *Binary Ac* 270-272, *BAPD 6*(3) 215-217
Np-Re ..... *Binary Ac* 273
Np-Rh ..... *Binary Ac* 273
Np-Ru ..... *Binary Ac* 274
Np-S ..... *Binary Ac* 274
Np-Sb ..... *Binary Ac* 275
Np-Se ..... *Binary Ac* 275-276
Np-Si ..... *Binary Ac* 276
Np-Sn ..... *Binary Ac* 277
Np-Te ..... *Binary Ac* 277-278
Np-Tl ..... *Binary Ac* 278
Np-U* ..... *Binary Ac* 279-280, *BAPD 6*(3) 217-219
Np-W ..... *Binary Ac* 280-281, *Binary W* 178
Np-Zr ..... *JPE 17*(2) upd 166
O-Pa ..... *Binary Ac* 131
O-Pb* ..... *BAPD 9*(2) 106-127
O-Pu* ..... *Binary Ac* 355-370, *BAPD 11*(2) 184-202
O-Si* ..... *BAPD 11*(1) 43-61, 9(5) 548 co
O-Ta* ..... *JPE 17*(1) 63-77
O-Te* ..... *JPE 17*(6) 533-538
O-Th ..... *Binary Ac* 81
O-Ti ..... *BAPD 8*(2) 148-165, *Binary Ti* 211-229
O-U ..... *Binary Ac* 199-200
O-V* ..... *Binary V* 175-208, *BAPD 10*(3) 271-277
O-W* ..... *Binary W* 179-199, *BAPD 10*(4) 368-384
O-Y* ..... *BAPD 11*(1) 61-66
O-Zn ..... *BAPD 8*(2) 166-176
O-Zr* ..... *BAPD 7*(2) 116-124
Os-Pu ..... *Binary Ac* 370-371
Os-S ..... *JPE 15*(4)upd 455
Os-Th ..... *Binary Ac* 82, *BAPD 3*(1) 101-102
Os-Ti* ..... *BAPD 3*(2) 212-216, *Binary Ti* 229-233
Os-U ..... *Binary Ac* 200-201
Os-V ..... *JAPD 4*(2) 122-126, *Binary V* 208-211
Os-W ..... *Binary W* 200-204, *JAPD 2*(2) 93-96
P-Pa ..... *Binary Ac* 131
P-Pd* ..... *JPE 15*(1) 58-61
P-Pt* ..... *BAPD 11*(5) 511-513
P-Pu ..... *Binary Ac* 371-372
P-Rh* ..... *BAPD 11*(4) 415-417
P-S ..... *JPE 12*(6)upd 706-707
P-Sb* ..... *JPE 12*(2) 214-215
P-Si* ..... *BAPD 6*(2) 130-133
P-Sn* ..... *JPE 14*(2)upd 263-264
P-Th ..... *Binary Ac* 83
P-Ti ..... *Binary Ti* 234-236
P-Tl* ..... *JPE 17*(2) 146-147
P-U ..... *Binary Ac* 202
P-V ..... *JPE 12*(4) 431-434, *Binary V* 212-215
P-W ..... *Binary W* 205-207
P-Zn* ..... *JPE 12*(4) 435-438
Pa-Pt ..... *Binary Ac* 132, *BAPD 10*(2) 120-121
Pa-Rh ..... *Binary Ac* 132-133
Pa-Sb ..... *Binary Ac* 133
Pa-Th ..... *Binary Ac* 133-134
Pa-W ..... *Binary Ac* 134, *Binary W* 208
Pb-Pd ..... *JPE 17*(4) upd 372
Pb-Pu* ..... *Binary Ac* 372-375, *BAPD 9*(3) 267-271
Pb-S* ..... *BAPD 7*(4) 374-381
Pb-Sb* ..... *BAPD 2*(1) 86-89
Pb-Sc ..... *JPE 17*(5) upd 461
Pb-Se* ..... *JPE 17*(3) 253-260
Pb-Si* ..... *BAPD 5*(3) 271-273
Pb-Sn* ..... *BAPD 9*(2) 144-152
Pb-Te* ..... *JPE 15*(4)upd 456, *BAPD 10*(4) 340-347
Pb-Th ..... *Binary Ac* 84, *BAPD 3*(1) 102-103
Pb-Ti* ..... *BAPD 5*(6) 613-615 *Binary Ti* 237-239
Pb-U* ..... *Binary Ac* 202-207, *BAPD 8*(6) 536-541
Pb-V ..... *BAPD 2*(2) 209-210, *Binary V* 215
Pb-W ..... *Binary W* 209-210
Pb-Y ..... *JPR 15*(2)upd 233
Pb-Yb* ..... *JPE 12*(4) 479-481, *JPE 17*(5) 462
Pd-Pr* ..... *JPE 14*(1)upd 126-128
Pd-Pt ..... *JPE 12*(5)upd 617-618, *JAPD 6*(2) 118-122
Pd-Pu ..... *Binary Ac* 376
Pd-Rh* ..... *JPE 15*(2) 208-212, *15*(3)upd 369
Pd-Ru ..... *JPE 14*(5) 638-642
Pd-S ..... *JPE 13*(1)upd 106-107
Pd-Sb ..... *JPE 13*(5)upd 577-578
Pd-Se* ..... *JPE 13*(1) 69-72
Pd-Si* ..... *JPE 14*(4)upd 536-538, *JPE 12*(3) 349-356, *JAPD 5*(2) 105-116
Pd-Ta ..... *JAPD 6*(2) 103-110
Pd-Tb ..... *JPE 12*(2)upd 252-253, *15*(1)upd 130-131
Pd-Te* ..... *JPE 13*(1) 73-78
Pd-Th ..... *Binary Ac* 85-86
Pd-Ti* ..... *JPE 14*(1)upd 128-129, *BAPD 3*(3) 321-329, *4*(2) 144-145 co, 145 ad, *Binary Ti* 239-246
Pd-U* ..... *Binary Ac* 207-208, *JPE 14*(2)upd 264-265, *13*(2)upd 222-223
Pd-V ..... *JAPD 4*(1) 1-4, *Binary V* 216-218
Pd-W ..... *Binary W* 211-216, *JAPD 6*(2) 67-73
Pd-Yb ..... *JPE 14*(6)upd 770-771
Pd-Zr* ..... *JPE 15*(6)upd 655-656, *JPE 14*(2)upd 266, *JPE 13*(5)upd 579, *JAPD 6*(1) 59-65
Pm-Pu ..... *Binary Ac* 377, *JPE 13*(3)upd 336
Pm-Th ..... *Binary Ac* 86-87
Pm-V ..... *Binary V* 219-220
Pm-W ..... *Binary W* 217
Po-W ..... *Binary W* 218
Pr-Pu ..... *Binary Ac* 377-378
Pr-S ..... *JPE 12*(5)upd 618-619
Pr-Sb ..... *JPE 15*(2)upd 230-231
Pr-Tb ..... *BAPD 3*(2) 199-200
Pr-Th ..... *Binary Ac* 87-88
Pr-U ..... *Binary Ac* 209
Pr-V ..... *Binary V* 221-222
Pr-W ..... *Binary W* 219-220, *JAPD 4*(2) 82-86
Pr-Y ..... *BAPD 3*(2) 200-201
Pt-Pu* ..... *Binary Ac* 378-382, *BAPD 10*(4a) 474-477
Pt-Rh ..... *JPE 13*(2)upd 223-224
Pt-Sb* ..... *JPE 13*(5)upd 579-581 *JPE 17*(4) 356-361
Pt-Si* ..... *JPE 12*(5) 571-574, *16*(3)upd 286-287
Pt-Sn ..... *JPE 17*(5) upd 463
Pt-Te ..... *JPE 15*(4)upd 456-457
Pt-Th* ..... *Binary Ac* 88-90, *BAPD 11*(3) 237-239
Pt-Ti* ..... *BAPD 3*(3) 329-335, *Binary Ti* 247-252
Pt-U* ..... *Binary Ac* 210-212, *BAPD 11*(3) 240-243
Pt-V ..... *JAPD 4*(1) 5-13, *Binary V* 223-228
Pt-W ..... *Binary W* 221-225, *JAPD 6*(2) 74-79
Pt-Y* ..... *BAPD 11*(5) 493-497
Pt-Zn* ..... *JPE 12*(4) 439-442
Pu-Re ..... *Binary Ac* 382-383
Pu-Rh ..... *Binary Ac* 383-384
Pu-Ru ..... *Binary Ac* 385
Pu-S ..... *Binary Ac* 386
Pu-Sb ..... *Binary Ac* 386-387
Pu-Sc ..... *Binary Ac* 387-388
Pu-Se ..... *Binary Ac* 388-389
Pu-Si ..... *Binary Ac* 389-390
Pu-Sm ..... *Binary Ac* 390-391
Pu-Sn* ..... *Binary Ac* 391-394, *BAPD 9*(2) 152-155
Pu-Sr ..... *Binary Ac* 394
Pu-Ta* ..... *Binary Ac* 394-399, *JPE 12*(5) 593-598, *JAPD 6*(2) 111-115
Pu-Tb ..... *Binary Ac* 400
Pu-Te ..... *Binary Ac* 401
Pu-Th* ..... *Binary Ac* 401-404, *BAPD 6*(4) 342-345
Pu-Ti ..... *Binary Ac* 405-409, *Binary Ti* 253-257
Pu-Tl ..... *Binary Ac* 410
Pu-Tm ..... *Binary Ac* 410-411
Pu-U* ..... *Binary Ac* 411-412, *JPE 17*(4) upd 372, *JPE 13*(1)upd 107-108, *BAPD 10*(2) 160-164
Pu-V* ..... *Binary Ac* 412-416, *JPE 12*(5) 598-602, *Binary V* 229-230
Pu-W ..... *Binary Ac* 417-419, *Binary W* 226-229, *JAPD 4*(3) 154-159
Pu-Y ..... *Binary Ac* 419-420
Pu-Yb ..... *Binary Ac* 420-421
Pu-Zn ..... *Binary Ac* 421-422
Pu-Zr* ..... *Binary Ac* 423,

JPE 14(3)upd 400-401, *16*(3)upd 287-288
Ra-W ..... *Binary W* 230, *JAPD 4*(1) 14-15
Rb-Sr ..... *BAPD 6*(1) 46
Rb-Ta ..... *JAPD 6*(3) 145-146
Rb-Ti* ..... *Binary Ti* 258-259, *BAPD 10*(2) 140-141
Rb-V ..... *BAPD 11*(3) 249-252, *Binary V* 231-232
Rb-W ..... *Binary W* 231
Rb-Zn* ..... *BAPD 8*(5) 485-486
Rb-Zr ..... *BAPD 8*(1) 51-52, *8*(2) 102 ad
Re-Si* ..... *JPE 17*(5) 451-454
RE-Ti ..... *Binary Ti* 259
RE-W ..... *JAPD 4*(2) 73-116
Re-Th ..... *Binary Ac* 90-91
Re-Ti* ..... *BAPD* 2(4) 462-466, *Binary Ti* 260-262
Re-U ..... *Binary Ac* 213, *JPE 17*(5) upd 464
Re-V ..... *JAPD 4*(3) 199-203, *Binary V* 233-235
Re-W ..... *Binary W* 232-237, *JAPD 6*(3) 129-141
Rh-Ru* ..... *JPE 15*(2)upd 232 *JPE 17*(4) 362-365
Rh-S ..... *JPE 13*(1)upd 108-109
Rh-Si* ..... *JPE 13*(1) 54-59
Rh-Te ..... *JPE 16*(6)upd 535-536 *JPE 16*(2) 107-108 co, *JPE 12*(1)upd 121-122
Rh-Th ..... *Binary Ac* 91-92
Rh-Ti ..... *BAPD 3*(3) 335-342, *Binary Ti* 263-269
Rh-U ..... *Binary Ac* 214
Rh-V ..... *JAPD 3*(3) 143-147, *Binary V* 236-239
Rh-W ..... *Binary W* 238-241
Rh-Zr* ..... *JPE 14*(1) 110-117
Rn-W ..... *Binary W* 242
Ru-S ..... *JPE 12*(5)upd 620
Ru-Sb ..... *JPE 16*(1)upd 101-102
Ru-Sc ..... *JPE 16*(5)upd 475-476
Ru-Sm ..... *JPE 12*(2)upd 253-254
Ru-Ta ..... *JPE 12*(3)upd 395-397
Ru-Th ..... *Binary Ac* 92-93
Ru-Ti* ..... *BAPD 3*(2) 216-221, *Binary Ti* 270-275
Ru-U ..... *Binary Ac* 215, *BAPD 2*(4) 490-491
Ru-V ..... *JAPD 3*(3) 133-138, *Binary V* 240-244
Ru-W ..... *Binary W* 243-246
Ru-Zr* ..... *JPE 14*(2) 225-227
S-Se* ..... *JPE 17*(2) 148-150
S-Sn* ..... *BAPD 7*(3) 269-273
S-Te* ..... *BAPD 10*(4) 348-350
S-Th ..... *Binary Ac* 93-94
S-Ti* ..... *BAPD 7*(2) 156-163, *Binary Ti* 275-282
S-U ..... *Binary Ac* 216-217
S-V ..... *Binary V* 244-251
S-W ..... *Binary W* 247-249
S-Zn* ..... *JPE 17*(3) 261-266
Sb-Se* ..... *JPE 14*(6) 753-763
Sb-Si* ..... *BAPD 6*(5) 445-448
Sb-Sm ..... *JPE 15*(4)upd 458-459
Sb-Te* ..... *JPE 15*(3) 349-360
Sb-Th ..... *Binary Ac* 94-95
Sb-Ti ..... *Binary Ti* 282-283
Sb-Tl* ..... *JPE 17*(2) 151-154
Sb-Tm ..... *JPE 15*(3)upd 370
Sb-U* ..... *Binary Ac* 217-218, *BAPD 1*(2) 109-110
Sb-V ..... *Binary V* 251-253, *JAPD 5*(3) 189-194
Sb-W ..... *Binary W* 250
Sb-Zr* ..... *JPE 14*(2)228-231
Sc-Si* ..... *JPE 13*(6)upd 679-681, *16*(5)upd 477, *BAPD 7*(4) 333-336
Sc-Sn ..... *JPE 17*(5) upd 465
Sc-Tb ..... *BAPD 4*(2) 170
Sc-Th ..... *Binary Ac* 95, *JPE 12*(1)upd 123
Sc-Ti ..... *Binary Ti* 284-286
Sc-U .... *Binary Ac* 218-219, *JPE 14*(5)upd 655-656
Sc-V ..... *Binary V* 254-256
Sc-W ..... *Binary W* 251-253, *JAPD 4*(2) 74-75
Sc-Y* ..... *BAPD 4*(2) 171-172
Sc-Zr* ..... *JPE 12*(1) 53-56
Se-Sn* ..... *BAPD 7*(1) 68-72
Se-Te* ..... *JPE 15*(2) 213-224
Se-Th ..... *Binary Ac* 96
Se-Ti ..... *BAPD 7*(2) 163-165, *Binary Ti* 287-288
Se-U ..... *Binary Ac* 219-220
Se-V ..... *Binary V* 256-261
Se-W ..... *Binary W* 254-255
Se-Zn* ..... *JPE 17*(2) 1550160
Si-Sm* ..... *BAPD 9*(5) 582-585
Si-Sn* ..... *BAPD 5*(3) 273-276
Si-Sr* ..... *BAPD 10*(6) 630-634
Si-Ta* ..... *JPE 15*(1) 90-95
Si-Th ..... *Binary Ac* 97
Si-Ti ..... *PBDTA* 289-294
Si-Tl* ..... *BAPD 6*(6) 543-544
Si-U ..... *Binary Ac* 221
Si-V* ..... *BAPD 6*(3) 266-271, *Binary V* 261-267
Si-W ..... *Binary W* 256-262, *JAPD 5*(3) 149-158
Si-Y* ..... *JPE 12*(3)upd 397-399, *BAPD 7*(5) 485-489
Si-Zn* ..... *BAPD 6*(6) 545-548
Si-Zr* ..... *BAPD 11*(5) 513-519
Sm-Th ..... *Binary Ac* 98
Sm-U ..... *Binary Ac* 222
Sm-V ..... *Binary V* 267-269
Sm-W ..... *Binary W*263-264, *JAPD 4*(2) 86
Sm-Y* ..... *BAPD 4*(2) 172-175
Sn-Tb ... *JPE 13*(6)upd 681-683, *16*(1)upd 102-103
Sn-Te* ..... *BAPD 7*(1) 72-80
Sn-Th* ... *Binary Ac* 99-101, *BAPD 10*(4a) 478-480
Sn-Ti ..... *Binary Ti* 294-299
Sn-Tm ..... *JPE 16*(2)upd 201-202
Sn-U ..... *Binary Ac* 223-227, *BAPD 8*(4) 347-352, *JPE 17*(6) upd 554
Sn-V* ..... *BAPD 2*(2) 210-214, *Binary V* 270-274
Sn-W ..... *Binary W* 265-266
Sn-Y ..... *JPE 16*(1)upd 104
Sn-Yb* ..... *JPE 12*(4) 482-485
Sn-Zn* ..... *BAPD 6*(4) 330-334
Sn-Zr* ..... *BAPD 4*(2) 147-154, *5*(1) 21 ad
Sr-Ti ..... *Binary Ti* 300-301
Sr-U ..... *Binary Ac* 228
Sr-V* ..... *BAPD 9*(4) 466-469, *Binary V* 275-276
Sr-W ..... *Binary W* 267, *JAPD 4*(1) 14-15
T-Ta ..... *JPE 13*(4)upd 445-446
Ta-Te ..... *JPE 13*(3) 270-271
Ta-Th ..... *Binary Ac* 101-104, *JAPD 5*(1) 27-31
Ta-Ti* ..... *BAPD 2*(1) 62-66, *Binary Ti* 302-306
Ta-U ..... *Binary Ac* 228-230, *JAPD 4*(3) 204-208
Ta-V* ..... *BAPD 4*(3) 284-289, *Binary V* 276-282
Ta-W ..... *Binary W*, 268-271, *JAPD 3*(1) 1-3
Ta-Zr ..... *JAPD 5*(2) 125-131, *JPE 17*(6) upd 555
Tb-Th ..... *Binary Ac* 104-105
Tb-U ..... *Binary Ac* 230
Tb-V ..... *Binary V* 283-284
Tb-W ..... *Binary W* 272-273, *JAPD 4*(2) 91-95
Tb-Y* ..... *BAPD 4*(2) 175-177
Tb-Yb ..... *BAPD 4*(2) 177-178
Tc-Th ..... *Binary Ac* 105
Tc-Ti* ..... *BAPD 2*(4) 466-469, *Binary Ti* 307-309
Tc-U ..... *Binary Ac* 231
Tc-V ..... *JAPD 3*(3) 139-142, *Binary V* 285-287
Tc-W ..... *Binary W* 274-276
Te-Th ..... *Binary Ac* 105-106
Te-Ti ..... *BAPD 7*(2) 165-167, *Binary Ti* 309-310, *JPE 17*(4) upd 373
Te-Tl .... *JPE 12*(4)upd 507-508, *15*(1)upd 131-132
Te-U* ..... *Binary Ac* 231-232, *JPE 14*(1)upd 129-130
Te-V ..... *JAPD 6*(3) 18-192, *Binary V* 288-293
Te-W ..... *Binary W* 277-278
Te-Zn ..... *BAPD 8*(1) 14-19, *8*(5) 417 ad
Th-Ti ..... *Binary Ac* 106-108, *Binary Ti* 311-313
Th-Tl ..... *Binary Ac* 108-109
Th-Tm ..... *Binary Ac* 110
Th-U* ..... *Binary Ac* 111-113, *BAPD 6*(5) 443-445
Th-V* ..... *Binary Ac* 113-116, *BAPD 6*(4) 369-372, *Binary V* 294-297
Th-W ..... *Binary Ac* 116-119, *Binary W* 279-281, *BAPD 3*(1) 104-105, *9*(4) 441 ad, *JAPD 3*(3) 152-155
Th-Y ..... *Binary Ac* 119-120
Th-Yb ..... *Binary Ac* 120-121
Th-Zn ..... *Binary Ac* 121-122
Th-Zr ..... *Binary Ac* 122-123
Ti-U ..... *Binary Ac* 233-238, *Binary Ti* 313-318
Ti-V* ..... *JPE 14*(2)upd 266-267, *JPE 16*(2)upd 202-203, , *Binary Ti* 319-327*Binary V* 297-306
Ti-W* ..... *Binary W* 282-287, *BAPD 2*(2) 192-196, *Binary Ti* 328-332
Ti-Y ..... *Binary Ti* 333-335
Ti-Zn* ..... *BAPD 5*(1) 52-56, *5*(5) 444 ad, *Binary Ti* 336-339
Ti-Zr* ..... *BAPD 2*(2) 197-201, *JPE 16*(4)upd 371, *Binary Ti* 340-345
Tl-U ..... *Binary Ac* 238-239
Tl-V ..... *BAPD 8*(3) 225-226, *Binary V* 307-309
Tl-W ..... *Binary W* 288
Tl-Y ..... *JPE 12*(2)upd 255-256
Tm-U ..... *Binary Ac* 239
Tm-V ..... *Binary V* 309-311
Tm-W ..... *Binary W* 289-290, *JAPD 4*(2) 105
U-V ..... *Binary Ac* 239-241, *Binary V* 311-312
U-W ..... *Binary Ac* 241-243, *Binary W* 291-294, *JAPD 4*(3) 148-153
U-Y ..... *Binary Ac* 244
U-Yb ..... *Binary Ac* 244-245
U-Zn* ..... *Binary Ac* 245-246, *BAPD 1*(2) 110-113
U-Zr* ..... *Binary Ac* 246-247, *JPE 14*(2)upd 267-268, *13*(1)upd 109-110, *BAPD 10*(2) 165-171
V-W ..... *Binary W* 295-300, *JAPD 4*(3) 191-198, *Binary V* 313-317
V-Y ..... *Binary V* 318-320
V-Yb ..... *BAPD 8*(3) 221-224, *Binary V* 320-322
V-Zn ..... *Binary V* 323-325, *JAPD 5*(2) 136-141
V-Zr ..... *Binary V* 326-329 *Binary V* 313-317
W-Xe ..... *Binary W* 301
W-Y ..... *Binary W* 302-304, *JAPD 4*(2) 75-78
W-Yb ..... *Binary W* 305-306, *JAPD 4*(2) 105-109
W-Zn ..... *Binary W* 307, *JAPD 2*(1) 66-67
W-Zr ..... *Binary W* 308-314, *JAPD 3*(1) 47-56
Y-Zr* ..... *JPE 12*(4) 485-489
Zn-Zr* ..... *JPE 13*(4) 430-433

Higher-Order Systems

Ag-Al-Au ..... *Ternary Au* 2, *TA,Al3* 1-2, *TA,Ag1* 1-2
Ag-Al-Bi *TA,Al3* 3-4, *TA,Ag1* 3-4,
Ag-Al-Br *TA,Al3* 5-6, *TA,Ag1* 5-6,
Ag-Al-Cd *TA,Al3* 7-8, *TA,Ag1* 7-8
Ag-Al-Cl *TA,Al3* 9-10, *TA,Ag1* 9-10

Ag-Al-Co *TA,Al3* 11-12, *TA,Ag1* 11-12
Ag-Al-Cu ..... *TA,Al3* 13-16, *BAPD 1*(1) 34-35, *TA,Ag1* 13-16
Ag-Al-Fe *TA,Al3* 17-19, *TA,Ag1* 17-19
Ag-Al-Ge *TA,Al3* 20-23, *TA,Ag1* 20-23
Ag-Al-Hf *TA,Al3* 24, *TA,Ag1* 24
Ag-Al-In *TA,Al3* 25-31, *TA,Ag1* 25-31
Ag-Al-Li ..... *TA,Al3* 32, *TA,Ag1* 32, *BAPD 10*(5) 546-548
Ag-Al-Mg *TA,Al3* 33-42, *TA,Ag1* 33-42
Ag-Al-Mn *TA,Al3* 43-56, *TA,Ag1* 43-56
Ag-Al-Ni *TA,Al3* 57-58, *TA,Ag1* 57-58
Ag-Al-Pb *TA,Al3* 59-61, *TA,Ag1* 59-61
Ag-Al-Pd *TA,Al3* 62-65, *TA,Ag1* 62-65
Ag-Al-Pr *TA,Al3* 66, *TA,Ag1* 66
Ag-Al-Pt *TA,Al3* 67, *TA,Ag1* 67
Ag-Al-S *TA,Al3* 68-69, *TA,Ag1* 68-69
Ag-Al-Se *TA,Al3* 70, *TA,Ag1* 70
Ag-Al-Si *TA,Al3* 71-73, *TA,Ag1* 71-73
Ag-Al-Sn *TA,Al3* 74-79, *TA,Ag1* 74-79
Ag-Al-Te *TA,Al3* 80, *TA,Ag1* 80
Ag-Al-Th *TA,Al3* 81, *TA,Ag1* 81
Ag-Al-Ti *TA,Al3* 82-87, *TA,Ag1* 82-87
Ag-Al-Tl *TA,Al3* 88, *TA,Ag1* 88
Ag-Al-Zn *TA,Al3* 89-95, *TA,Ag1* 89-95
Ag-Al-Zr *TA,Al3* 96, *TA,Ag1* 96
Ag-As-Ca *TA,Ag1* 97
Ag-As-Cu *TA,Ag1* 98-104
Ag-As-Eu *TA,Ag1* 105
Ag-As-Ga *TA,Ag1* 106-113
Ag-As-Ge *TA,Ag1* 114
Ag-As-In *TA,Ag1* 115-117
Ag-As-K *TA,Ag1* 118
Ag-As-Mg *TA,Ag1* 119
Ag-As-Na *TA,Ag1* 120
Ag-As-Pb *TA,Ag1* 121-124
Ag-As-Pd *TA,Ag1* 125
Ag-As-Rh *TA,Ag1* 126
Ag-As-S *TA,Ag1* 127-145
Ag-As-Se *TA,Ag1* 146-153
Ag-As-Sn *TA,Ag1* 154
Ag-As-Sr *TA,Ag1* 155
Ag-As-Te *TA,Ag1* 156-157
Ag-As-Zn *TA,Ag1* 158
Ag-Au-Cd ..... *Ternary Au* 2-5, *TA,Ag1* 159-161
Ag-Au-Co ..... *Ternary Au* 5-7, *TA,Ag1* 162-164
Ag-Au-Cu ..... *Ternary Au* 7-42, *TA,Ag1* 165-176
Ag-Au-Gd ..... *Ternary Au* 42, *TA,Ag1* 177
Ag-Au-Ge ..... *Ternary Au* 42-44, *BAPD 1*(2) 44, *TA,Ag1* 178-183
Ag-Au-I *TA,Ag1* 184-185
Ag-Au-Ni ..... *Ternary Au* 44-47, *TA,Ag1* 186-187
Ag-Au-O *TA,Ag1* 188-189
Ag-Au-Pb ..... *Ternary Au* 47-52, *BAPD 1*(2) 54-56, *TA,Ag1* 190-194
Ag-Au-Pd ..... *Ternary Au* 52-59, *TA,Ag1* 195-202
Ag-Au-Pt ..... *Ternary Au* 60-65, *TA,Ag1* 203-213
Ag-Au-S ..... *Ternary Au* 65-69, *TA,Ag1* 214-219
Ag-Au-Sb ..... *Ternary Au* 69, *TA,Ag1* 220
Ag-Au-Se ..... *Ternary Au* 70, *TA,Ag1* 221-223
Ag-Au-Si ..... *Ternary Au* 70-77, *TA,Ag1* 224-238
Ag-Au-Sn ..... *Ternary Au* 77-88, *TA,Ag1* 239-249
Ag-Au-Te ..... *Ternary Au* 88-107, *TA,Ag1* 250-269
Ag-Au-U ..... *Ternary Au* 108
Ag-Au-Zn ..... *Ternary Au* 108-114, *TA,Ag1* 270-278
Ag-B-N ..... *Ternary BNSiN* 1-2
Ag-B-S *TA,Ag1* 279
Ag-B-Se *TA,Ag1* 280
Ag-Ba-Cl *TA,Ag1* 281-282
Ag-Ba-Ge *TA,Ag1* 283
Ag-Ba-Sn *TA,Ag1* 284
Ag-Be-Cl *TA,Ag1* 285-286
Ag-Be-Cu *TA,Ag1* 287-288
Ag-Bi-Cd *TA,Ag1* 289-290
Ag-Bi-Cu ..... *BAPD 1*(2) 62, *TA,Ag1* 291
Ag-Bi-Eu *TA,Ag1* 292
Ag-Bi-F *TA,Ag1* 293
Ag-Bi-I *TA,Ag1* 294-295
Ag-Bi-K *TA,Ag1* 296
Ag-Bi-Li *TA,Ag1* 297
Ag-Bi-Mg *TA,Ag1* 298
Ag-Bi-Pb ..... *BAPD 1*(2) 64-67, *TA,Ag1* 299-304
Ag-Bi-Pd *TA,Ag1* 305
Ag-Bi-S *TA,Ag1* 306-319
Ag-Bi-Se *TA,Ag1* 320-323
Ag-Bi-Si *TA,Ag1* 324
Ag-Bi-Te *TA,Ag1* 325-328
Ag-Bi-Tl *TA,Ag1* 329-334
Ag-Bi-Zn *TA,Ag1* 335-340
Ag-Br-Cd *TA,Ag1* 341-342
Ag-Br-Cs *TA,Ag1* 343-344
Ag-Br-Cu *TA,Ag1* 345-346
Ag-Br-Ga *TA,Ag1* 347-348
Ag-Br-I *TA,Ag1* 349-350
Ag-Br-K *TA,Ag1* 351-352
Ag-Br-Li *TA,Ag1* 353-355
Ag-Br-Na *TA,Ag1* 356-357
Ag-Br-Nd *TA,Ag1* 358-359
Ag-Br-Pr *TA,Ag1* 360-361
Ag-Br-Rb *TA,Ag1* 362-363
Ag-Br-S *TA,Ag1* 364-365
Ag-Br-Se *TA,Ag1* 366-367
Ag-Br-Sn *TA,Ag1* 368-369
Ag-Br-Tb *TA,Ag1* 370-371
Ag-Br-Te *TA,Ag1* 372-375
Ag-C-Zr *TA,Ag1* 376
Ag-Ca-Cl *TA,Ag1* 377-378
Ag-Ca-Ge *TA,Ag1* 379
Ag-Ca-H *TA,Ag1* 380
Ag-Ca-Hg *TA,Ag1* 381
Ag-Ca-Mg *TA,Ag1* 382
Ag-Ca-P *TA,Ag1* 383
Ag-Cd-Cl *TA,Ag1* 384-385
Ag-Cd-Cu *TA,Ag1* 386-404
Ag-Cd-Cu-Zn ..... *BAPD* 2(2) 228-230
Ag-Cd-Ga *TA,Ag1* 405
Ag-Cd-H *TA,Ag1* 406
Ag-Cd-In *TA,Ag1* 407-408
Ag-Cd-Mg *TA,Ag1* 409-416
Ag-Cd-Pb *TA,Ag1* 417
Ag-Cd-Pd *TA,Ag1* 418
Ag-Cd-S *TA,Ag1* 419-428
Ag-Cd-Sb *TA,Ag1* 429-430
Ag-Cd-Se *TA,Ag1* 431-432
Ag-Cd-Sn *TA,Ag1* 433-438
Ag-Cd-Te *TA,Ag1* 439-442
Ag-Cd-Tl *TA,Ag1* 443
Ag-Cd-Zn ..... *JAPD* 2(1) 12-29, *TA,Ag1* 444-457
Ag-Ce-Ga *TA,Ag1* 458-459
Ag-Ce-In *TA,Ag1* 460
Ag-Ce-La *TA,Ag1* 461-466
Ag-Ce-Mg *TA,Ag1* 467
Ag-Ce-Ni *TA,Ag1* 468
Ag-Ce-Pb *TA,Ag1* 469
Ag-Ce-Pd *TA,Ag1* 470
Ag-Ce-S *TA,Ag1* 471
Ag-Ce-Se *TA,Ag1* 472
Ag-Ce-Si *TA,Ag1* 473
Ag-Ce-Sn *TA,Ag1* 474
Ag-Cl-Cs *TA,Ag1* 475-476
Ag-Cl-Fe *TA,Ag1* 477-478
Ag-Cl-Ga *TA,Ag1* 479-480
Ag-Cl-Gd *TA,Ag1* 481-482
Ag-Cl-Hg *TA,Ag1* 483-484
Ag-Cl-I *TA,Ag1* 485-486
Ag-Cl-In *TA,Ag1* 487-491
Ag-Cl-K *TA,Ag1* 492-493
Ag-Cl-La *TA,Ag1* 494-495
Ag-Cl-Li *TA,Ag1* 496-497
Ag-Cl-Mg *TA,Ag1* 498-499
Ag-Cl-Na *TA,Ag1* 500-501
Ag-Cl-Pb *TA,Ag1* 502-503
Ag-Cl-Pd *TA,Ag1* 504-505
Ag-Cl-S *TA,Ag1* 506-508
Ag-Cl-Se *TA,Ag1* 509-510
Ag-Cl-Sn *TA,Ag1* 511-512
Ag-Cl-Sr *TA,Ag1* 513-514
Ag-Cl-Te *TA,Ag1* 515-517
Ag-Cl-Y *TA,Ag1* 518-519
Ag-Cl-Yb *TA,Ag1* 520-521
Ag-Cl-Zn *TA,Ag1* 522-525
Ag-Co-Dy *TA,Ag1* 526
Ag-Co-Ge *TA,Ag1* 527-528
Ag-Co-Ni *TA,Ag1* 529-530
Ag-Co-Pd *TA,Ag1* 531-533
Ag-Co-Si *TA,Ag1* 534-535
Ag-Co-Sm *TA,Ag1* 536
Ag-Cr-O *TA,Ag1* 537
Ag-Cr-Pd *TA,Ag1* 538-548
Ag-Cr-S *TA,Ag1* 549
Ag-Cr-Se *TA,Ag1* 550
Ag-Cr-Si *TA,Ag1* 551
Ag-Cr-Te *TA,Ag1* 552
Al-Cr-Ti ..... *JPE 13*(1) 79-86
Ag-Cs-I *TA,Ag1* 553-554
Ag-Cs-S *TA,Ag1* 555
Ag-Cs-Se *TA,Ag1* 556
Ag-Cu-Fe *TA,Ag1* 557-562
Ag-Cu-Ge *TA,Ag1* 563-567
Ag-Cu-Hg *TA,Ag1* 568-570
Ag-Cu-I *TA,Ag1* 571-573
Ag-Cu-In *TA,Ag1* 574-584
Ag-Cu-Mg *TA,Ag1* 585-593
Ag-Cu-Mn *TA,Ag1* 594-595
Ag-Cu-Ni *TA,Ag1* 596-604
Ag-Cu-O ..... *TA,Ag1* 605-608, *Ternary Cu-O-X* 27-31
Ag-Cu-P *TA,Ag1* 609
Ag-Cu-Pb *TA,Ag2* 1-13
Ag-Cu-Pd *TA,Ag2* 14-21
Ag-Cu-Re *TA,Ag2* 22
Ag-Cu-S *TA,Ag2* 23-28
Ag-Cu-Sb *TA,Ag2* 29-30
Ag-Cu-Se *TA,Ag2* 31-36
Ag-Cu-Si *TA,Ag2* 37
Ag-Cu-Sn *TA,Ag2* 38-47
Ag-Cu-Tb *TA,Ag2* 48
Ag-Cu-Te *TA,Ag2* 49-54
Ag-Cu-Ti *TA,Ag2* 55-59
Ag-Cu-Zn *TA,Ag2* 60-68
Ag-Dy-Ga *TA,Ag2* 69
Ag-Dy-In *TA,Ag2* 70-71
Ag-Dy-Pb *TA,Ag2* 72
Ag-Dy-Pd *TA,Ag2* 73-74
Ag-Dy-Rh *TA,Ag2* 75-77
Ag-Dy-S *TA,Ag2* 78
Ag-Dy-Se *TA,Ag2* 79
Ag-Dy-Si *TA,Ag2* 80
Ag-Dy-Sn *TA,Ag2* 81
Ag-Dy-Te *TA,Ag2* 82
Ag-Er-Ga *TA,Ag2* 83
Ag-Er-In *TA,Ag2* 84
Ag-Er-Pb *TA,Ag2* 85
Ag-Er-Pd *TA,Ag2* 86
Ag-Er-S *TA,Ag2* 87
Ag-Er-Se *TA,Ag2* 88
Ag-Er-Si *TA,Ag2* 89
Ag-Er-Sn *TA,Ag2* 90

Ag-Er-Te *TA,Ag2* 91
Ag-Eu-P *TA,Ag2* 92
Ag-Eu-Sb *TA,Ag2* 93
Ag-Eu-Si *TA,Ag2* 94
Ag-F-Zn *TA,Ag2* 95
Ag-Fe-Ge *TA,Ag2* 96-97
Ag-Fe-Mn *TA,Ag2* 98-99
Ag-Fe-Ni *TA,Ag2* 100-101
Ag-Fe-O ..... *Ternary Fe5* 9
Ag-Fe-Pd *TA,Ag2* 102-105
Ag-Fe-S ..... *Ternary Fe2* 10-23, *TA,Ag2* 106-116
Ag-Fe-Se *TA,Ag2* 117
Ag-Fe-Si *TA,Ag2* 118-122
Ag-Fe-Te *TA,Ag2* 123-124
Ag-Ga-Gd *TA,Ag2* 125
Ag-Ga-Ho *TA,Ag2* 126
Ag-Ga-In *TA,Ag2* 127-131
Ag-Ga-La *TA,Ag2* 132
Ag-Ga-Li *TA,Ag2* 133
Ag-Ga-Lu *TA,Ag2* 134
Ag-Ga-Mg *TA,Ag2* 135-136
Ag-Ga-Nb *TA,Ag2* 137-138
Ag-Ga-Nd *TA,Ag2* 139-140
Ag-Ga-Pr *TA,Ag2* 141-142
Ag-Ga-Pt *TA,Ag2* 143
Ag-Ga-S *TA,Ag2* 144-147
Ag-Ga-Sb *TA,Ag2* 148-149
Ag-Ga-Se *TA,Ag2* 150-152
Ag-Ga-Sm *TA,Ag2* 153
Ag-Ga-Sn *TA,Ag2* 154-157
Ag-Ga-Tb *TA,Ag2* 158
Ag-Ga-Te *TA,Ag2* 159-163
Ag-Ga-Tm *TA,Ag2* 164
Ag-Ga-Y *TA,Ag2* 165
Ag-Ga-Zn *TA,Ag2* 166-167
Ag-Gd-In *TA,Ag2* 168-169
Ag-Gd-Pb *TA,Ag2* 170
Ag-Gd-Pd *TA,Ag2* 171
Ag-Gd-S *TA,Ag2* 172
Ag-Gd-Se *TA,Ag2* 173
Ag-Gd-Si *TA,Ag2* 174
Ag-Gd-Sn *TA,Ag2* 175
Ag-Gd-Te *TA,Ag2* 176
Ag-Gd-Tl *TA,Ag2* 177-178
Ag-Gd-Zn *TA,Ag2* 179-180
Ag-Ge-Li *TA,Ag2* 181
Ag-Ge-Mg *TA,Ag2* 182
Ag-Ge-Mn *TA,Ag2* 183-184
Ag-Ge-Ni *TA,Ag2* 185-186
Ag-Ge-P *TA,Ag2* 187
Ag-Ge-Pd *TA,Ag2* 188
Ag-Ge-S *TA,Ag2* 189-193
Ag-Ge-Sb *TA,Ag2* 194
Ag-Ge-Se *TA,Ag2* 195-210
Ag-Ge-Si *TA,Ag2* 211-221
Ag-Ge-Sr *TA,Ag2* 222
Ag-Ge-Te *TA,Ag2* 223-242
Ag-H-Mg *TA,Ag2* 243-244
Ag-H-Sr *TA,Ag2* 245
Ag-H-Zr *TA,Ag2* 246
Ag-Hf-Pd *TA,Ag2* 247
Ag-Hg-I *TA,Ag2* 248-249
Ag-Hg-Pt *TA,Ag2* 250
Ag-Hg-Sb *TA,Ag2* 251-255
Ag-Hg-Sn *TA,Ag2* 256-261
Ag-Hg-Ti *TA,Ag2* 262
Ag-Hg-Zn *TA,Ag2* 263
Ag-Ho-In *TA,Ag2* 264-265
Ag-Ho-S *TA,Ag2* 266
Ag-Ho-Se *TA,Ag2* 267
Ag-Ho-Sn *TA,Ag2* 268
Ag-Ho-Te *TA,Ag2* 269
Ag-I-K *TA,Ag2* 270-271
Ag-I-Li *TA,Ag2* 272-273
Ag-I-Na *TA,Ag2* 274
Ag-I-Pb *TA,Ag2* 275-276
Ag-I-Rb *TA,Ag2* 277-278
Ag-I-S *TA,Ag2* 279-280
Ag-I-Se *TA,Ag2* 281-282
Ag-I-Sn *TA,Ag2* 283-284
Ag-I-Te *TA,Ag2* 285-287
Ag-I-Tl *TA,Ag2* 288-289
Ag-In-La *TA,Ag2* 290-293
Ag-In-Li *TA,Ag2* 294
Ag-In-Mg *TA,Ag2* 295-297
Ag-In-Mn *TA,Ag2* 298
Ag-In-Nd *TA,Ag2* 299
Ag-In-Pr *TA,Ag2* 300-301
Ag-In-Pt *TA,Ag2* 302
Ag-In-S *TA,Ag2* 303-305
Ag-In-Sb *TA,Ag2* 306-307
Ag-In-Se *TA,Ag2* 308-312
Ag-In-Sm *TA,Ag2* 313
Ag-In-Sn *TA,Ag2* 314
Ag-In-Tb *TA,Ag2* 315-316
Ag-In-Te *TA,Ag2* 317-321
Ag-In-Tm *TA,Ag2* 322
Ag-In-Y *TA,Ag2* 323
Ag-In-Yb *TA,Ag2* 324
Ag-In-Zn *TA,Ag2* 325
Ag-Ir-Pd *TA,Ag2* 326-327
Ag-K-S *TA,Ag2* 328
Ag-K-Sb *TA,Ag2* 329
Ag-K-Se *TA,Ag2* 330
Ag-La-Pb *TA,Ag2* 331
Ag-La-S *TA,Ag2* 332
Ag-La-Se *TA,Ag2* 333
Ag-La-Si *TA,Ag2* 334
Ag-La-Sn *TA,Ag2* 335
Ag-Li-Mg *TA,Ag2* 336-345
Ag-Li-Pb *TA,Ag2* 346
Ag-Li-Sb *TA,Ag2* 347
Ag-Li-Si *TA,Ag2* 348
Ag-Li-Sn *TA,Ag2* 349
Ag-Li-Tl *TA,Ag2* 350
Ag-Lu-S *TA,Ag2* 351
Ag-Lu-Se *TA,Ag2* 352
Ag-Lu-Te *TA,Ag2* 353
Ag-Mg-Ni *TA,Ag2* 354-356
Ag-Mg-O *TA,Ag2* 357
Ag-Mg-Pb *TA,Ag2* 358
Ag-Mg-Pd *TA,Ag2* 359-362
Ag-Mg-Pt *TA,Ag2* 363
Ag-Mg-Sb *TA,Ag2* 364-367
Ag-Mg-Si *TA,Ag2* 368
Ag-Mg-Sn *TA,Ag2* 369-376
Ag-Mg-Tl *TA,Ag2* 377-378
Ag-Mg-Zn *TA,Ag2* 379-386
Ag-Mg-Zr *TA,Ag2* 387
Ag-Mn-N *TA,Ag2* 388
Ag-Mn-Sn *TA,Ag2* 389-391
Ag-Mn-Zn *TA,Ag2* 392
Ag-Mo-O *TA,Ag2* 393-394
Ag-Mo-S *TA,Ag2* 395
Ag-Mo-Se *TA,Ag2* 396
Ag-N-S *TA,Ag2* 397
Ag-N-Si ..... *Ternary BNSiN* 129-130, *TA,Ag2* 398
Ag-Na-S *TA,Ag2* 399-400
Ag-Na-Sb *TA,Ag2* 401
Ag-Nb-S *TA,Ag2* 402
Ag-Nb-Te *TA,Ag2* 403-404
Ag-Nd-Pb *TA,Ag2* 405
Ag-Nd-S *TA,Ag2* 406
Ag-Nd-Se *TA,Ag2* 407
Ag-Nd-Si *TA,Ag2* 408
Ag-Ni-Pd *TA,Ag2* 409-412
Ag-Ni-Se *TA,Ag2* 413
Ag-Ni-Si *TA,Ag2* 414-415
Ag-Ni-Te *TA,Ag2* 416
Ag-Ni-Zn *TA,Ag2* 417
Ag-O-Pd *TA,Ag2* 418-419
Ag-O-Pt *TA,Ag2* 420-421
Ag-O-S *TA,Ag2* 422
Ag-O-Te *TA,Ag2* 423-424
Ag-O-Tl *TA,Ag2* 425
Ag-O-V *TA,Ag2* 426-431
Ag-P-Pd *TA,Ag2* 432
Ag-P-Pt *TA,Ag2* 433
Ag-P-S *TA,Ag2* 434
Ag-P-Se *TA,Ag2* 435
Ag-P-Si *TA,Ag2* 436
Ag-P-Sr *TA,Ag2* 437
Ag-Pb-S *TA,Ag2* 438-442
Ag-Pb-Sb *TA,Ag2* 443-445
Ag-Pb-Se *TA,Ag2* 446-462
Ag-Pb-Sm *TA,Ag2* 463-464
Ag-Pb-Sn *TA,Ag2* 465-466
Ag-Pb-Te *TA,Ag2* 467-478
Ag-Pb-Yb *TA,Ag2* 479
Ag-Pb-Zn *TA,Ag2* 480-486
Ag-Pd-Pt *TA,Ag2* 487-489
Ag-Pd-Rh *TA,Ag2* 490
Ag-Pd-Ru *TA,Ag2* 491-492
Ag-Pd-S *TA,Ag2* 493-494
Ag-Pd-Sb *TA,Ag2* 495
Ag-Pd-Si *TA,Ag2* 496-497
Ag-Pd-Sn *TA,Ag2* 498-499
Ag-Pd-Sr *TA,Ag2* 500-501
Ag-Pd-Tb *TA,Ag2* 502
Ag-Pd-Te *TA,Ag2* 503
Ag-Pd-Y *TA,Ag2* 504-505
Ag-Pd-Yb *TA,Ag2* 506
Ag-Pd-Zr *TA,Ag2* 507-508
Ag-Pr-C *TA,Ag1* 376
Ag-Pr-S *TA,Ag2* 509
Ag-Pr-Se *TA,Ag2* 510
Ag-Pr-Si *TA,Ag2* 511
Ag-Rb-S *TA,Ag2* 512
Ag-Rb-Se *TA,Ag2* 513
Ag-S-Sb *TA,Ag2* 514-522
Ag-S-Se *TA,Ag2* 523
Ag-S-Si *TA,Ag2* 524
Ag-S-Sm *TA,Ag2* 525
Ag-S-Sn *TA,Ag2* 526-533
Ag-S-Ta *TA,Ag2* 534
Ag-S-Tb *TA,Ag2* 535
Ag-S-Te *TA,Ag2* 536-538
Ag-S-Tl *TA,Ag2* 539-540
Ag-S-Tm *TA,Ag2* 541
Ag-S-Y *TA,Ag2* 542
Ag-S-Yb *TA,Ag2* 543-544
Ag-S-Zn *TA,Ag2* 545
Ag-Sb-Pb *TA,Ag2* 443-445
Ag-Sb-Se *TA,Ag2* 546-549
Ag-Sb-Si *TA,Ag2* 550
Ag-Sb-Sn *TA,Ag2* 551-553
Ag-Sb-Te *TA,Ag2* 554-557
Ag-Sb-Zn *TA,Ag2* 558-559
Ag-Sc-Se *TA,Ag2* 560
Ag-Se-Pb *TA,Ag2* 446-462
Ag-Se-Si *TA,Ag2* 561-562
Ag-Se-Sm *TA,Ag2* 563
Ag-Se-Sn *TA,Ag2* 564-567
Ag-Se-Tb *TA,Ag2* 568
Ag-Se-Te *TA,Ag2* 569-570
Ag-Se-Tl *TA,Ag2* 571-576
Ag-Se-Tm *TA,Ag2* 577
Ag-Se-Y *TA,Ag2* 578-579
Ag-Se-Yb *TA,Ag2* 580
Ag-Se-Zn *TA,Ag2* 581-582
Ag-Si-Sm *TA,Ag2* 583
Ag-Si-Sr *TA,Ag2* 584
Ag-Si-Te *TA,Ag2* 585
Ag-Si-U *TA,Ag2* 586
Ag-Si-Yb *TA,Ag2* 587
Ag-Sm-Sn *TA,Ag2* 588
Ag-Sn-Sr *TA,Ag2* 589-590
Ag-Sn-Tb *TA,Ag2* 591
Ag-Sn-Te *TA,Ag2* 592-603
Ag-Sn-Yb *TA,Ag2* 604

Ag-Tb-Zn *TA,Ag2* 605
Ag-Te-Tl *TA,Ag2* 606-621
Ag-Te-Tm *TA,Ag2* 622
Ag-Te-Y *TA,Ag2* 623
Ag-Te-Zn *TA,Ag2* 624-625
Ag-Zn-Zr *TA,Ag2* 626
Al-Ar-O *TA,Al3* 97
Al-As-Br *TA,Al3* 98-99
Al-As-Ga ..... *JPE 13*(6) 624-628, *TA,Al3* 100-107
Al-As-Ge *TA,Al3* 108-109
Al-As-In ..... *TA,Al3* 110-113, *BAPD 10*(5) 527-529
Al-As-Li ..... *BAPD 10*(5) 546-548
Al-As-P ..... *TA,Al3* 114-117, *BAPD 10*(5) 530-532
Al-As-Pt *TA,Al3* 118
Al-As-Sb ..... *TA,Al3* 119, *BAPD 10*(5) 532-533
Al-Au-Bi ..... *Ternary Au* 114, *TA,Al3* 120
Al-Au-Cu ..... *Ternary Au* 114
Al-Au-Ga ..... *Ternary Au* 114, *TA,Al3* 121
Al-Au-Gd ..... *Ternary Au* 114-115
Al-Au-Hf ..... *Ternary Au* 115, *TA,Al3* 122
Al-Au-In ..... *Ternary Au* 115, *TA,Al3* 123
Al-Au-Li ..... *Ternary Au* 115
Al-Au-Mg ..... *Ternary Au* 115
Al-Au-Mn ..... *Ternary Au* 115-116, *TA,Al3* 124
Al-Au-Nb ..... *Ternary Au* 116
Al-Au-Pb ..... *Ternary Au* 116, *TA,Al3* 125
Al-Au-Sb *TA,Al3* 126
Al-Au-Sc *TA,Al3* 127
Al-Au-Si ..... *Ternary Au* 116-118, *TA,Al3* 128-129
Al-Au-Sn ..... *Ternary Au* 118-120, *TA,Al3* 130-134
Al-Au-Ti ..... *Ternary Au* 121, *TA,Al3* 135-136
Al-Au-Zr ..... *Ternary Au* 121, *TA,Al3* 137
Al-B-Be *TA,Al3* 138-139
Al-B-C *TA,Al3* 140-146
Al-B-Ce *TA,Al3* 147-149
Al-B-Co ..... *TA,Al3* 150-154, *BAPD 10*(5) 533-536
Al-B-Cr *TA,Al3* 155-157
Al-B-Dy *TA,Al3* 158-160
Al-B-Er *TA,Al3* 161-163
Al-B-Fe ..... *TA,Al3* 164-166, *BAPD 10*(6) 667-668
Al-B-Ga *TA,Al3* 167
Al-B-Gd *TA,Al3* 168-170
Al-B-Ge *TA,Al3* 171
Al-B-Hf *TA,Al3* 172
Al-B-Ho *TA,Al3* 173-175
Al-B-La *TA,Al3* 176-178
Al-B-Li ..... *BAPD 10*(5) 546-548
Al-B-Lu *TA,Al3* 179
Al-B-Mg *TA,Al3* 180-183
Al-B-Mn *TA,Al3* 184-188
Al-B-Mo *TA,Al3* 189-191
Al-B-N ..... *Ternary BNSiN* 3-5, *TA,Al3* 192-193
Al-B-Nb *TA,Al3* 194-196
Al-B-Nd *TA,Al3* 198-200
Al-B-Ni ..... *TA,Al3* 201-206, *BAPD 10*(5) 537-539
Al-B-O *TA,Al3* 207-208
Al-B-Pr *TA,Al3* 209-211
Al-B-Re *TA,Al3* 212-214, *TA,Al3* 212-214
Al-B-Si *TA,Al3* 215-220
Al-B-Ta *TA,Al3* 221
Al-B-Tb *TA,Al3* 222-224
Al-B-Ti ..... *JPE 12*(5) 609-611, *TA,Al3* 225-229
Al-B-Tm *TA,Al3* 230-232
Al-B-V *TA,Al3* 233-235
Al-B-W *TA,Al3* 236
Al-B-Y *TA,Al3* 237-239
Al-B-Yb *TA,Al3* 240-241
Al-B-Zr *TA,Al3* 242
Al-Ba-Bi *TA,Al3* 246
Al-Ba-Br *TA,Al3* 247-248
Al-Ba-Ce *TA,Al3* 249
Al-Ba-Cl *TA,Al3* 250-251
Al-Ba-Co *TA,Al3* 252
Al-Ba-Cr *TA,Al3* 253
Al-Ba-Cu *TA,Al3* 254-259
Al-Ba-F *TA,Al3* 260-262
Al-Ba-Fe *TA,Al3* 263
Al-Ba-Ga *TA,Al3* 264-265
Al-Ba-Ge *TA,Al3* 266-268
Al-Ba-La *TA,Al3* 269-284
Al-Ba-Nd *TA,Al3* 285-299
Al-Ba-Ni *TA,Al3* 300-301
Al-Ba-O *TA,Al3* 302-303
Al-Ba-Pb *TA,Al3* 304
Al-Ba-Pr *TA,Al3* 305
Al-Ba-S *TA,Al3* 306
Al-Ba-Sc *TA,Al3* 307-308
Al-Ba-Se *TA,Al3* 309
Al-Ba-Si *TA,Al3* 310-316
Al-Ba-Sm *TA,Al3* 317-318
Al-Ba-Sn *TA,Al3* 319
Al-Ba-Sr *TA,Al3* 320-321
Al-Ba-Te *TA,Al3* 322
Al-Ba-Ti *TA,Al3* 323
Al-Ba-Yb *TA,Al3* 324-326
Al-Be-C *TA,Al3* 327
Al-Be-Ce *TA,Al3* 328-329
Al-Be-Cu ..... *TA,Al3* 330-343, *BAPD 1*(1) 46-48
Al-Be-F *TA,Al3* 344-345
Al-Be-Fe ..... *Ternary Fe6* 75-80 *TA,Al3* 346-350
Al-Be-Mg ..... *JPE 13*(6) 636-640, *TA,Al3* 351-360
Al-Be-Mn *TA,Al3* 361-362
Al-Be-Ni *TA,Al3* 363-365
Al-Be-O *TA,Al3* 366-367
Al-Be-Si *TA,Al3* 368-373
Al-Be-Ti *TA,Al3* 374-385
Al-Be-Y *TA,Al3* 386-387
Al-Be-Zr *TA,Al3* 388-395
Al-Bi-Br *TA,Al3* 396-397
Al-Bi-Ca *TA,Al3* 398-399
Al-Bi-Ce *TA,Al3* 400
Al-Bi-Cu ..... *JPE 13*(6) 629-635, *TA,Al3* 401-404, *BAPD 1*(1) 53-54
Al-Bi-Er *TA,Al3* 405
Al-Bi-Ga *TA,Al3* 406-412
Al-Bi-La *TA,Al3* 413
Al-Bi-Mg *TA,Al3* 414-421
Al-Bi-O *TA,Al3* 422-423
Al-Bi-Pb *TA,Al3* 424-427
Al-Bi-Pd *TA,Al3* 428
Al-Bi-Sb *TA,Al3* 429-435
Al-Bi-Si *TA,Al3* 436-437
Al-Bi-Sn *TA,Al3* 438-439
Al-Bi-Sr *TA,Al3* 440
Al-Br-C *TA,Al3* 441-442
Al-Br-Ca *TA,Al3* 443-444
Al-Br-Cd *TA,Al3* 445-446
Al-Br-Fe *TA,Al3* 447
Al-Br-Mg *TA,Al3* 448-449
Al-Br-Mn *TA,Al3* 450-451
Al-Br-Ni *TA,Al3* 452
Al-Br-P *TA,Al3* 453
Al-Br-Pb *TA,Al3* 454-455
Al-Br-Sb *TA,Al3* 456-457
Al-Br-Sn *TA,Al3* 458-460
Al-Br-Tl *TA,Al3* 461-462
Al-Br-Zn *TA,Al3* 463-464
Al-C-Co *TA,Al3* 465-468
Al-C-Cr *TA,Al3* 469-473
Al-C-Dy *TA,Al3* 474
Al-C-Er *TA,Al3* 475-477
Al-C-Fe ..... *JPE 14*(5) 615-617 ad, *TA,Al3* 478-490, *Ternary Fe1* 89-97
Al-C-Ga *TA,Al3* 491
Al-C-Gd *TA,Al3* 492-493
Al-C-Hf *TA,Al3* 494-496
Al-C-Ho *TA,Al3* 497
Al-C-La *TA,Al3* 498-499
Al-C-Mn *TA,Al3* 500-506
Al-C-Mo *TA,Al3* 507-513
Al-C-N *TA,Al3* 514
Al-C-Nb *TA,Al3* 515-517
Al-C-Nd *TA,Al3* 518
Al-C-Ni *TA,Al3* 519-524
Al-C-O *TA,Al3* 525-533
Al-C-Pd *TA,Al3* 534
Al-C-Pt *TA,Al3* 535
Al-C-Sc *TA,Al3* 536-539
Al-C-Si *TA,Al3* 540-548
Al-C-Ta *TA,Al3* 549-553
Al-C-Tb *TA,Al3* 554
Al-C-Th *TA,Al3* 555-556
Al-C-Ti *TA,Al3* 557-566
Al-C-Tm *TA,Al3* 567
Al-C-U *TA,Al3* 568-574
Al-C-W *TA,Al3* 575-577
Al-C-Y *TA,Al3* 578-581
Al-C-Zr *TA,Al3* 582-586
Al-Ca-Cd *TA,Al3* 587
Al-Ca-Ce *TA,Al3* 588
Al-Ca-Co *TA,Al3* 589-590
Al-Ca-Cr *TA,Al3* 591
Al-Ca-Cu *TA,Al3* 592-594
Al-Ca-Dy *TA,Al3* 595
Al-Ca-Er *TA,Al3* 596
Al-Ca-F *TA,Al3* 597-599
Al-Ca-Fe ..... *Ternary Fe6* 81-85, *TA,Al3* 600-603
Al-Ca-Ga *TA,Al3* 604-605
Al-Ca-Gd *TA,Al3* 606
Al-Ca-Ge *TA,Al3* 607
Al-Ca-H *TA,Al3* 608
Al-Ca-La *TA,Al3* 609
Al-Ca-Lu *TA,Al3* 610
Al-Ca-Mg *TA,Al3* 611-614
Al-Ca-Mn *TA,Al3* 615-616
Al-Ca-Nd *TA,Al3* 617
Al-Ca-Ni TA,A13 618-619
Al-Ca-O *TA,Al3* 620-622
Al-Ca-Pb *TA,Al3* 623
Al-Ca-Pr *TA,Al3* 624
Al-Ca-S *TA,Al3* 625
Al-Ca-Sb *TA,Al3* 626
Al-Ca-Se *TA,Al3* 627
Al-Ca-Si *TA,Al3* 628-632
Al-Ca-Sm *TA,Al3* 633
Al-Ca-Sn *TA,Al3* 634
Al-Ca-Te *TA,Al3* 635
Al-Ca-Yb *TA,Al3* 636
Al-Ca-Zn ..... *TA,Al3* 637, *BAPD 10*(5) 540-545
Al-Cd-Ce *TA,Al4* 1
Al-Cd-Cu ..... *TA,Al4* 2-10, *BAPD 1*(1) 58-59
Al-Cd-Er *TA,Al4* 11
Al-Cd-Ga *TA,Al4* 12
Al-Cd-Li ..... *BAPD 10*(5) 546-548
Al-Cd-Mg *TA,Al4* 13-18
Al-Cd-Mn *TA,Al4* 19-26
Al-Cd-O *TA,Al4* 27
Al-Cd-S *TA,Al4* 28
Al-Cd-Sb *TA,Al4* 29-34
Al-Cd-Se *TA,Al4* 35
Al-Cd-Si *TA,Al4* 36
Al-Cd-Sn *TA,Al4* 37-42
Al-Cd-Te *TA,Al4* 43
Al-Cd-Zn *TA,Al4* 44-47
Al-Ce-Co *TA,Al4* 48-50
Al-Ce-Cr *TA,Al4* 51
Al-Ce-Cu *TA,Al4* 52-56
Al-Ce-Er *TA,Al4* 57
Al-Ce-Eu *TA,Al4* 58
Al-Ce-Fe ..... *TA,Al4* 59-63, *BAPD 10*(6) 669-671

Al-Ce-Ga *TA,Al4* 64-65
Al-Ce-Gd *TA,Al4* 66
Al-Ce-Ge *TA,Al4* 67-69
Al-Ce-H *TA,Al4* 70
Al-Ce-Lu *TA,Al4* 71
Al-Ce-Mg *TA,Al4* 72-77
Al-Ce-Mn *TA,Al4* 78-79
Al-Ce-N *TA,Al4* 80-81
Al-Ce-Nb *TA,Al4* 82-84
Al-Ce-Nd *TA,Al4* 85
Al-Ce-Ni *TA,Al4* 86-90
Al-Ce-O *TA,Al4* 91-92
Al-Ce-Pb *TA,Al4* 93
Al-Ce-Pr *TA,Al4* 94
Al-Ce-S *TA,Al4* 95
Al-Ce-Sb *TAAl4* 96
Al-Ce-Sc *TA,Al4* 97-98
Al-Ce-Se *TA,Al4* 99
Al-Ce-Si *TA,Al4* 100-103
Al-Ce-Sn *TA,Al4* 104
Al-Ce-Sr *TA,Al4* 105-106
Al-Ce-Tb *TA,Al4* 107
Al-Ce-Th *TA,Al4* 108-110
Al-Ce-Ti *TA,Al4* 111
Al-Ce-U *TA,Al4* 112
Al-Ce-Y *TA,Al4* 113
Al-Ce-Zn *TA,Al4* 114
Al-Cl-Cs *TA,Al4* 115-116
Al-Cl-F *TA,Al4* 117
Al-Cl-Ga *TA,Al4* 118-124
Al-Cl-Hf *TA,Al4* 125-126
Al-Cl-Hg *TA,Al4* 127-128
Al-Cl-In *TA,Al4* 129-130
Al-Cl-K *TA,Al4* 131-132
Al-Cl-Mg *TA,Al4* 133-134
Al-Cl-Mn *TA,Al4* 135-136
Al-Cl-Mo *TA,Al4* 137-138
Al-Cl-Na *TA,Al4* 139-140
Al-Cl-Nd *TA,Al4* 141-142
Al-Cl-Ni *TA,Al4* 143
Al-Cl-P *TA,Al4* 144-145
Al-Cl-Rb *TA,Al4* 146-147
Al-Cl-Sb *TA,Al4* 148-149
Al-Cl-Sn *TA,Al4* 150-152
Al-Cl-Tl *TA,Al4* 153-154
Al-Cl-W *TA,Al4* 155-156
Al-Cl-Zr *TA,Al4* 157-158
Al-Co-Cr *TA,Al4* 159-168
Al-Co-Cu *TA,Al4* 169-174
Al-Co-Dy *TA,Al4* 175
Al-Co-Er *TA,Al4* 176
Al-Co-Fe ..... *JPE 15*(4) 408 ad, *TA,Al4* 177-189, *IMR 27*(3) 169-183, *Ternary Fe4* 69-80
Al-Co-Gd *TA,Al4* 190
Al-Co-H *TA,Al4* 191-194
Al-Co-Hf *TA,Al4* 195-197
Al-Co-Ho *TA,Al4* 198
Al-Co-La *TA,Al4* 199
Al-Co-Lu *TA,Al4* 200
Al-Co-Mg *TA,Al4* 201-205
Al-Co-Mn *TA,Al4* 206-224
Al-Co-Mo *TA,Al4* 225-227
Al-Co-N *TA,Al4* 228
Al-Co-Nb *TA,Al4* 229-232
Al-Co-Nd *TA,Al4* 233
Al-Co-Ni *TA,Al4* 234-244
Al-Co-O *TA,Al4* 245
Al-Co-Pr *TA,Al4* 246-247
Al-Co-Pu *TA,Al4* 248
Al-Co-Ru *TA,Al4* 249-251
Al-Co-S *TA,Al4* 252
Al-Co-Sc *TA,Al4* 253
Al-Co-Si *TA,Al4* 254-257
Al-Co-Sm *TA,Al4* 258
Al-Co-Sr *TA,Al4* 259
Al-Co-Ta *TA,Al4* 260-261
Al-Co-Tb *TA,Al4* 262
Al-Co-Th *TA,Al4* 263
Al-Co-Ti *TA,Al4* 264-277
Al-Co-Tm *TA,Al4* 278
Al-Co-U *TA,Al4* 279-293
Al-Co-V *TA,Al4* 294
Al-Co-W *TA,Al4* 295
Al-Co-Y *TA,Al4* 296-298
Al-Co-Yb *TA,Al4* 299
Al-Co-Zn *TA,Al4* 300-306
Al-Co-Zr *TA,Al4* 307-310
Al-Cr-Cu *TA,Al4* 311-319
Al-Cr-Dy *TA,Al4* 320-322
Al-Cr-Er *TA,Al4* 323
Al-Cr-Fe ..... *JPE 15*(4) 409 ad, *TA,Al4* 324-343, *IMR 25*(4) 139-157, *Ternary Fe4* 81-97
Al-Cr-Gd *TA,Al4* 344
Al-Cr-Ge *TA,Al4* 345-347
Al-Cr-Hf *TA,Al4* 348
Al-Cr-Ho *TA,Al4* 349
Al-Cr-La *TA,Al4* 350-352
Al-Cr-Lu *TA,Al4* 353
Al-Cr-Mg ..... *JPE 13*(3) 317-323, *TA,Al4* 354-364
Al-Cr-Mn *TA,Al4* 365-384
Al-Cr-Mo *TA,Al4* 385-390
Al-Cr-N *TA,Al4* 391-392
Al-Cr-Nb *TA,Al4* 393-398
Al-Cr-Nd *TA,Al4* 399
Al-Cr-Ni *TA,Al4* 400-415
Al-Cr-Np *TA,Al4* 416
Al-Cr-Pr *TA,Al4* 417
Al-Cr-S *TA,Al4* 418
Al-Cr-Sc *TA,Al4* 419
Al-Cr-Si *TA,Al4* 420-426
Al-Cr-Sm *TA,Al4* 427
Al-Cr-Tb *TA,Al4* 428
Al-Cr-Th *TA,Al4* 429
Al-Cr-Ti *TA,Al4* 430-439
Al-Cr-Tm *TA,Al4* 440
Al-Cr-U *TA,Al4* 441
Al-Cr-V *TA,Al4* 442-443
Al-Cr-W *TA,Al4* 444
Al-Cr-Y *TA,Al4* 445-447
Al-Cr-Yb *TA,Al4* 448
Al-Cr-Zn *TA,Al4* 449-454
Al-Cr-Zr *TA,Al4* 455-462
Al-Cs-F *TA,Al4* 463-464
Al-Cs-I *TA,Al4* 465-466
Al-Cu-Dy *TA,Al4* 467-469
Al-Cu-Er *TA,Al4* 470-473
Al-Cu-Eu *TA,Al4* 474
Al-Cu-Fe ..... *Ternary Fe6* 86-95, *TA,Al4* 475-489
Al-Cu-Ga *TA,Al4* 490-491
Al-Cu-Gd *TA,Al4* 492-495
Al-Cu-Ge ..... *TA,Al4* 496-499, *BAPD 1*(1) 64
Al-Cu-H *TA,Al4* 500-503
Al-Cu-Hf *TA,Al4* 504-506
Al-Cu-Ho *TA,Al4* 507
Al-Cu-In ..... *TA,Al4* 508-526, *BAPD 1*(1) 70-72
Al-Cu-La *TA,Al4* 527-537
Al-Cu-Li *TA,Al4* 538-545
Al-Cu-Lu *TA,Al4* 546
Al-Cu-Mg *TA,Al4* 547-566
Al-Cu-Mn *TA,Al4* 567-584
Al-Cu-Mo *TA,Al4* 585-587
Al-Cu-Nb *TA,Al4* 588-590
Al-Cu-Nd *TA,Al4* 591-596
Al-Cu-Ni *TA,Al4* 597-629
Al-Cu-Np *TA,Al4* 630
Al-Cu-Os *TA,Al4* 631
Al-Cu-Pb ..... *JPE 13*(3) 309-317, *TA,Al4* 632-638, *BAPD 1*(1) 78
Al-Cu-Pd *TA,Al4* 639-643
Al-Cu-Pr *TA,Al4* 644-646
Al-Cu-Pt *TA,Al4* 647
Al-Cu-Re *TA,Al4* 648-650
Al-Cu-Rh *TA,Al4* 651
Al-Cu-Ru *TA,Al4* 652
Al-Cu-S *TA,Al5* 1-2
Al-Cu-Sb *TA,Al5* 3-7
Al-Cu-Sc *TA,Al5* 8-9
Al-Cu-Se *TA,Al5* 10
Al-Cu-Si *TA,Al5* 11-21
Al-Cu-Sm *TA,Al5* 22
Al-Cu-Sn ..... *TA,Al5* 23-38, *BAPD 1*(1) 82-84
Al-Cu-Sr *TA,Al5* 39-45
Al-Cu-Ta *TA,Al5* 46
Al-Cu-Tb *TA,Al5* 47-48
Al-Cu-Te *TA,Al5* 49
Al-Cu-Th *TA,Al5* 50
Al-Cu-Ti *TA,Al5* 51-66
Al-Cu-Tm *TA,Al5* 67
Al-Cu-U *TA,Al5* 68
Al-Cu-V *TA,Al5* 69-73
Al-Cu-W *TA,Al5* 74-77
Al-Cu-Y *TA,Al5* 78-89
Al-Cu-Yb *TA,Al5* 90-91
Al-Cu-Zn *TA,Al5* 92-112
Al-Cu-Zr *TA,Al5* 113-121
Al-Dy-Er *TA,Al5* 122-123
Al-Dy-Fe ..... *Ternary Fe6* 96-101, *TA,Al5* 124-127
Al-Dy-Ga *TA,Al5* 128
Al-Dy-Gd *TA,Al5* 129-130
Al-Dy-Ge *TA,Al5* 131
Al-Dy-Hf *TA,Al5* 132-133
Al-Dy-Ho *TA,Al5* 134
Al-Dy-Lu *TA,Al5* 135-136
Al-Dy-Mn *TA,Al5* 137
Al-Dy-Mo *TA,Al5* 138
Al-Dy-N *TA,Al5* 139-140
Al-Dy-Nb *TA,Al5* 141-142
Al-Dy-Ni *TA,Al5* 143-146
Al-Dy-Pd *TA,Al5* 147
Al-Dy-Pr *TA,AL5* 148
Al-Dy-Pt *TA,Al5* 149
Al-Dy-S *TA,Al5* 150
Al-Dy-Sc *TA,Al5* 151
Al-Dy-Se *TA,Al5* 152
Al-Dy-Si *TA,Al5* 153
Al-Dy-Sm *TA,Al5* 154
Al-Dy-Tb *TA,Al5* 155
Al-Dy-Tm *TA,Al5* 156
Al-Dy-U *TA,Al5* 157-158
Al-Dy-V *Ta,Al5* 159-160
Al-Dy-Y *Ta,Al5* 161
Al-Dy-Zr *TA,Al5* 162
Al-Er-Fe ..... *Ternary Fe6* 102-106, *TA,Al5* 164-166
Al-Er-Ga *TA,Al5* 167
Al-Er-Gd TA,Al5 168-170
Al-Er-Ge *TA,Al5* 171
Al-Er-Ho *TA,Al5* 172-173
Al-Er-La *TA,Al5* 174
Al-Er-Lu *TA,Al5* 175
Al-Er-Mn *TA,Al5* 176
Al-Er-Mo *TA,Al5* 177
Al-Er-N *TA,Al5* 178-179
Al-Er-Ni *TA,Al5* 180-183
Al-Er-Pb *TA,Al5* 184
Al-Er-Pd *TA,Al5* 185
Al-Er-Pt *TA,Al5* 186
Al-Er-S *TA,Al5* 187
Al-Er-Sc *TA,Al5* 188
Al-Er-Si *TA,Al5* 189-191
Al-Er-Sm *TA,Al5* 192-193
Al-Er-Sn *TA,Al5* 194
Al-Er-Tb *TA,Al5* 195-196
Al-Er-Tm *TA,Al5* 197
Al-Er-Y *TA,Al5* 198-200
Al-Eu-Fe ..... *Ternary Fe6* 207, *TA,Al5* 201
Al-Eu-Ga *TA,Al5* 202
Al-Eu-Ge *TA,Al5* 203
Al-Eu-La *TA,Al5* 204
Al-Eu-Mn *TA,Al5* 205-207
Al-Eu-S *TA,Al5* 208

Al-Eu-Se *TA,Al5* 209
Al-Eu-Si *TA,Al5* 210-212
Al-Eu-Y *TA,Al5* 213
Al-F-Na *TA,Al5* 214-218
Al-Fe-Gd .... *Ternary Fe6* 108-112, *TA,Al5* 219-221
Al-Fe-Ge ..... *Ternary Fe6* 113-114, *TA,Al5* 222-225
Al-Fe-H *TA,Al5* 226-229
Al-Fe-Hf ..... *Ternary Fe6* 115-119, *TA,Al5* 230-232
Al-Fe-Ho ..... *Ternary Fe6* 120-124, *TA,Al5* 233-235
Al-Fe-La ..... *Ternary Fe6* 125-129, *TA,Al5* 236-238
Al-Fe-Li ..... *TA,Al5* 239, *BAPD 10*(5) 546-548
Al-Fe-Lu ..... *Ternary Fe6* 130-131, *TA,Al5* 240
Al-Fe-Mg ..... *Ternary Fe6* 132-134, *TA,Al5* 241-249
Al-Fe-Mn ..... *JPE 15*(4) 410-411 ad, *TA,Al5* 250-264, *IMR* 28(6) 309-337, *Ternary Fe4* 98-106
Al-Fe-Mo ..... *Ternary Fe6* 135-141, *TA, Al5* 265-274
Al-Fe-N ..... *JPE 14*(5) 617-618 ad, *TA,Al5* 275-280, *TIIM 37*(5) 411-415, *Ternary Fe1* 145-147
Al-Fe-Nb ..... *TA,Al5* 281-285, *Ternary Fe1* 3-7
Al-Fe-Nd ..... *Ternary Fe6* 142-153, *TA,Al5* 286-308
Al-Fe-Ni ..... *JPE 15*(4) 411-413 ad, *TA,Al5* 309-323, *IMR 25*(3) 79-93, *Ternary Fe4* 107-121
Al-Fe-Np *TA,Al5* 324
Al-Fe-O ..... *TA,Al5* 325-353, *Ternary Fe5* 10-28
Al-Fe-P ..... *TA,Al5* 354-363, *Ternary Fe3* 9-16, *JAPD 5*(1) 32-39
Al-Fe-Pb *TA,Al5* 364
Al-Fe-Pd ..... *Ternary Fe6* 154-158, *TA,Al5* 365-368
Al-Fe-Pr ..... *Ternary Fe6* 159-163, *TA,Al5* 369-371
Al-Fe-Pu ..... *Ternary Fe6* 164, *TA,Al5* 372
Al-Fe-Re ..... *Ternary Fe6* 165-169, *TA,Al5* 373-377
Al-Fe-Ru ..... *Ternary Fe6* 170-173, *TA,Al5* 378-380
Al-Fe-S ..... *TA,Al5* 381-389, *Ternary Fe2* 24-34
Al-Fe-Sb *TA,Al5* 390
Al-Fe-Sc ..... *Ternary Fe6* 174-177, *TA,Al5* 391-393
Al-Fe-Si ..... *JPE 15*(4) 414-416 ad, *TA,Al5* 394-438, *IMR* 26(3) 133-152, *Ternary Fe4* 122-139
Al-Fe-Sm ..... *Ternary Fe6* 178-182, *TA,Al5* 439-441
Al-Fe-Sn *TA,Al5* 442-443
Al-Fe-Sr ..... *Ternary Fe6* 183-186, *TA,Al5* 444-448
Al-Fe-Ta ..... *Ternary Fe6* 187-190, *TA,Al5* 449-451
Al-Fe-Tb ..... *Ternary Fe6* 191-192, *TA,Al5* 452-454
Al-Fe-Th ..... *Ternary Fe6* 193, *TA,Al5* 455
Al-Fe-Ti ..... *JPE 14*(5) 618-619 ad, *TA,Al5* 456-469, *Ternary Fe1* 9-21
Al-Fe-Tm ..... *Ternary Fe6* 194-195, *TA,Al5* 470
Al-Fe-U ..... *Ternary Fe6* 196-203, *TA,Al5* 471-491
Al-Fe-V ..... *Ternary Fe6* 204-207, *TA,Al5* 492-497
Al-Fe-W ..... *Ternary Fe6* 208, *TA,Al5* 498-500
Al-Fe-Y ..... *Ternary Fe6* 209-213, *TA,Al5* 501-503
Al-Fe-Yb ..... *Ternary Fe6* 214, *TA,Al5* 504
Al-Fe-Zn ..... *Ternary Fe6* 215-223, *TA,Al5* 505-523
Al-Fe-Zr ..... *Ternary Fe6* 224-228, *TA,Al5* 524-528
Al-Ga-Gd *TA,Al5* 529
Al-Ga-Ge *TA,Al5* 530-534
Al-Ga-Hf *TA,Al5* 535-537
Al-Ga-Hg *TA,Al5* 538-549
Al-Ga-Ho *TA,Al5* 550-551
Al-Ga-In *TA,Al5* 552-561
Al-Ga-La *TA,Al5* 562-564
Al-Ga-Li ..... *TA,Al5* 565, *BAPD 10*(5) 546-548
Al-Ga-Mg *TA,Al5* 566-574
Al-Ga-N *TA,Al5* 575
Al-Ga-Nb *TA,Al5* 576-581
Al-Ga-Nd *TA,Al5* 582-584
Al-Ga-Ni *TA,Al5* 585
Al-Ga-P *TA,Al5* 586-590
Al-Ga-Pr *TA,Al5* 591
Al-Ga-Pu *TA,Al5* 592-595
Al-Ga-Sb *TA,Al5* 596-607
Al-Ga-Sc *TA,Al5* 608-610
Al-Ga-Si *TA,Al5* 611-612
Al-Ga-Sm *TA,Al5* 613
Al-Ga-Sn *TA,Al5* 614-623
Al-Ga-Sr *TA,Al5* 624-625
Al-Ga-Tb *TA,Al5* 626
Al-Ga-Ti *TA,Al5* 627-630
Al-Ga-Tm *TA,Al5* 631
Al-Ga-V *TA,Al5* 632-639
Al-Ga-Y *TA,Al5* 640-641
Al-Ga-Yb *TA,Al5* 642-643
Al-Ga-Zn *TA,Al5* 644-654
Al-Ga-Zr *TA,Al5* 655-657
Al-Gd-Ge *TA,Al5* 658-660
Al-Gd-Hf *TA,Al5* 661-662
Al-Gd-Ho *TA,Al5* 663-665
Al-Gd-In *TA,Al5* 666
Al-Gd-La *TA,Al5* 667
Al-Gd-Lu *TA,Al5* 668-669
Al-Gd-Mn *TA,Al5* 670
Al-Gd-Mo *TA,Al5* 671
Al-Gd-N *TA,Al5* 672
Al-Gd-Nb *TA,Al5* 673-675
Al-Gd-Nd *TA,Al5* 676
Al-Gd-Ni *TA,Al5* 677-681
Al-Gd-Pd *TA,Al5* 682
Al-Gd-Pr *TA,Al5* 683
Al-Gd-Pt *TA,Al5* 684
Al-Gd-S *TA,Al5* 685
Al-Gd-Sc *TA,Al5* 686-687
Al-Gd-Se *TA,Al5* 688
Al-Gd-Si *TA,Al5* 689-692
Al-Gd-Sm *TA,Al5* 693-694
Al-Gd-Sn *TA,Al5* 695
Al-Gd-Tb *TA,Al6* 1-2
Al-Gd-Th *TA,Al6* 3
Al-Gd-Ti *TA,Al6* 4
Al-Gd-Tm *TA,Al6* 5-6
Al-Gd-U *TA,Al6* 7
Al-Gd-V *TA,Al6* 8
Al-Gd-Y *TA,Al6* 9-11
Al-Gd-Zr *TA,Al6* 12-13
Al-Ge-Hf *TA,Al6* 14
Al-Ge-Ho *TA,Al6* 15
Al-Ge-In *TA,Al6* 16
Al-Ge-K *TA,Al6* 17
Al-Ge-La *TA,Al6* 18-20
Al-Ge-Li ..... *TA,Al6* 21, *BAPD 10*(5) 546-548
Al-Ge-Lu *TA,Al6* 22
Al-Ge-Mg *TA,Al6* 23-28
Al-Ge-Mn *TA,Al6* 29
Al-Ge-Mo *TA,Al6* 30-33
Al-Ge-Na *TA,Al6* 34
Al-Ge-Nb *TA,Al6* 35-41
Al-Ge-Nd *TA,Al6* 42
Al-Ge-Ni *TA,Al6* 43-45
Al-Ge-P *TA,Al6* 46-47
Al-Ge-Pd *TA,Al6* 48-49
Al-Ge-Pr *TA,Al6* 50-51
Al-Ge-Re *TA,Al6* 52
Al-Ge-Sb *TA,Al6* 53-57
Al-Ge-Si *TA,Al6* 58-60
Al-Ge-Sm *TA,Al6* 61
Al-Ge-Sn *TA,Al6* 62-66
Al-Ge-Sr *TA,Al6* 67-75
Al-Ge-Tb *TA,Al6* 76
Al-Ge-Th *TA,Al6* 77
Al-Ge-Ti *TA,Al6* 78-82
Al-Ge-Tm *TA,Al6* 83
Al-Ge-V *TA,Al6* 84-86
Al-Ge-W *TA,Al6* 87-88
Al-Ge-Y *TA,Al6* 89-91
Al-Ge-Yb *TA,Al6* 92
Al-Ge-Zn *TA,Al6* 93-108
Al-H-K *TA,Al6* 109-110
Al-H-Li ..... *TA,Al6* 111-112, *BAPD 10*(5) 546-548
Al-H-Mg *TA,Al6* 113-116
Al-H-Mn *TA,Al6* 117
Al-H-Na *TA,Al6* 118-120
Al-H-Nb *TA,Al6* 121-122
Al-H-Ni *TA,Al6* 123-125
Al-H-Pd *TA,Al6* 126
Al-H-Si *TA,Al6* 127-130
Al-H-Th *TA,Al6* 131-133
Al-H-Ti *TA,Al6* 134-138
Al-H-Zn *TA,Al6* 139-148
Al-H-Zr *TA,Al6* 149-151
Al-Hf-Ho *TA,Al6* 152-153
Al-Hf-Ir *TA,Al6* 154
Al-Hf-La *TA,Al6* 155-157
Al-Hf-Lu *TA,Al6* 158-160
Al-Hf-Mg *TA,Al6* 161-163
Al-Hf-Mn *TA,Al6* 164
Al-Hf-Mo *TA,Al6* 165
Al-Hf-N *TA,Al6* 166-169
Al-Hf-Nb *TA,Al6* 170-172
Al-Hf-Nd *TA,Al6* 173-175
Al-Hf-Ni ..... *TA,Al6* 176-186, *JPE 12*(1) 94-104
Al-Hf-Os *TA,Al6* 187
Al-Hf-Pd *TA,Al6* 188
Al-Hf-Pr *TA,Al6* 189-191
Al-Hf-Pt *TA,Al6* 192
Al-Hf-Rh *TA,Al6* 193
Al-Hf-Ru *TA,Al6* 194-196
Al-Hf-Si *TA,Al6* 197-200
Al-Hf-Ta *TA,Al6* 201
Al-Hf-Tb *TA,Al6* 202-204
Al-Hf-Ti *TA,Al6* 205-207
Al-Hf-Zn *TA,Al6* 208-210
Al-Hf-Zr *TA,Al6* 211
Al-Hg-S *TA,Al6* 212
Al-Hg-Se *TA,Al6* 213
Al-Hg-Te *TA,Al6* 214
Al-Ho-Lu *TA,Al6* 215-216
Al-Ho-Mn *TA,Al6* 217
Al-Ho-N *TA,Al6* 218
Al-Ho-Nb *TA,Al6* 219-220
Al-Ho-Nd *TA,Al6* 221
Al-Ho-Ni *TA,Al6* 222-225
Al-Ho-Pd *TA,Al6* 226
Al-Ho-Pr *TA,Al6* 227
Al-Ho-Pt *TA,Al6* 228
Al-Ho-S *TA,Al6* 229
Al-Ho-Sc *TA,Al6* 230-231
Al-Ho-Se *TA,Al6* 232
Al-Ho-Si *TA,Al6* 233-235
Al-Ho-Sm *TA,Al6* 236-238
Al-Ho-Tb *TA,Al6* 239-241
Al-Ho-Tm *TA,Al6* 242-243
Al-Ho-Y *TA,Al6* 244-245
Al-Ho-Zr *TA,Al6* 246-247
Al-In-Li ..... *TA,Al6* 248, *BAPD 10*(5) 546-548
Al-In-Mg *TA,Al6* 249-251
Al-In-Nb *TA,Al6* 252
Al-In-Ni *TA,Al6* 253
Al-In-P *TA,Al6* 254-258
Al-In-Pd *TA,Al6* 259-260
Al-In-S *TA,Al6* 261-263
Al-In-Sb *TA,Al6* 264-271
Al-In-Se *TA,Al6* 272-273
Al-In-Si *TA,Al6* 274-278
Al-In-Sn *TA,Al6* 279-285
Al-In-Th *TA,Al6* 286
Al-In-Ti *TA,Al6* 287
Al-Ir-Li *TA,Al6* 288
Al-Ir-Mn MITA,Al6 289
Al-Ir-Nb *TA,Al6* 290-292
Al-Ir-Pu *TA,Al6* 293
Al-Ir-Sc *TA,Al6* 294
Al-Ir-Th *TA,Al6* 295
Al-Ir-Ti *TA,Al6* 296
Al-Ir-U *TA,Al6* 297
Al-Ir-Zr *TA,Al6* 298
Al-K-Ni *TA,Al6* 299
Al-K-S *TA,Al6* 300-301
Al-K-Se *TA,Al6* 302
Al-K-Te *TA,Al6* 303

Al-La-Lu *TA,Al6* 304
Al-La-Mg *TA,Al6* 305-310
Al-La-Mn *TA,Al6* 311-313
Al-La-N *TA,Al6* 314
Al-La-Nb *TA,Al6* 315-317
Al-La-Ni *TA,Al6* 318-327
Al-La-Pr *TA,Al6* 328
Al-La-Re *TA,Al6* 329
Al-La-Rh *TA,Al6* 330
Al-La-Ru *TA,Al6* 331
Al-La-S *TA,Al6* 332-334
Al-La-Sb *TA,Al6* 335-336
Al-La-Se *TA,Al6* 337
Al-La-Si *TA,Al6* 338-340
Al-La-Sn *TA,Al6* 341
Al-La-Sr *TA,Al6* 342-344
Al-La-Ti *TA,Al6* 345
Al-La-Tl *TA,Al6* 346
Al-La-U *TA,Al6* 347
Al-La-V *TA,Al6* 348-350
Al-La-Y *TA,Al6* 351
Al-La-Yb *TA,Al6* 352-353
Al-La-Zr *TA,Al6* 354-355
Al-Li-Mg ..... *TA,Al6* 356-375, *BAPD 11*(6) 528-546
Al-Li-Mn ..... *TA,Al6* 376-379, *JPE 12*(2) 216-224
Al-Li-N ..... *TA,Al6* 380, *BAPD 10*(5) 546-548
Al-Li-O *TA,Al6* 381-387
Al-Li-P ..... *TA,Al6* 388, *BAPD 10*(5) 546-548
Al-Li-Pb ..... *TA,Al6* 389, *BAPD 10*(5) 546-548
Al-Li-Pd *TA,Al6* 390
Al-Li-Pt *TA,Al6* 391
Al-Li-Rh *TA,Al6* 392
Al-Li-S ..... *TA,Al6* 393, *BAPD 10*(5) 546-548
Al-Li-Sb ..... *BAPD 10*(5) 546-548
Al-Li-Si ..... *TA,Al6* 394-401, *JPE 12*(2) 225-230
Al-Li-Sn ..... *TA,Al6* 402, *BAPD 10*(5) 546-548
Al-Li-Zn *TA,Al6* 403-410
Al-Li-Zr *TA,Al6* 411-414
Al-Lu-Mn *TA,Al6* 415
Al-Lu-N *TA,Al6* 416
Al-Lu-Nb *TA,Al6* 417-418
Al-Lu-Ni *TA,Al6* 419-422
Al-Lu-Pt *TA,Al6* 423
Al-Lu-Sc *TA,Al6* 424-425
Al-Lu-Sm *TA,Al6* 426-427
Al-Lu-Tb *TA,Al6* 428-429
Al-Lu-Tm *TA,Al6* 430-431
Al-Lu-Y *TA,Al6* 432-433
Al-Lu-Yb *TA,Al6* 434
Al-Lu-Zr *TA,Al6* 435-436
Al-Mg-Mn *TA,Al6* 437-446
Al-Mg-Mo *TA,Al6* 447
Al-Mg-Nb *TA,Al6* 448
Al-Mg-Nd *TA,Al6* 449-453
Al-Mg-Ni *TA,Al6* 454-459
Al-Mg-O *TA,Al6* 460-466
Al-Mg-Pb *TA,Al6* 467-475
Al-Mg-Pr *TA,Al6* 476-478
Al-Mg-S *TA,Al6* 479
Al-Mg-Sb *TA,Al6* 480-486
Al-Mg-Sc *TA,Al6* 487-492
Al-Mg-Se *TA,Al7* 1, *TA,Al7* 1
Al-Mg-Si *TA,Al7* 2-14, *TA,Al7* 2-14
Al-Mg-Sm *TA,Al7* 15-17
Al-Mg-Sn *TA,Al7* 18-28
Al-Mg-Sr *TA,Al7* 29-39
Al-Mg-Ta *TA,Al7* 40
Al-Mg-Te *TA,Al7* 41
Al-Mg-Ti *TA,Al7* 42-45
Al-Mg-Tl *TA,Al7* 46-50
Al-Mg-U *TA,Al7* 51
Al-Mg-V *TA,Al7* 52
Al-Mg-W *TA,Al7* 53
Al-Mg-Y *TA,Al7* 54-56
Al-Mg-Zn ..... *TA,Al7* 57-71, *BAPD 6* 516 ad
Al-Mg-Zr *TA,Al7* 72-76
Al-Mn-Mo *TA,Al7* 77
Al-Mn-N *TA,Al7* 78-81
Al-Mn-Nb *TA,Al7* 82
Al-Mn-Nd *TA,Al7* 83
Al-Mn-Ni *TA,Al7* 84-99
Al-Mn-Pd *TA,Al7* 100
Al-Mn-Pr *TA,Al7* 101-102
Al-Mn-Pt *TA,Al7* 103
Al-Mn-Pu *TA,Al7* 104
Al-Mn-Rh *TA,Al7* 105
Al-Mn-S *TA,Al7* 106
Al-Mn-Sc *TA,Al7* 107-109
Al-Mn-Si *TA,Al7* 110-128
Al-Mn-Sm *TA,Al7* 129
Al-Mn-Sn *TA,Al7* 130
Al-Mn-Sr *TA,Al7* 131-143
Al-Mn-Tb *TA,Al7* 144
Al-Mn-Th *TA,Al7* 145
Al-Mn-Ti *TA,Al7* 146-155
Al-Mn-Tm *TA,Al7* 156
Al-Mn-U *TA,Al7* 157-166
Al-Mn-V *TA,Al7* 167-177
Al-Mn-W *TA,Al7* 178
Al-Mn-Y *TA,Al7* 179-181
Al-Mn-Yb *TA,Al7* 182
Al-Mn-Zn *TA,Al7* 183-192
Al-Mn-Zr *TA,Al7* 193
Al-Mo-N *TA,Al7* 194-195
Al-Mo-Nb *TA,Al7* 196-198
Al-Mo-Ni *TA,Al7* 199-218
Al-Mo-O *TA,Al7* 219-220
Al-Mo-P *TA,Al7* 221
Al-Mo-Pd *TA,Al7* 222
Al-Mo-S *TA,Al7* 223-224
Al-Mo-Si *TA,Al7* 225-228
Al-Mo-Ti *TA,Al7* 229-238
Al-Mo-U *TA,Al7* 239-254
Al-Mo-V *TA,Al7* 255-262
Al-Mo-W *TA,A17* 263
Al-Mo-Yb *TA,Al7* 264
Al-Mo-Zr *TA,Al7* 265-274
Al-N-Nb *TA,Al7* 275-278
Al-N-Nd *TA,Al7* 279
Al-N-Ni *TA,Al7* 280
Al-N-Pd *TA,Al7* 281-282
Al-N-Pr *TA,Al7* 283-285
Al-N-Re *TA,Al7* 286-288
Al-N-Rh *TA,Al7* 289-290
Al-N-Ru *TA,Al7* 291-292
Al-N-Sc *TA,Al7* 293-294
Al-N-Si ..... *TA,Al7* 295-299, *Ternary BNSiN* 131-132
Al-N-Sm *TA,Al7* 300
Al-N-Ta *TA,Al7* 301-303
Al-N-Tb *TA,Al7* 304
Al-N-Ti *TA,Al7* 305-316
Al-N-Tm *TA,Al7* 317
Al-N-U *TA,Al7* 318
Al-N-V *TA,Al7* 319-321
Al-N-W *TA,Al7* 322-323
Al-N-Y *TA,Al7* 324-325
Al-N-Yb *TA,Al7* 326
Al-N-Zr *TA,Al7* 327-330
Al-Na-O *TA,Al7* 331-334
Al-Na-S *TA,Al7* 335
Al-Na-Se *TA,Al7* 336
Al-Na-Si *TA,Al7* 337-343
Al-Na-Te *TA,Al7* 344
Al-Nb-Nd *TA,Al7* 345-347
Al-Nb-Ni *TA,Al7* 348-357
Al-Nb-P *TA,Al7* 358
Al-Nb-Pd *TA,Al7* 359
Al-Nb-Pr *TA,Al7* 360-362
Al-Nb-Rh *TA,Al7* 363-364
Al-Nb-Sb *TA,Al7* 365
Al-Nb-Sc *TA,Al7* 366-368
Al-Nb-Se *TA,Al7* 369
Al-Nb-Si *TA,Al7* 370-374
Al-Nb-Sm *TA,Al7* 375
Al-Nb-Sn *TA,Al7* 376
Al-Nb-Ta *TA,Al7* 377-379
Al-Nb-Tb *TA,Al7* 380-381
Al-Nb-Ti *TA,Al7* 382-398
Al-Nb-V *TA,Al7* 399-403
Al-Nb-W *TA,Al7* 404
Al-Nb-Y *TA,Al7* 405-407
Al-Nb-Zr ..... *TA,Al7(D) 408-411*
Al-Nd-Ni *TA,Al7* 412-415
Al-Nd-Pr *TA,Al7* 416
Al-Nd-Re *TA,Al7* 417
Al-Nd-S *TA,Al7* 418
Al-Nd-Se *TA,Al7* 419
Al-Nd-Si *TA,Al7* 420
Al-Nd-Sn *TA,Al7* 421
Al-Nd-Sr *TA,Al7* 422-428
Al-Nd-Tb *TA,Al7* 429
Al-Nd-V *TA,Al7* 430-431
Al-Nd-Zr *TA,Al7* 432-433
Al-Ni-O *TA,Al7* 434-440
Al-Ni-Pd *TA,Al7* 441-443
Al-Ni-Pr *TA,Al7* 444-447
Al-Ni-Pt *TA,Al7* 448-450
Al-Ni-Pu *TA,Al7* 451
Al-Ni-Ru *TA,Al7* 452-460
Al-Ni-S *TA,Al7* 461
Al-Ni-Sb *TA,Al7* 462
Al-Ni-Sc *TA,Al7* 463-466
Al-Ni-Si *TA,Al7* 467-475
Al-Ni-Sm *TA,Al7* 476-477
Al-Ni-Sn *TA,Al7* 478-480
Al-Ni-Sr *TA,Al7* 481-482
Al-Ni-Ta ..... *TA,Al7* 483, *JAPD 2*(2) 108-130
Al-Ni-Tb *TA,Al8* 1-5
Al-Ni-Th *TA,Al8* 6
Al-Ni-Ti ..... *TA,Al8* 7-21, *JPE 12*(5) 551-562, *BAPD 3*(3) 367-374
Al-Ni-Tm *TA,Al8* 22-24
Al-Ni-U *TA,Al8* 25-39
Al-Ni-V *TA,Al8* 40-48
Al-Ni-W *TA,Al8* 49-57
Al-Ni-Y *TA,Al8* 58-62
Al-Ni-Yb *TA,Al8* 63
Al-Ni-Zn *TA,Al8* 64-70
Al-Ni-Zr ..... *TA,Al8* 71-78, *JPE 12*(1) 105-113
Al-O-Ti *TA,Al8* 79-88
Al-O-Zr *TA,Al8* 89-93
Al-Os-Ru *TA,Al8* 94
Al-Os-Sc *TA,Al8* 95
Al-Os-Ti *TA,Al8* 96
Al-Os-U *TA,Al8* 97
Al-Os-Zr *TA,Al8* 98
Al-P-Pd *TA,Al8* 99
Al-P-Pt *TA,Al8* 100
Al-P-Sb *TA,Al8* 101104
Al-P-Si *TA,Al8* 105-110
Al-Pb-S *TA,Al8* 111
Al-Pb-Sb *TA,Al8* 112-115
Al-Pb-Se *TA,Al8* 116
Al-Pb-Sn *TA,Al8* 117120
Al-Pb-Sr *TA,Al8* 121-122
Al-Pb-Zn *TA,Al8* 123
Al-Pd-Rh *TA,Al8* 124
Al-Pd-Ru *TA,Al8* 125
Al-Pd-Sc *TA,Al8* 126-128
Al-Pd-Si *TA,Al8* 129-131
Al-Pd-Sm *TA,Al8* 132
Al-Pd-Tb *TA,Al8* 133
Al-Pd-Te *TA,Al8* 134
Al-Pd-Th *TA,Al8* 135
Al-Pd-Ti *TA,Al8* 136
Al-Pd-Tm *TA,Al8* 137
Al-Pd-U *TA,Al8* 138
Al-Pd-V *TA,Al8* 139

Al-Pd-Y *TA,Al8* 140
Al-Pd-Zr *TA,Al8* 141
Al-Pr-S *TA,Al8* 142
Al-Pr-Se *TA,Al8* 143
Al-Pr-Si *TA,Al8* 144
Al-Pr-Sr *TA,Al8* 145-146
Al-Pr-V *TA,Al8* 147-148
Al-Pr-Y *TA,Al8* 149
Al-Pr-Zn *TA,Al8* 150-152
Al-Pr-Zr *TA,AL8* 153-154
Al-Pt-Sc *TA,AL8* 155
Al-Pt-Si *TA,AL8* 156
Al-Pt-Sm *TA,AL8* 157
Al-Pt-Tb *TA,AL8* 158
Al-Pt-Th *TA,AL8* 159
Al-Pt-Ti *TA,AL8* 160
Al-Pt-Tm *TA,AL8* 161
Al-Pt-U *TAAl8* 162
Al-Pt-Y *TA,Al8* 163
Al-Pt-Zr *TA,Al8* 164
Al-Re-Si *TA,Al8* 165-167
Al-Rh-Sc *TA,Al8* 169
Al-Rh-Th *TA,Al8* 170
Al-Rh-Ti *TA,Al8* 171
Al-Rh-U *TA,Al8* 172
Al-Rh-Y *TA,Al8* 173
Al-Rh-Zr *TA,Al8* 174
Al-Ru-Sc *TA,Al8*175-177
Al-Ru-Ti *TA,Al8* 179-184
Al-Ru-U *TA,Al8* 185
Al-Ru-Y *TA,Al8* 186
Al-Ru-Zr *TA,Al8* 187-190
Al-S-Sb *TA,Al8* 191-194
Al-S-Si *TA,Al8* 195-197
Al-S-Sr *TA,Al8* 199
Al-S-Ta *TA,Al8* 200
Al-S-Tb *TA,Al8* 201
Al-S-Ti *TA,Al8* 202
Al-S-Tl *TA,Al8* 203
Al-S-Y *TA,Al8* 204
Al-S-Yb *TA,Al8* 205
Al-S-Zn ..... *TA,Al8* 206-208, *JAPD* 2(1) 40-42
Al-Sb-Si *TA,Al8* 209-217
Al-Sb-Sn *TA,Al8* 218-222
Al-Sb-Sr *TA,Al8* 223
Al-Sb-Te *TA,Al8* 224-229
Al-Sb-Y *TA,Al8* 231
l-Sb-Yb *TA,Al8* 232-233
Al-Sb-Zn *TA,Al8* 234-237
Al-Sb-Zr *TA,Al8* 238
Al-Sc-Si *TA,Al8* 239-240
Al-Sc-Sm *TA,Al8* 241-242
Al-Sc-Sr *TA,Al8* 243-245
Al-Sc-Tb *TA,Al8* 246-247
Al-Sc-Ti *TA,Al8* 248-249
Al-Sc-Tm *TA,Al8* 250-251
Al-Sc-Y *TA,Al8* 252-253
Al-Sc-Yb *TA,Al8* 254
Al-Sc-Zr *TA,Al8* 255-256
Al-Se-Sm *TA,Al8* 257
Al-Se-Sr *TA,Al8* 258
Al-Se-Tb *TA,Al8* 259
Al-Se-Tl *TA,Al8* 260
Al-Se-Zn ..... *TA,Al8* 261, *TIIM 37*(6) 709-714
Al-Si-Sm *TA,Al8* 262
Al-Si-Sn *TA,Al8* 263-269
Al-Si-Sr *TA,Al8* 270-278
Al-Si-Ta *TA,Al8* 279-280
Al-Si-Tb *TA,Al8* 281
Al-Si-Th *TA,Al8* 282
Al-Si-Ti *TA,Al8* 283-290
Al-Si-Tm *TA,Al8* 291
Al-Si-U *TA,Al8* 292-304
Al-Si-V *TA,Al8* 305-320
Al-Si-W *TA,Al8* 321-323
Al-Si-Y *TA,Al8* 324-336
Al-Si-Yb *TA,Al8* 337
Al-Si-Zn *TA,Al8* 338-353
Al-Si-Zr *TA,Al8* 354-358
Al-Sm-Sr *TA,Al8* 359-360
Al-Sm-Tb *TA,Al8* 361-362
Al-Sm-Tm *TA,Al8* 363-364
Al-Sm-U *TA,Al8* 365-367
Al-Sm-V *TA,Al8* 368-369
Al-Sm-Y *TA,Al8* 370-371
Al-Sn-Sr *TA,Al8* 372
Al-Sn-Ti *TA,Al8* 373-376
Al-Sn-U *TA,Al8* 377-378
Al-Sn-V *TA,Al8* 379
Al-Sn-Y *TA,Al8* 380
Al-Sn-Zn *TA,Al8* 381-388
Al-Sn-Zr *TA,Al8* 389-397
Al-Sr-Te *TA,Al8* 398
Al-Sr-Y *TA,Al8* 399-405
Al-Ta-Ti *TA,Al8* 406-408
Al-Ta-V *TA,Al8* 409-411
Al-Ta-Zr *TA,Al8* 412
Al-Tb-Tm *TA,Al8* 413-414
Al-Tb-V *TA,Al8* 415-416
Al-Tb-Y *TA,Al8* 417
Al-Tb-Zr *TA,Al8* 418-419
Al-Te-Tl *TA,Al8* 420
Al-Te-Zn ..... *TA,Al8* 421, *TIIM 37*(6) 715-719
Al-Th-U *TA,Al8* 422-424
Al-Th-V *TA,Al8* 425
Al-Ti-V ..... *JPE 16*(2) 163-176,*TA,Al8* 426-445
Al-Ti-W *TA,Al8* 446-451
Al-Ti-Y *TA,Al8* 452-455
Al-Ti-Zn *TA,Al8* 456-457
Al-Ti-Zr *TA,Al8* 458-463
Al-Tm-Y *TA,Al8* 464-465
Al-U-Zr *TA,Al8* 466-475
A-V-Y *TA,Al8* 476-478
Al-V-Zr *TA,Al8* 479-486
Al-W-Zr *TA,Al8* 487
Al-Y-Yb *TA,Al8* 488
Al-Zn-Zr *TA,Al8* 489
As-Au-Eu ..... *Ternary Au* 121-123
As-Au-Ga ..... *Ternary Au* 123-132
As-Au-Ge ..... *Ternary Au* 132
As-Au-In ..... *Ternary Au* 132-134
As-Au-Na ..... *Ternary Au* 134
As-Au-S ..... *Ternary Au* 134
As-Au-Se ..... *Ternary Au* 134-138
As-Au-Si ..... *Ternary Au* 138
As-Au-Te ..... *Ternary Au* 138-140
As-C-Fe ..... *Ternary Fe6* 229-232
As-Cd-Fe ..... *Ternary Fe6* 233
As-Co-Fe ..... *Ternary Fe6* 234-240
As-Cr-Fe ..... *Ternary Fe6* 241-243
As-Cu-Fe ..... *Ternary Fe6* 244-249
As-Fe-Ga ..... *Ternary Fe6* 250-252
As-Fe-Ge ..... *Ternary Fe6* 253-261
As-Fe-Mn ..... *Ternary Fe6* 262-264
As-Fe-Mo ..... *Ternary Fe6* 265-266
As-Fe-Ni ..... *Ternary Fe6* 267-282
As-Fe-O ..... *Ternary Fe5* 29-30
As-Fe-P ..... *Ternary Fe3* 17-18
As-Fe-Pb ..... *Ternary Fe6* 283-284
As-Fe-S ..... *JAPD 4*(1) 16, *Ternary Fe2* 35-50
As-Fe-V ..... *Ternary Fe6* 285-286
Au-B-Co ..... *Ternary Au* 140-144
Au-B-Cr ..... *Ternary Au* 140-144
Au-B-Fe ..... *Ternary Au* 140-144
Au-B-Mn ..... *Ternary Au* 140-144
Au-B-N ..... *Ternary BNSiN* 6-7
Au-B-Ni ..... *Ternary Au* 140-144
Au-B-Ti ..... *Ternary Au* 140-144
Au-B-V ..... *Ternary Au* 140-144
Au-Ba-Ge ..... *Ternary Au* 186
Au-Be-Si ..... *Ternary Au* 144
Au-Bi-Cd ..... *Ternary Au* 144
Au-Bi-Hg ..... *Ternary Au* 144-148
Au-Bi-Li ..... *Ternary Au* 148-149
Au-Bi-S ..... *Ternary Au* 149-150
Au-Bi-Sb ..... *Ternary Au* 151-158
Au-Bi-Se ..... *Ternary Au* 158-168
Au-Bi-Si ..... *Ternary Au* 168
Au-Bi-Sn ..... *Ternary Au* 168-172
Au-Bi-Te ..... *Ternary Au* 172-179
Au-Bi-Zn ..... *Ternary Au* 179
Au-C-Th ..... *Ternary Au* 179-185
Au-C-Ti ..... *Ternary Au* 185
Au-C-U ..... *Ternary Au* 185
Au-C-Y ..... *Ternary Au* 185
Au-C-Zr ..... *Ternary Au* 185
Au-Ca-Fe ..... *Ternary Au* 185-186
Au-Ca-Ge ..... *Ternary Au* 186
Au-Ca-Si ..... *Ternary Au* 186
Au-Cd-Cu ..... *Ternary Au* 186
Au-Cd-Ge ..... *Ternary Au* 186
Au-Cd-Hg ..... *Ternary Au* 187-188
Au-Cd-In ..... *Ternary Au* 188-190
Au-Cd-Mg ..... *Ternary Au* 190
Au-Cd-Mn ..... *Ternary Au* 190
Au-Cd-Pb ..... *Ternary Au* 190-192
Au-Cd-S ..... *Ternary Au* 192
Au-Cd-Sb ..... *Ternary Au* 192
Au-Cd-Te ..... *Ternary Au* 193
Au-Cd-Tl ..... *Ternary Au* 193-195
Au-Cd-Zn ..... *Ternary Au* 195-197
Au-Ce-Ga ..... *Ternary Au* 198
Au-Ce-In ..... *Ternary Au* 199
Au-Ce-Ni ..... *Ternary Au* 200
Au-Ce-Pb ..... *Ternary Au* 201
Au-Ce-Si ..... *Ternary Au* 201-202
Au-Ce-Sn ..... *Ternary Au* 202-203
Au-Co-Cu ..... *Ternary Au* 203-206
Au-Co-Fe ..... *Ternary Au* 206-207
Au-Co-Ni ..... *Ternary Au* 207-210
Au-Co-Pd ..... *Ternary Au* 210-213
Au-Co-V ..... *Ternary Au* 213
Au-Cr-Fe ..... *Ternary Au* 213-215
Au-Cr-Mn ..... *Ternary Au* 216
Au-Cr-Ti ..... *Ternary Au* 216
Au-Cr-V ..... *Ternary Au* 216
Au-Cs-O ..... *Ternary Au* 216
Au-Cu-Dy ..... *Ternary Au* 216
Au-Cu-Er ..... *Ternary Au* 216
Au-Cu-Fe ..... *Ternary Au* 217-221
Au-Cu-Ga ..... *Ternary Au* 221-223
Au-Cu-Gd ..... *Ternary Au* 216
Au-Cu-Ge ..... *Ternary Au* 223-225
Au-Cu-H ..... *Ternary Au* 226
Au-Cu-Ho ..... *Ternary Au* 216
Au-Cu-In ..... *Ternary Au* 226
Au-Cu-Mg ..... *Ternary Au* 226
Au-Cu-Mn ..... *Ternary Au* 226
Au-Cu-Ni ..... *Ternary Au* 226-233
Au-Cu-Pb ..... *Ternary Au* 233
Au-Cu-Pd ..... *Ternary Au* 233-240
Au-Cu-Pt ..... *Ternary Au* 240-242
Au-Cu-S ..... *Ternary Au* 242-243
Au-Cu-Si ..... *Ternary Au* 243
Au-Cu-Sn ..... *Ternary Au* 243
Au-Cu-Tb ..... *Ternary Au* 216,244
Au-Cu-Ti ..... *Ternary Au* 244
Au-Cu-U ..... *Ternary Au* 244
Au-Cu-Yb ..... *Ternary Au* 244
Au-Cu-Zn ..... *Ternary Au* 244-250
Au-Dy-Ga ..... *Ternary Au* 251
Au-Dy-In ..... *Ternary Au* 199-200
Au-Dy-Ni ..... *Ternary Au* 200
Au-Dy-Pb ..... *Ternary Au* 201
Au-Dy-Sb ..... *Ternary Au* 251
Au-Dy-Si ..... *Ternary Au* 201-202
Au-Dy-Sn ..... *Ternary Au* 202-203
Au-Er-Ga ..... *Ternary Au* 251
Au-Er-In ..... *Ternary Au* 199-200
Au-Er-Ni ..... *Ternary Au* 200

Au-Er-Pb ..... *Ternary Au* 201
Au-Er-Pd ..... *Ternary Au* 251
Au-Er-Sb ..... *Ternary Au* 251
Au-Er-Si ..... *Ternary Au* 201-202
Au-Er-Sn ..... *Ternary Au* 202-203
Au-Eu-P ..... *Ternary Au* 121-123
Au-Eu-Sb ..... *Ternary Au* 121-123
Au-Eu-Si ..... *Ternary Au* 201-202
Au-Fe-Mn ..... *Ternary Au* 251
Au-Fe-Ni ..... *Ternary Au* 252-254
Au-Fe-Pd ..... *Ternary Au* 254-257
Au-Fe-S ..... *Ternary Au* 257
Au-Ga-Gd ..... *Ternary Au* 251
Au-Ga-Ge ..... *Ternary Au* 257-259
Au-Ga-Ho ..... *Ternary Au* 251
Au-Ga-In ..... *Ternary Au* 259
Au-Ga-La ..... *Ternary Au* 198
Au-Ga-Li ..... *Ternary Au* 148-149
Au-Ga-Lu ..... *Ternary Au* 251
Au-Ga-Mg ..... *Ternary Au* 259
Au-Ga-Nd ..... *Ternary Au* 198
Au-Ga-P ..... *Ternary Au* 259
Au-Ga-Pd ..... *Ternary Au* 259
Au-Ga-Pr ..... *Ternary Au* 198
Au-Ga-Sb ..... *Ternary Au* 260
Au-Ga-Si ..... *Ternary Au* 260-263
Au-Ga-Sm ..... *Ternary Au* 198
Au-Ga-Sn ..... *Ternary Au* 263
Au-Ga-Tb ..... *Ternary Au* 251
Au-Ga-Tm ..... *Ternary Au* 251
Au-Ga-V ..... *Ternary Au* 263-267
Au-Ga-Y ..... *Ternary Au* 251
Au-Ga-Zn ..... *Ternary Au* 267
Au-Gd-In ..... *Ternary Au* 199-200
Au-Gd-Ni ..... *Ternary Au* 200
Au-Gd-Pb ..... *Ternary Au* 201
Au-Gd-Sb ..... *Ternary Au* 251
Au-Gd-Si ..... *Ternary Au* 201-202
Au-Gd-Sn ..... *Ternary Au* 202-203
Au-Gd-Tb ..... *Ternary Au* 267
Au-Ge-In ..... *Ternary Au* 267
Au-Ge-Li ..... *Ternary Au* 148-149
Au-Ge-Mg ..... *Ternary Au* 267
Au-Ge-Na ..... *Ternary Au* 267-269
Au-Ge-Ni ..... *Ternary Au* 269
Au-Ge-P ..... *Ternary Au* 269
Au-Ge-Pt ..... *Ternary Au* 269
Au-Ge-Sb ..... *Ternary Au* 269-275
Au-Ge-Si ..... *Ternary Au* 275
Au-Ge-Sn ..... *Ternary Au* 275-277
Au-Ge-Sr ..... *Ternary Au* 186
Au-Ge-Te ..... *Ternary Au* 277-279
Au-Ge-Th ..... *Ternary Au* 279-282
Au-Ge-U ..... *Ternary Au* 282
Au-Ge-V ..... *Ternary Au* 282
Au-Ge-Zn ..... *Ternary Au* 282
Au-H-Ni ..... *Ternary Au* 282-284
Au-H-Pd ..... *Ternary Au* 284
Au-H-Ti ..... *Ternary Au* 284-285
Au-Hf-In ..... *Ternary Au* 286
Au-Hg-Mg ..... *Ternary Au* 286
Au-Hg-Mn ..... *Ternary Au* 286
Au-Ho-In ..... *Ternary Au* 199-200
Au-Ho-Ni ..... *Ternary Au* 200
Au-Ho-Pb ..... *Ternary Au* 201
Au-Ho-Sb ..... *Ternary Au* 251
Au-Ho-Si ..... *Ternary Au* 201
Au-Ho-Sn ..... *Ternary Au* 202-203
Au-In-La ..... *Ternary Au* 199-200
Au-In-Li ..... *Ternary Au* 148-149
Au-In-Lu ..... *Ternary Au* 199-200
Au-In-Mn ..... *Ternary Au* 286-288
Au-In-Nd ..... *Ternary Au* 199-200
Au-In-P ..... *Ternary Au* 288
Au-In-Pb ..... *Ternary Au* 288-295
Au-In-Pr ..... *Ternary Au* 199-200
Au-In-Pt ..... *Ternary Au* 295
Au-In-Sb ..... *Ternary Au* 295-300
Au-In-Sm ..... *Ternary Au* 199-200
Au-In-Sn ..... *Ternary Au* 300-302
Au-In-Tb ..... *Ternary Au* 199-200
Au-In-Te ..... *Ternary Au* 302
Au-In-Th ..... *Ternary Au* 302-303
Au-In-Ti ..... *Ternary Au* 303
Au-In-Tm ..... *Ternary Au* 199-200
Au-In-U ..... *Ternary Au* 302-303
Au-In-Y ..... *Ternary Au* 199-200
Au-In-Yb ..... *Ternary Au* 199-200
Au-In-Zn ..... *Ternary Au* 303
Au-In-Zr ..... *Ternary Au* 303
Au-Ir-Pd ..... *Ternary Au* 303-305
Au-Ir-Pt ..... *Ternary Au* 305-308
Au-K-S ..... *Ternary Au* 308
Au-K-Sb ..... *Ternary Au* 308
Au-K-Se ..... *Ternary Au* 308-309
Au-K-Sn ..... *Ternary Au* 310
Au-La-Pb ..... *Ternary Au* 201
Au-La-Si ..... *Ternary Au* 201-202
Au-Li-Mg ..... *Ternary Au* 148-149
Au-Li-Pb ..... *Ternary Au* 148-149
Au-Li-Sb ..... *Ternary Au* 148-149
Au-Li-Si ..... *Ternary Au* 148-149
Au-Li-Sn ..... *Ternary Au* 148-149
Au-Li-Tl ..... *Ternary Au* 148-149
Au-Lu-Ni ..... *Ternary Au* 200
Au-Lu-Sb ..... *Ternary Au* 251
Au-Lu-Si ..... *Ternary Au* 201-202
Au-Lu-Sn ..... *Ternary Au* 202-203
Au-Mg-Si ..... *Ternary Au* 310
Au-Mg-Sn ..... *Ternary Au* 148-149
Au-Mn-N ..... *Ternary Au* 310
Au-Mn-Pd ..... *Ternary Au* 310-312
Au-Mn-Sb ..... *Ternary Au* 312-314
Au-Mn-Sn ..... *Ternary Au* 315
Au-Mn-V ..... *Ternary Au* 315
Au-Mn-Zn ..... *Ternary Au* 315
Au-Mo-Pd ..... *Ternary Au* 315-316
Au-N-Nb ..... *Ternary Au* 316
Au-N-Si ..... *Ternary BNSiN* 133-134
Au-N-Ti ..... *Ternary Au* 316
Au-N-U ..... *Ternary Au* 316
Au-N-V ..... *Ternary Au* 316-317
Au-Na-S ..... *Ternary Au* 318
Au-Na-Sb ..... *Ternary Au* 318
Au-Na-Si ..... *Ternary Au* 318
Au-Na-Sn ..... *Ternary Au* 318-319
Au-Nb-Pd ..... *Ternary Au* 319
Au-Nb-Pt ..... *Ternary Au* 319
Au-Nb-Rh ..... *Ternary Au* 320
Au-Nb-Sn ..... *Ternary Au* 320
Au-Nd-Pb ..... *Ternary Au* 201
Au-Nd-Sb ..... *Ternary Au* 251
Au-Nd-Si ..... *Ternary Au* 201-202
Au-Nd-Sn ..... *Ternary Au* 202-203
Au-Ni-Pd ..... *Ternary Au* 320-321
Au-Ni-Pt ..... *Ternary Au* 321-330
Au-Ni-Si ..... *Ternary Au* 330
Au-Ni-Tb ..... *Ternary Au* 200
Au-Ni-Tm ..... *Ternary Au* 200
Au-Ni-Y ..... *Ternary Au* 200
Au-Ni-Yb ..... *Ternary Au* 200
Au-Ni-Zn ..... *Ternary Au* 330-334
Au-O-Ti ..... *Ternary Au* 334
Au-O-V ..... *Ternary Au* 334-337
Au-P-Si ..... *Ternary Au* 338
Au-Pb-Pd ..... *Ternary Au* 338
Au-Pb-Pr ..... *Ternary Au* 201
Au-Pb-Se ..... *Ternary Au* 338-348
Au-Pb-Si ..... *Ternary Au* 348-252
Au-Pb-Sm ..... *Ternary Au* 201-202
Au-Pb-Sn ..... *Ternary Au* 352-365
Au-Pb-Tb ..... *Ternary Au* 201
Au-Pb-Te ..... *Ternary Au* 365-372
Au-Pb-Y ..... *Ternary Au* 201
Au-Pb-Zn ..... *Ternary Au* 372
Au-Pd-Pt ..... *Ternary Au* 372-374
Au-Pd-Rh ..... *Ternary Au* 375-378
Au-Pd-Ru ..... *Ternary Au* 378-380
Au-Pd-Sb ..... *Ternary Au* 380
Au-Pd-Te ..... *Ternary Au* 380
Au-Pd-V ..... *Ternary Au* 380
Au-Pd-W ..... *Ternary Au* 380-381
Au-Pd-Zn ..... *Ternary Au* 381-385
Au-Pd-Zr ..... *Ternary Au* 385
Au-Pr-Si ..... *Ternary Au* 201-202
Au-Pr-Sn ..... *Ternary Au* 202-203
Au-Pt-Re ..... *Ternary Au* 385-386
Au-Pt-Rh ..... *Ternary Au* 387-399
Au-Pt-Ru ..... *Ternary Au* 399-400
Au-Pt-Sb ..... *Ternary Au* 400
Au-Pt-Ti ..... *Ternary Au* 400-401
Au-Pt-W ..... *Ternary Au* 401-403
Au-Pt-Zr ..... *Ternary Au* 403
Au-Rb-Sn ..... *Ternary Au* 403
Au-Rh-Zr ..... *Ternary Au* 403
Au-Sb-Sc ..... *Ternary Au* 251
Au-Sb-Se ..... *Ternary Au* 403
Au-Sb-Si ..... *JPE* 14(6) 659-660 co, *Ternary Au* 403-411
Au-Sb-Sm ..... *Ternary Au* 251
Au-Sb-Sn ..... *Ternary Au* 411
Au-Sb-Ta ..... *Ternary Au* 411-413
Au-Sb-Tb ..... *Ternary Au* 251
Au-Sb-Te ..... *Ternary Au* 414-423
Au-Sb-Tm ..... *Ternary Au* 251
Au-Sb-Y ..... *Ternary Au* 251
Au-Sc-Sn ..... *Ternary Au* 148-149,202-203
Au-Se-Sn ..... *Ternary Au* 423-437
Au-Se-Te ..... *Ternary Au* 437
Au-Si-Sm ..... *Ternary Au* 201-202
Au-Si-Sn ..... *Ternary Au* 437-441
Au-Si-Sr ..... *Ternary Au* 186
Au-Si-Tb ..... *Ternary Au* 201-202
Au-Si-Te ..... *Ternary Au* 441-452
Au-Si-Th ..... *Ternary Au* 452
Au-Si-Tm ..... *Ternary Au* 201-202
Au-Si-U ..... *Ternary Au* 452-456
Au-Si-V ..... *Ternary Au* 456
Au-Si-Y ..... *Ternary Au* 201-202
Au-Si-Yb ..... *Ternary Au* 201-202
Au-Si-Zn ..... *Ternary Au* 456
Au-Sm-Sn ..... *Ternary Au* 202-203
Au-Sn-Tb ..... *Ternary Au* 202-203
Au-Sn-Te ..... *Ternary Au* 456-467
Au-Sn-Tm ..... *Ternary Au* 202-203
Au-Sn-V ..... *Ternary Au* 468
Au-Sn-Y ..... *Ternary Au* 202-203
Au-Sn-Zn ..... *Ternary Au* 468
Au-Sn-Zr ..... *Ternary Au* 468
Au-Te-Tl ..... *Ternary Au* 468
Au-Ti-V ..... *Ternary Au* 468
Au-Tl-Zn ..... *Ternary Au* 468-469
B-Ba-N ..... *Ternary BNSiN* 8
B-Bi-N ..... *Ternary BNSiN* 9-10
B-C-Fe ..... *Ternary Fe6* 287-296, *JAPD* 2(2) 77-92
B-Ce-Fe ..... *Ternary Fe6* 297-300
B-Co-Fe ..... *Ternary Fe6* 301-308
B-Cr-Fe ..... *Ternary Fe6* 309-317
B-Ca-N ..... *Ternary BNSiN* 11-13
B-Cd-N ..... *Ternary BNSiN* 14-15
B-Ce-N ..... *Ternary BNSiN* 16-17
B-Cr-Mn ..... *BAPD* 2(1) 107
B-Co-N ..... *Ternary BNSiN* 18-19
B-Cr-N ..... *Ternary BNSiN* 20-25
B-Cu-N ..... *Ternary BNSiN* 26-27
B-Dy-Fe ..... *Ternary Fe6* 318-325
B-Dy-N ..... *Ternary BNSiN* 28-29
B-Er-Fe ..... *Ternary Fe6* 326-329
B-Er-N ..... *Ternary BNSiN* 30-31
B-Eu-Fe ..... *Ternary Fe6* 330-331
B-Fe-Ga ..... *Ternary Fe6* 332-334

B-Fe-Gd ... *Ternary Fe6* 335-339
B-Fe-Ge ... *Ternary Fe6* 340-342
B-Fe-Hf ... *Ternary Fe6* 343-346
B-Fe-Ho ... *Ternary Fe6* 347-350
B-Fe-Ir ... *Ternary Fe6* 351
B-Fe-La ... *Ternary Fe6* 352
B-Fe-Lu ... *Ternary Fe6* 353-357
B-Fe-Mn ... *Ternary Fe6* 358-364
B-Fe-Mo ... *Ternary Fe6* 365-369
B-Fe-N ... *JPE 14*(5) 619-620 ad, *Ternary BNSiN* 32-37, *Ternary Fe1* 149-151
B-Fe-Nb ... *Ternary Fe6* 370-373
B-Fe-Nd ... *Ternary Fe6* 374-386
B-Fe-Ni ... *Ternary Fe6* 387-394
B-Fe-O ... *Ternary Fe5* 31-33
B-Fe-P ... *Ternary Fe3* 19-23, *JAPD 4*(3) 209-212
B-Fe-Pr ... *Ternary Fe6* 395-399
B-Fe-Re ... *Ternary Fe6* 400-403
B-Fe-Rh ... *Ternary Fe6* 404
B-Fe-Ru ... *Ternary Fe6* 405
B-Fe-S ... *Ternary Fe2* 51-59
B-Fe-Si ... *Ternary Fe6* 406-413
B-Fe-Sm ... *Ternary Fe6* 414-417
B-Fe-Ta ... *Ternary Fe6* 418-421
B-Fe-Tb ... *Ternary Fe6* 422-428
B-Fe-Th ... *Ternary Fe6* 429
B-Fe-Ti ... *Ternary Fe6* 430-434
B-Fe-Tm ... *Ternary Fe6* 435
B-Fe-U ... *Ternary Fe6* 436-439
B-Fe-V ... *Ternary Fe6* 440-443
B-Fe-W ... *Ternary Fe6* 444-448
B-Fe-Y ... *Ternary Fe6* 449-453
B-Fe-Yb ... *Ternary Fe6* 454
B-Fe-Zr ... *Ternary Fe6* 455-458
B-Gd-N ... *Ternary BNSiN* 38-39
B-Hf-N ... *Ternary BNSiN* 40-43
B-Ho-N ... *Ternary BNSiN* 44-45
B-In-N ... *Ternary BNSiN* 46-47
B-K-N ... *Ternary BNSiN* 48
B-La-N ... *Ternary BNSiN* 49-51
B-Li-N ... *Ternary BNSiN* 52-55
B-Lu-N ... *Ternary BNSiN* 56-57
B-Mg-N ... *Ternary BNSiN* 58-59
B-Mn-N ... *Ternary BNSiN* 60-63
B-Mo-N ... *Ternary BNSiN* 64-67
B-N-Na ... *Ternary BNSiN* 68
B-N-Nb ... *Ternary BNSiN* 69-72
B-N-Nd ... *Ternary BNSiN* 73-75
B-N-Ni ... *Ternary BNSiN* 76-78
B-N-Pb ... *Ternary BNSiN* 79-80
B-N-Pr ... *Ternary BNSiN* 81-82
B-N-Re ... *Ternary BNSiN* 83-84
B-N-Ru ... *Ternary BNSiN* 85-87
B-N-Sb ... *Ternary BNSiN* 88-89
B-N-Sc ... *Ternary BNSiN* 90-91
B-N-Sm ... *Ternary BNSiN* 92-93
B-N-Sn ... *Ternary BNSiN* 94-95
B-N-Sr ... *Ternary BNSiN* 96
B-N-Ta ... *Ternary BNSiN* 97-100
B-N-Tb ... *Ternary BNSiN* 101-102
B-N-Ti ... *Ternary BNSiN* 103-106
B-N-Tl ... *Ternary BNSiN* 107-108
B-N-Tm ... *Ternary BNSiN* 109-110
B-N-U ... *Ternary BNSiN* 111-112
B-N-V ... *Ternary BNSiN* 113-116
B-N-W ... *Ternary BNSiN* 117-120
B-N-Y ... *Ternary BNSiN* 121-122
B-N-Zn ... *Ternary BNSiN* 123-124
B-N-Zr ... *Ternary BNSiN* 125-128
B-Ni-Zn ... *JAPD 6*(3) 147-152
Ba-Fe-O ... *Ternary Fe5* 34-37
Ba-Fe-P ... *Ternary Fe3* 24
Ba-Fe-S ... *Ternary Fe2* 60-64
Ba-N-Si ... *Ternary BNSiN* 135
Be-Co-Fe ... *Ternary Fe6* 459-461
Be-Cu-Fe ... *Ternary Fe6* 462-467
Be-Fe-O ... *Ternary Fe5* 38
Be-Fe-P ... *Ternary Fe3* 25-32
Be-Fe-Si ... *Ternary Fe6* 468-475
Be-Fe-Zr ... *Ternary Fe6* 476-477
Be-N-Si ... *Ternary BNSiN* 136
Be-Ti-V ... *JPE 12*(3) 357-359
Bi-Cd-Zn ... *JAPD 2*(2) 69-76
Bi-Fe-O ... *Ternary Fe5* 39-41
Bi-Fe-Pb ... *Ternary Fe6* 478-479
Bi-Fe-S ... *JAPD 4*(1) 28, 30, *Ternary Fe2* 65-72
Bi-Fe-Se ... *Ternary Fe6* 480-481
Bi-Fe-Te ... *Ternary Fe6* 482-485
Bi-N-Si ... *Ternary BNSiN* 137-138
Bi-Pb-Sn ... *BAPD 9*(3) 274-281
Bi-Pd-Zn ... *JAPD 3*(1) 4-11
Bi-Sn-Zn ... *JAPD 3*(2) 128-132
Bi-Ti-V ... *JPE 13*(6) 641-644
C-Ca-Fe ... *Ternary Fe6* 486-488
C-Ce-Fe ... *Ternary Fe6* 489-495
C-Co-Fe ... *JPE 15*(4) 416-418 ad, *IMR 29*(2) 96-121, *Ternary Fe4* 140-142
C-Co-Zn ... *JPE 12*(6) 663-666
C-Cr-Fe ... *JPE 15*(4) 418-419 ad, *IMR 29*(4) 299-327, *Ternary Fe4* 143-156
C-Cu-Fe ... *JPE 15*(4) 420-421 ad, *IMR 29*(2) 96-121, *Ternary Fe4* 157-167
C-Fe-Gd ... *Ternary Fe6* 496-504
C-Fe-H ... *Ternary Fe6* 505-507
C-Fe-Hf ... *Ternary Fe6* 508-510
C-Fe-Mn ... *JPE 15*(4) 421-424 ad, *IMR 29*(4) 299-327, *Ternary Fe4* 168-176
C-Fe-Mo ... *JPE 15*(4) 425-427 ad, *IMR 30*(3) 109-124, *Ternary Fe4* 177-191
C-Fe-N ... *JPE 14*(5) 620-621 ad, *TIIM 37*(4) 293-301, *Ternary Fe1* 154-165
C-Fe-Nb ... *JAPD 2*(2) 131-140
C-Fe-Ni ... *JPR 15*(4) 428-429 ad, *IMR 29*(2) 96-121, *Ternary Fe4* 192-199
C-Fe-O ... *Ternary Fe5* 42-47
C-Fe-P ... *Ternary Fe3* 33-44
C-Fe-Pb ... *Ternary Fe6* 511
C-Fe-Pu ... *Ternary Fe6* 512-522
C-Fe-S ... *JAPD 4*(2) 133-142, *Ternary Fe2* 73-83
C-Fe-Si ... *Ternary Fe6* 523-534 *JAPD 2*(2) 97-107
C-Fe-Sn ... *Ternary Fe1* 99-104
C-Fe-Ta ... *JAPD 1*(1) 13-18, *Ternary Fe1* 105-109
C-Fe-Ti ... *JAPD 1*(1) 27-38
C-Fe-U ... *Ternary Fe6* 535-539
C-Fe-V* ... *JPE 14*(5) 622-623 ad, *BAPD 5*(3) 293-299, 5(5) 444 ad, *TIIM 36*(4/5) ix-xvi, *Ternary Fe1* 111-125
C-Fe-W ... *JPE 15*(4) 429-430 ad, *IMR 30*(6) 259-274, *Ternary Fe4* 200-212
C-Fe-Y ... *Ternary Fe6* 540-544
C-Fe-Zn ... *Ternary Fe1* 127-131
C-Fe-Zr ... *Ternary Fe1* 133-140
C-Ni-Zn ... *JAPD 6*(1) 24-27
C-Si-U ... *JPE 16*(1) 66-72
C-Ti-V ... *JPE 17*(3) 237-247
C-Zn-Co ... *JPE 12*(6) 663-666
Ca-Fe-Ga ... *Ternary Fe6* 545-548
Ca-Fe-O ... *Ternary Fe5* 48-72
Ca-Fe-P ... *Ternary Fe3* 45-49
Ca-Fe-S* ... *Ternary Fe2* 84-88
Ca-Fe-Si ... *Ternary Fe6* 549-554
Ca-N-Si ... *Ternary BNSiN* 139
Cd-Fe-O ... *Ternary Fe5* 73-75
Cd-Fe-S* ... *Ternary Fe2* 89
Cd-Fe-Te ... *Ternary Fe6* 555-556
Cd-Fe-Zn ... *JAPD 3*(2) 82-86
Cd-Mg-Zn ... *JAPD 5*(1) 55-59
Cd-N-Si ... *Ternary BNSiN* 140-141
Cd-Pb-Sn* ... *JPE 14*(2) 206-213
Cd-Pb-Zn ... *JAPD 2*(3) 159-171
Cd-Sb-Zn ... *JAPD 5*(2) 97-104
CdSe-MnSe ... *JPE 15*(1) 96-100
Cd-Sn-Zn ... *JAPD 5*(1) 61-75
Ce-Co-Fe ... *Ternary Fe6* 557-558
Ce-Fe-Ga ... *Ternary Fe6* 559-562
Ce-Fe-Gd ... *Ternary Fe6* 563
Ce-Fe-Hf ... *Ternary Fe6* 564-566
Ce-Fe-Mn ... *Ternary Fe6* 567
Ce-Fe-Mo ... *Ternary Fe6* 568-571
Ce-Fe-N ... *Ternary Fe6* 572
Ce-Fe-Nb ... *Ternary Fe6* 573-575
Ce-Fe-Ni ... *Ternary Fe6* 576
Ce-Fe-O ... *Ternary Fe5* 76-81
Ce-Fe-P ... *Ternary Fe3* 50
Ce-Fe-Pu ... *Ternary Fe6* 577-581
Ce-Fe-Re ... *Ternary Fe6* 582-584
Ce-Fe-Ru ... *Ternary Fe6* 585
Ce-Fe-S ... *JAPD 3*(2) 77-81, *Ternary Fe2* 90-92
Ce-Fe-Si ... *Ternary Fe6* 586-590
Ce-Fe-Ta ... *Ternary Fe6* 591-593
Ce-Fe-Ti ... *Ternary Fe6* 594-595
Ce-Fe-Y ... *Ternary Fe6* 596
Ce-Mn-Sn ... *JPE 15*(6) 636-639
Ce-N-Si ... *Ternary BNSiN* 142-143
Co-Cr-Fe ... *JPE 15*(5) 524-525 ad, *IMR 26*(5) 269-300, *Ternary Fe4* 213-229
Co-Cr-Ni ... *Ternary Ni1* 5-17, *TIIM 37*(6) 699-708
Co-Cu-Fe ... *Ternary Fe6* 597-599
Co-Cu-Ni . *Ternary Ni1* 139-152, *JAPD 3*(2) 65-71
Co-Cu-O ... *Ternary Cu-O-X* 39-48
Co-Dy-Fe ... *Ternary Fe6* 600-601
Co-Er-Fe ... *Ternary Fe6* 602-603
Co-Fe-Gd ... *Ternary Fe6* 604-608
Co-Fe-Ge ... *Ternary Fe6* 609-612
Co-Fe-Ho ... *Ternary Fe6* 613-614
Co-Fe-La ... *Ternary Fe6* 615-617
Co-Fe-Mn ... *JPE 15*(5) 525-526 ad, *IMR 28*(1) 23-64, *Ternary Fe4* 230-232
Co-Fe-Mo ... *IMR 29*(5) 329-375, *Ternary Fe4* 233-246
Co-Fe-N ... *JPE 14*(5) 623-624 ad, *TIIM 37*(5) 416-421, *Ternary Fe1* 167-169
Co-Fe-Nb ... *Ternary Fe6* 618-621
Co-Fe-Nd ... *Ternary Fe6* 622
Co-Fe-Ni ... *JPE 15*(5) 526-527 ad, *IMR 26*(5) 269-300, *Ternary Fe4* 247-255
Co-Fe-O ... *JAPD 6*(1) 1-7, *Ternary Fe5* 82-88
Co-Fe-P ... *Ternary Fe3* 51-59
Co-Fe-Pd ... *Ternary Fe6* 623-627
Co-Fe-Pr ... *Ternary Fe6* 628-629
Co-Fe-Pt ... *Ternary Fe6* 630
Co-Fe-Re ... *Ternary Fe6* 633-637
Co-Fe-Ru ... *Ternary Fe6* 638-639
Co-Fe-S ... *Ternary Fe2* 93-106
Co-Fe-Sb ... *Ternary Fe6* 640-644, *Ternary Fe6* 640-644
Co-Fe-Si ... *JPE 15*(5) 527-528 ad, *IMR 30*(4) 181-208, *Ternary Fe4* 256-267
Co-Fe-Sm ... *Ternary Fe6* 645-654
Co-Fe-Sn ... *Ternary Fe1* 23-30
Co-Fe-Ta ... *Ternary Fe6* 655-658
Co-Fe-Tb ... *Ternary Fe6* 659
Co-Fe-Th ... *Ternary Fe6* 660-661
Co-Fe-Ti ... *Ternary Fe6* 662-665
Co-Fe-Tm ... *Ternary Fe6* 666
Co-Fe-U ... *Ternary Fe6* 667-672
Co-Fe-V ... *IMR 28*(4) 211-227, *Ternary Fe4* 268-282
Co-Fe-W ... *JPE 15*(5) 528-529 ad, *IMR 26*(4) 213-249, *Ternary Fe4* 283-287
Co-Fe-Y ... *Ternary Fe6* 673-679
Co-Fe-Yb ... *Ternary Fe6* 680
Co-Fe-Zn ... *JAPD 2*(3) 189-197
Co-Fe-Zr ... *Ternary Fe6* 681-686

Co-Mo-Ni .. *Ternary Ni2* 4-12, *TIIM 37*(6) 691-698
Co-N-Si ..... *Ternary BNSiN* 144-145
Co-Nb-Ni ..... *Ternary Ni2* 13-21, *JAPD 6*(1) 14-18
Co-Ni-V ... *Ternary Ni2* 22-42, *JAPD 3*(2) 105-115
Co-Ni-W ..... *Ternary Ni2* 43-52, *JAPD 3*(1) 16-20
Co-Ni-Zn ..... *JAPD 3*(1) 57-63
Co-Zn-C ..... *JPE 12*(6) 663-666
Co-S-O ..... *JAPD 4*(1) 37-52
Cr-Cu-Fe ..... *Ternary Fe6* 687-688
Cr-Cu-Fe-Ni ..... *BAPD 2*(2) 227
Cr-Cu-Ni .. *Ternary Ni1* 153-166, *JAPD 1*(1) 39-46
Cr-Fe-Ga ..... *Ternary Fe6* 689-692
Cr-Fe-Mn ..... *JPE 15*(5) 530-531 ad, *BAPD 2*(1) 103-104, *Ternary Fe4* 288-299
Cr-Fe-Mo ..... *JPE 15*(5) 532-533 ad, *IMR 29*(5) 329-375, *Ternary Fe4* 300-315
Cr-Fe-N ..... *JPE 14*(5) 625-626 ad, *TIIM 37*(6) 671-690, *Ternary Fe1* 171-182
Cr-Fe-Ni* ..... *JPE 15*(5) 534-538 ad, *BAPD 2*(1) 89-99, *Ternary Fe4* 316-331
Cr-Fe-O ..... *Ternary Fe5* 89-103
Cr-Fe-P ..... *Ternary Fe3* 60-67
Cr-Fe-Re ..... *Ternary Fe6* 693-698
Cr-Fe-S* ..... *Ternary Fe2* 107-120
Cr-Fe-Sb ..... *Ternary Fe6* 699-702
Cr-Fe-Si *JPE 14*(5) 626-628 ad, *Ternary Fe1* 31-42
Cr-Fe-Te ..... *Ternary Fe6* 703-704
Cr-Fe-Ti ..... *JAPD 1*(1) 1-12,
Cr-Fe-U ..... *Ternary Fe6* 705-706 *Ternary Fe1* 43-54
Cr-Fe-V ..... *JPE 15*(5) 538-539 ad, *IMR 28*(5) 251-270, *Ternary Fe4* 332-340
Cr-Fe-W ..... *JPE 15*(5) 539-542 ad, *IMR 26*(4) 213-249, *Ternary Fe4* 341-344
Cr-Fe-Y ..... *Ternary Fe6* 707-710
Cr-Fe-Zr ..... *Ternary Fe6* 711-721
Cr-Mo-Ni .. *Ternary Ni1* 26-48, *JAPD 5*(3) 164-177
Cr-Mn-Ni .. *Ternary Ni1* 18-25, *JAPD 5*(2) 142-147
Cr-N-Si ..... *Ternary BNSiN* 146-149
Cr-Nb-Ni ..... *Ternary Ni1* 49-70, *JAPD 2*(1) 53-65
Cr-Ni-Ta ..... *Ternary Ni1* 71-92, *JAPD 5*(1) 40-50
Cr-Ni-Ti ..... *Ternary Ni1* 93-102, *JAPD 2*(1) 31-37
Cr-Ni-V ..... *Ternary Ni1* 102-110, *JAPD 5*(2) 132-135
Cr-Ni-W ... *Ternary Ni1* 111-133, *JAPD 1*(1) 47-58
Cr-Ti-V ..... *JPE 13*(2) 195-200
Cs-Fe-O ..... *Ternary Fe5* 104
Cu-Fe-Mn ..... *JPE 15*(5) 542 ad, *IMR 28*(1) 23-64, *Ternary Fe4* 345-353
Cu-Fe-Mo ..... *Ternary Fe6* 722-725
Cu-Fe-Nd ..... *Ternary Fe6* 726-729
Cu-Fe-Ni ..... *Ternary Ni1* 290-315, *JAPD 3*(2) 116-127
Cu-Fe-O ..... *Ternary Fe5* 105-117
Cu-Fe-P ..... *Ternary Fe3* 68-73
Cu-Fe-Pb ..... *Ternary Fe6* 730-734
Cu-Fe-Pd ..... *Ternary Fe6* 735-738
Cu-Fe-S ..... *Ternary Fe2* 121
Cu-Fe-Sb ..... *Ternary Fe6* 739-745
Cu-Fe-Se ..... *Ternary Fe6* 746-747
Cu-Fe-Si ..... *Ternary Fe6* 759-767
Cu-Fe-Sn ..... *Ternary Fe6* 768-773
Cu-Fe-Te ..... *Ternary Fe6* 774-775
Cu-Fe-Ti ..... *Ternary Fe6* 776-780
Cu-Fe-Zn ..... *Ternary Fe6* 781-785
Cu-Fe-Zr ..... *Ternary Fe6* 786-788
Cu-Ga-O ..... *Ternary Cu-O-X* 45-49
Cu-In-O ..... *Ternary Cu-O-X* 61-71
Cu-Ir-O ..... *Ternary Cu-O-X* 73-77
Cu-Mg-Ti ..... *BAPD 2*(2) 226
Cu-Mn-Ni ..... *Ternary Ni1* 167-178, *JAPD 2*(3) 198-204
Cu-Mo-Ni ..... *Ternary Ni1* 179-190, *JAPD 6*(3) 164-168
Cu-N-Si ..... *Ternary BNSiN* 150-151
Cu-Nb-Ni ..... *Ternary Ni1* 191-194, *JAPD 5*(3) 178-181
Cu-Ni-O ..... *Ternary Cu-O-X* 79-89
Cu-Ni-Sn ..... *Ternary Ni1* 195-218, *JAPD 4*(3) 160-174
Cu-Ni-Ta ..... *Ternary Ni1* 219-227, *JAPD 5*(3) 182-188
Cu-Ni-Ti ..... *Ternary Ni1* 228-262, *JAPD 3*(2) 87-104
Cu-Ni-V ..... *Ternary Ni1* 263-267, *JAPD 6*(1) 50-53
Cu-Ni-W ..... *Ternary Ni1* 268-284, *JAPD 6*(3) 169-175
Cu-O-Os ..... *Ternary Cu-O-X* 91-94
Cu-O-Pb ..... *Ternary Cu-O-X* 95-106
Cu-O-Pd ..... *Ternary Cu-O-X* 107-113
Cu-O-Pt ..... *Ternary Cu-O-X* 115-121
Cu-O-Re ..... *Ternary Cu-O-X* 123-128
Cu-O-Rh ..... *Ternary Cu-O-X* 129-134
Cu-O-Ru ..... *Ternary Cu-O-X* 135-140
Cu-O-Sn ..... *Ternary Cu-O-X* 141-152
Cu-Pb-Sn* ..... *JPE 15*(5) 533-557
Dy-Er-Fe ..... *Ternary Fe6* 789
Dy-Fe-Mn ..... *Ternary Fe6* 790-791
Dy-Fe-Ni ..... *Ternary Fe6* 792-793
Dy-Fe-O ..... *Ternary Fe5* 118-121
Dy-Fe-P ..... *Ternary Fe3* 74
Dy-Fe-Re ..... *Ternary Fe6* 794-796
Dy-Fe-Tb ..... *Ternary Fe6* 797
Dy-Fe-Th ..... *Ternary Fe6* 798
Dy-Fe-Y ..... *Ternary Fe6* 799
Dy-Fe-Zr ..... *Ternary Fe6* 800
Er-Fe-Ga ..... *Ternary Fe6* 801-805
Er-Fe-Ho ..... *Ternary Fe6* 806
Er-Fe-Mn ..... *Ternary Fe6* 807-808
Er-Fe-Ni ..... *Ternary Fe6* 809
Er-Fe-O ..... *Ternary Fe5* 122-125
Er-Fe-P ..... *Ternary Fe3* 75
Er-Fe-Ru ..... *Ternary Fe6* 810-812
Er-Fe-S ..... *Ternary Fe2* 122-123
Er-Fe-Sm ..... *Ternary Fe6* 813
Er-Fe-Y ..... *Ternary Fe6* 814
Eu-Fe-O ..... *Ternary Fe5* 126-129
Eu-Fe-P ..... *Ternary Fe3* 76
Eu-Fe-S ..... *Ternary Fe2* 124
Fe-Ga-Ge ..... *Ternary Fe6* 815-818
Fe-Ga-Hf ..... *Ternary Fe6* 819-822
Fe-Ga-La ..... *Ternary Fe6* 823-826
Fe-Ga-Nb ..... *Ternary Fe6* 827-830
Fe-Ga-O ..... *Ternary Fe5* 130-132
Fe-Ga-P ..... *Ternary Fe3* 77
Fe-Ga-Pr ..... *Ternary Fe6* 831-835
Fe-Ga-S ..... *Ternary Fe2* 125-126
Fe-Ga-Sc ..... *Ternary Fe6* 836-840
Fe-Ga-Se ..... *Ternary Fe6* 841-843
Fe-Ga-Sm ..... *Ternary Fe6* 844-848
Fe-Ga-Te ..... *Ternary Fe6* 849-850
Fe-Ga-Ti ..... *Ternary Fe6* 851-855
Fe-Ga-V ..... *Ternary Fe6* 856-859
Fe-Ga-Zr ..... *Ternary Fe6* 860-864
Fe-Gd-Mn ..... *Ternary Fe6* 865-866
Fe-Gd-Ni ..... *Ternary Fe6* 867
Fe-Gd-O ..... *Ternary Fe5* 133-134
Fe-Gd-P ..... *Ternary Fe3* 78-79
Fe-Gd-Si ..... *Ternary Fe6* 868-871
Fe-Gd-Sm ..... *Ternary Fe6* 872
Fe-Gd-Th ..... *Ternary Fe6* 873
Fe-Gd-Y ..... *Ternary Fe6* 874-875
Fe-Gd-Zr ..... *Ternary Fe6* 876
Fe-Ge-Hf ..... *Ternary Fe6* 877-881
Fe-Ge-Mn ..... *Ternary Fe6* 882-884
Fe-Ge-Ni ..... *Ternary Fe6* 885-888
Fe-Ge-O ..... *Ternary Fe5* 135-139
Fe-Ge-S ..... *Ternary Fe2* 127-139
Fe-Ge-Sm ..... *Ternary Fe6* 889-893
Fe-Ge-Te ..... *Ternary Fe6* 894-897
Fe-Ge-Ti ..... *Ternary Fe6* 898-901
Fe-Ge-V ..... *Ternary Fe6* 902-903
Fe-H-O ..... *Ternary Fe5* 140
Fe-H-P ..... *Ternary Fe3* 80
Fe-H-S ..... *Ternary Fe2* 140
Fe-Hf-O ..... *Ternary Fe5* 141-142
Fe-Hf-P ..... *Ternary Fe3* 81-82
Fe-Hf-S ..... *Ternary Fe2* 141-142
Fe-Hf-V ..... *Ternary Fe6* 904
Fe-Hf-Y ..... *Ternary Fe6* 905-908
Fe-Hf-Zr ..... *Ternary Fe6* 909-912
Fe-Ho-Mn ..... *Ternary Fe6* 913-914
Fe-Ho-Ni ..... *Ternary Fe6* 915
Fe-Ho-O ..... *Ternary Fe5* 143-148
Fe-Ho-P ..... *Ternary Fe3* 83
Fe-Ho-Ru ..... *Ternary Fe6* 916
Fe-Ho-S ..... *Ternary Fe2* 143-144
Fe-Ho-Tb ..... *Ternary Fe6* 917
Fe-Ho-Zr ..... *Ternary Fe6* 918
Fe-I-O ..... *Ternary Fe5* 149
Fe-In-O ..... *Ternary Fe5* 150-152
Fe-In-P ..... *Ternary Fe3* 84
Fe-In-Pr ..... *Ternary Fe6* 919-922
Fe-In-S ..... *Ternary Fe2* 145
Fe-In-Se ..... *Ternary Fe6* 923-930
Fe-In-Te ..... *Ternary Fe6* 931-933
Fe-Ir-S ..... *Ternary Fe2* 146
Fe-K-O ..... *Ternary Fe5* 153-155
Fe-K-S ..... *Ternary Fe2* 147
Fe-La-N ..... *Ternary Fe6* 934
Fe-La-Ni ..... *Ternary Fe6* 935
Fe-La-O ..... *Ternary Fe5* 156-159
Fe-La-P ..... *Ternary Fe3* 85
Fe-La-S ..... *JAPD 3*(3)148-151, *Ternary Fe2* 148-150
Fe-La-Si ..... *Ternary Fe6* 936-939
Fe-La-Th ..... *Ternary Fe6* 940
Fe-Li-O ..... *Ternary Fe5* 160-165
Fe-Li-P ..... *Ternary Fe3* 86-89
Fe-Li-S ..... *Ternary Fe2* 151
Fe-Lu-O ..... *Ternary Fe5* 166-169
Fe-Lu-P ..... *Ternary Fe3* 90
Fe-Lu-S ..... *Ternary Fe2* 152, *Ternary Fe2* 153
Fe-Lu-Th ..... *Ternary Fe6* 941
Fe-Mg-O ..... *Ternary Fe5* 170-180
Fe-Mg-Si ..... *Ternary Fe6* 942-947
Fe-Mg-Zr ..... *Ternary Fe6* 948-949
Fe-Mn-Mo ..... *IMR 29*(5) 329-375, *Ternary Fe4* 354-360
Fe-Mn-N ..... *JPE 14*(5) 629 ad, *TIIM 37*(3) A-F, *Ternary Fe1* 183-189
Fe-Mn-Ni ..... *JPE 15*(6) 617-619 ad, *IMR 28*(1) 23-64, *Ternary Fe4* 361-362
Fe-Mn-O ..... *Ternary Fe5* 181-192
Fe-Mn-P ..... *Ternary Fe3* 91-99
Fe-Mn-Pu ..... *Ternary Fe6* 950-953
Fe-Mn-S ..... *JAPD 4*(1) 27, *Ternary Fe2* 154-173
Fe-Mn-Sb ..... *Ternary Fe6* 954-956
Fe-Mn-Sc ..... *Ternary Fe6* 957-959
Fe-Mn-Se ..... *Ternary Fe6* 960-962
Fe-Mn-Si ..... *JPE 15*(6) 619-620 ad, *IMR 28*(6) 309-337, *Ternary Fe4* 363-377
Fe-Mn-Sm ..... *Ternary Fe6* 963
Fe-Mn-Sn ..... *Ternary Fe6* 964-966
Fe-Mn-Tb ..... *Ternary Fe6* 967
Fe-Mn-Te ..... *Ternary Fe6* 968-971
Fe-Mn-Ti ..... *JPE 15*(6) 620-621 ad, *IMR 28*(1) 23-64, *Ternary Fe4* 378-387
Fe-Mn-Tm ..... *Ternary Fe6* 972
Fe-Mn-U ..... *Ternary Fe6* 973-976
Fe-Mn-V ..... *JPE 15*(6) 621-622 ad, *IMR 28*(1) 23-64, *Ternary Fe4* 388-391
Fe-Mn-Y ..... *Ternary Fe6* 977-981
Fe-Mn-Zn ..... *JPE 12*(6) 667-672
Fe-Mn-Zr ..... *Ternary Fe6* 982-983

Fe-Mo-N ..... *TIIM 37*(4) 308-312, *Ternary Fe1* 191-194
Fe-Mo-Nb ..... *Ternary Fe6* 984-989
Fe-Mo-Ni ..... *JPE 15*(6) 622-626 ad, *IMR 29*(5) 329-375, *Ternary Fe4* 392-397
Fe-Mo-O ..... *Ternary Fe5* 193-204
Fe-Mo-P ..... *Ternary Fe3* 100-109
Fe-Mo-S ..... *JAPD 4*(1) 31-32, *Ternary Fe2* 174-187
Fe-Mo-Si ..... *JPE 15*(6) 626 ad, *IMR 30*(2) 68-84, *Ternary Fe4* 398-413
Fe-Mo-Ta ..... *Ternary Fe6* 990-993
Fe-Mo-Ti ..... *Ternary Fe6* 994-996
Fe-Mo-V ..... *Ternary Fe6* 997-1003
Fe-Mo-W ..... *JPE 15*(6) 627-628 ad
Fe-Mo-Y ..... *Ternary Fe6* 1004-1009
Fe-Mo-Zr ..... *Ternary Fe6* 1010-1013
Fe-Mo-W ..... *IMR 26*(4) 213-249, PIETA 414-415
Fe-N-Nb ..... *JAPD 1*(1) 19-26
Fe-N-Ni ..... *JPE 14*(5) 629-630 ad, *TIIM 37*(4) 302-307, *Ternary Fe1* 195-202
Fe-N-O ..... *Ternary Fe5* 205
Fe-N-P ..... *Ternary Fe3* 110
Fe-N-S ..... *Ternary Fe2* 188
Fe-N-Si ..... *JPE 14*(5) 631 ad, *Ternary BNSiN* 152-155, *TIIM 37*(6) 665-671, *Ternary Fe1* 203-205
Fe-N-Ta ..... *Ternary Fe1* 207-209
Fe-N-Ti ..... *Ternary Fe6* 1014-1020
Fe-N-U ..... *Ternary Fe6* 1021
Fe-N-V ..... *JPE 14*(5) 631-632 ad, *BAPD 5*(2) 194-198, 5(5) 444 ad, *TIIM 36*(4/5) xvii-xxiii, *Ternary Fe1* 211-216
Fe-N-W ..... *Ternary Fe1* 217-219
Fe-N-Zn ..... *PDTIA* 1022-1023
Fe-N-Zr ..... *PDTIA* 1024
Fe-Na-O ..... *Ternary Fe5* 206-212
Fe-Na-S ..... *Ternary Fe2* 189
Fe-Nb-Ni ..... *Ternary Fe6* 1025-1027
Fe-Nb-O ..... *Ternary Fe5* 213-219
Fe-Nb-P ..... *Ternary Fe3* 111-119
Fe-Nb-S ..... *Ternary Fe2* 190-194
Fe-Nb-Si ..... *TIIM 37*(5) 421-425D, *Ternary Fe1* 55-59
Fe-Nb-W ..... *Ternary Fe1* 61-64
Fe-Nb-Y ..... *Ternary Fe6* 1028-1030
Fe-Nb-Zr ..... *Ternary Fe6* 1031-1041
Fe-Nd-Ni ..... *Ternary Fe6* 1042
Fe-Nd-O ..... *Ternary Fe5* 220-221
Fe-Nd-P ..... *Ternary Fe3* 120
Fe-Nd-Ru ..... *Ternary Fe6* 1043-1045
Fe-Nd-S ..... *Ternary Fe2* 195
Fe-Ni-O ..... *Ternary Fe5* 222-231
Fe-Ni-P ..... *Ternary Fe3* 121-137
Fe-Ni-Pb ..... *Ternary Fe6* 1046-1048
Fe-Ni-Pd ..... *Ternary Fe6* 1049-1052
Fe-Ni-Pr ..... *Ternary Fe6* 1053
Fe-Ni-Pt ..... *Ternary Fe6* 1054-1057
Fe-Ni-Ru ..... *Ternary Fe6* 1058-1060
Fe-Ni-S* ..... *BAPD 3*(2) 165-172, *Ternary Fe2* 196
Fe-Ni-Sb ..... *Ternary Fe6* 1061-1062
Fe-Ni-Se ..... *Ternary Fe6* 1063-1067
Fe-Ni-Si ..... *JPE 15*(6) 629-630 ad, *IMR 30*(4) 181-208, *Ternary Fe4* 416-432
Fe-Ni-Sm ..... *Ternary Fe6* 1068
Fe-Ni-Sn ..... *Ternary Fe6* 1069-1079
Fe-Ni-Ta ..... *Ternary Ni1* 316-320, *JAPD 6*(3) 142-144
Fe-Ni-Tb ..... *Ternary Fe6* 1080
Fe-Ni-Te ..... *Ternary Fe6* 1081-1085
Fe-Ni-Th ..... *Ternary Fe6* 1086
Fe-Ni-Ti ..... *Ternary Ni1* 321-343, *JAPD 1*(1) 59-68
Fe-Ni-Tm ..... *Ternary Fe6* 1087
Fe-Ni-U ..... *Ternary Fe6* 1088
Fe-Ni-V ..... *JPE 15*(6) 630 ad, *IMR 28*(5) 251-270, *Ternary Fe4* 433-440
Fe-Ni-W ..... *JPE 15*(6) 631-632 ad, *IMR 26*(4) 213-249, *Ternary Fe4* 441-451
Fe-Ni-Y ..... *Ternary Fe6* 1089-1093
Fe-Ni-Zn ..... *JAPD 3*(1) 31-37
Fe-Ni-Zr ..... *Ternary Fe6* 1094-1098
Fe-O-P ..... *Ternary Fe5* 232-241, *Ternary Fe3* 138-145
Fe-O-Pb ..... *Ternary Fe5* 242-244
Fe-O-Pr ..... *Ternary Fe5* 245-249
Fe-O-Pt ..... *Ternary Fe5* 250-252
Fe-O-Rb ..... *Ternary Fe5* 253-254
Fe-O-Re ..... *Ternary Fe5* 255-256
Fe-O-S ..... *Ternary Fe5* 257, *Ternary Fe2* 197-208
Fe-O-Sb ..... *Ternary Fe5* 258
Fe-O-Sc ..... *Ternary Fe5* 259
Fe-O-Si ..... *Ternary Fe5* 260-277
Fe-O-Sm ..... *Ternary Fe5* 278-281
Fe-O-Sn ..... *Ternary Fe5* 282-288
Fe-O-Sr ..... *Ternary Fe5* 289-291
Fe-O-Ta ..... *Ternary Fe5* 292-295
Fe-O-Tb ..... *Ternary Fe5* 296-297
Fe-O-Te ..... *Ternary Fe5* 298-299
Fe-O-Ti ..... *Ternary Fe5* 300-325
Fe-O-Tm ..... *Ternary Fe5* 326-331
Fe-O-U ..... *Ternary Fe5* 332-335
Fe-O-V ..... *Ternary Fe5* 336-348
Fe-O-W ..... *Ternary Fe5* 349-354
Fe-O-Y ..... *Ternary Fe5* 355-365
Fe-O-Yb ..... *Ternary Fe5* 366-369
Fe-O-Zn ..... *Ternary Fe5* 370-373
Fe-O-Zr ..... *Ternary Fe5* 374-379
Fe-P-Pr ..... *Ternary Fe3* 147-148
Fe-P-Ru ..... *Ternary Fe3* 149-150
Fe-P-S ..... *Ternary Fe2* 209-217, *Ternary Fe3* 151
Fe-P-Sb ..... *Ternary Fe3* 152-159
Fe-P-Se ..... *Ternary Fe3* 160-161
Fe-P-Si ..... *Ternary Fe3* 162-171
Fe-P-Sm ..... *Ternary Fe3* 172
Fe-P-Sn ..... *Ternary Fe3* 173-182
Fe-P-Sr ..... *Ternary Fe3* 183
Fe-P-Ta ..... *Ternary Fe3* 184-185
Fe-P-Tb ..... *Ternary Fe3* 186
Fe-P-Th ..... *Ternary Fe3* 187-188
Fe-P-Ti ..... *Ternary Fe3* 189-197
Fe-P-Tm ..... *Ternary Fe3* 198
Fe-P-V ..... *Ternary Fe3* 199-206
Fe-P-W ..... *Ternary Fe3* 207-215
Fe-P-Yb ..... *Ternary Fe3* 216
Fe-P-Zn ..... *Ternary Fe3* 217-222
Fe-P-Zr ..... *Ternary Fe3* 223
Fe-Pb-P ..... *Ternary Fe3* 146
Fe-Pb-S ..... *JAPD 4*(1) 29, *Ternary Fe2* 218-233,
Fe-Pb-Sb ..... *Ternary Fe6* 1099-1100
Fe-Pb-Te ..... *Ternary Fe6* 1101-1102
Fe-Pd-Pt ..... *Ternary Fe6* 1103-1105
Fe-Pd-S ..... *Ternary Fe2* 234-241
Fe-Pd-Y ..... *Ternary Fe6* 1106-1109
Fe-Pd-Zr ..... *Ternary Fe6* 1110-1113
Fe-Pr-S ..... *Ternary Fe2* 242
Fe-Pr-Th ..... *Ternary Fe6* 1114
Fe-Pr-Tl ..... *Ternary Fe6* 1115-1118
Fe-Pt-S ..... *Ternary Fe2* 243-250
Fe-Re-Si ..... *Ternary Fe6* 1119-1122
Fe-Re-Y ..... *Ternary Fe6* 1123-1126
Fe-Re-Zr ..... *Ternary Fe6* 1127-1128
Fe-Rh-S ..... *Ternary Fe2* 251-252
Fe-Ru-Sm ..... *Ternary Fe6* 1129-1131
Fe-Ru-Y ..... *Ternary Fe6* 1132-1135
Fe-S-Sb ..... *JAPD 4*(1) 16-26, 33-36, *Ternary Fe2* 253-266
Fe-S-Sc ..... *Ternary Fe2* 267

BAPD *=Bulletin of Alloy Phase Diagrams,* ASM International, Materials Park, OH (1980-1991). ***IAEA No. 7*** *=Molybdenum: Physico-Chemical Properties of Its Compounds and Alloys, Special Issue No. 7,* International Atomic Energy Agency, Vienna (1980). ***IMR*** *=International Metals Reviews*, The Metals Society, London, and ASM International, Materials Park, OH (1971-1987). ***JAPD*** *=Journal of Alloy Phase Diagrams,* Indian Institute of Metals, Calcutta (1986-1990). ***JPE*** *=Journal of Phase Equilibria,* ASM International, Materials Park, OH (1991-1995). ***Binary Ac*** *= Phase Diagrams of Binary Actinide Alloys,* ASM International, Materials Park, OH (1995). ***Binary Be*** *=Phase Diagrams of Binary Beryllium Alloys,* ASM International, Metals Park, OH (1987). ***Binary Cu*** *=Phase Diagrams of Binary Copper Alloys,* ASM International, Materials Park, OH (1994). ***Binary Au*** *=Phase Diagrams of Binary Gold Alloys,* ASM International, Metals Park, OH (1987). ***Binary Fe*** *=Phase Diagram of Binary Iron Alloys,* ASM International, Materials Park, OH (1993). ***Binary Mg*** *=Phase Diagrams of Binary Magnesium Alloys,* ASM International, Metals Park, OH (1988). ***Binary Ni*** *=Phase Diagrams of Binary Nickel Alloys,* ASM International, Materials Park, OH (1991). ***Binary Ti*** *=Phase Diagrams of Binary Titanium Alloys,*, ASM International, Metals Park, OH (1987). ***Binary V*** *=Phase Diagrams of Binary Vanadium Alloys,* ASM International, Metals Park, OH (1989). ***Binary W*** *=Phase Diagrams of Binary Tungsten Alloys,* Indian Institute of Metals, Calcutta (1991). ***In*** *=Phase Diagrams of Indium Alloys and Their Engineering Applications,* ASM International, Materials Park, OH (1992). ***Ternary Cu-O-X*** *=Phase Diagrams of Ternary Copper-Oxygen-Metal Systems,* ASM International, Metals Park, OH (1989). ***Ternary Au*** *=Phase Diagrams of Ternary Gold Alloys,* The Institute of Metals, London (1990). ***Ternary Fe1*** *=Phase Diagrams of Ternary Iron Alloys, Part 1,* ASM International, Metals Park, OH (1987). ***Ternary Fe2*** *=Phase Diagrams of Ternary Iron Alloys, Part 2,* Indian Institute of Metals, Calcutta (1988). ***Ternary Fe3*** *=Phase Diagrams of Ternary Iron Alloys, Part 3,* Indian Institute of Metals, Calcutta (1988). ***Ternary Fe4*** *=Phase Equilibria in Iron Ternary Alloys, Part 4,* The Institute of Metals, London (1988). ***Ternary Fe5*** *=Phase Diagrams of Ternary Iron Alloys, Part 5,* Indian Institute of Metals, Calcutta (1989). ***Ternary Fe6*** *=Phase Diagrams of Ternary Iron Alloys, Part 6,* Indian Institue of Metals, Calcutta (1992). ***Ternary Ni1*** *=Phase Diagrams of Ternary Nickel Alloys, Part 1,* Indian Institute of Metals, Calcutta (1990). ***Ternary Ni2*** *=Phase Diagrams of Ternary Nickel Alloys, Part 2,* Indian Institute of Metals, Calcutta (1991). ***TA,Ag1*** *=Ternary Alloys, Vol. 1 Ag-Al-Au to Ag-Cu-P,* VCH Verlagsgesellschaft, Weinheim, FGR (1988). ***TA,Ag2*** *=Ternary Alloys, Vol. 2 Ag-Cu-Pb to Ag-Zn-Zr,* VCH Verlagsgesellschaft, Weinheim, FGR (1988). ***TA,Al3*** *=Ternary Alloys, Vol. 3 Al-Ar-O to Al-Ca-Zn,* VCH Verlagsgesellschaft, Weinheim, FGR (1990). ***TA,Al4*** *=Ternary Alloys, Vol. 4 Al-Cd-Ce to Al-Cu-Ru,* VCH Verlagsgesellschaft, Weinheim, FGR (1991). ***TA,Al5*** *=Ternary Alloys, Vol. 5 Al-Cu-S to Al-Gd-Sn,* VCH Verlagsgesellschaft, Weinheim, FGR (1992). ***TA,Al6*** *=Ternary Alloys, Vol. 6 Al-Gd-Tb to Al-Mg-Sc,* VCH Verlagsgesellschaft, Weinheim, FGR (1993). ***TA,Al7*** *=Ternary Alloys, Vol. 7 Al-Mg-Se to Al-Ni-Ta,* VCH Verlagsgesellschaft, Weinheim, FGR (1993). ***TA,Al8*** *=Ternary Alloys, Vol. 8 Al-Ni-Tb to Al-Zn-Zr,* VCH Verlagsgesellschaft, Weinheim, FGR (1993). ***Ternary BNSiN*** *=Phase Diagrams of Ternary Boron Nitride and Silicon Nitride Systems,* ASM International, Materials Park, OH (1992). ***TIIM*** *=Transactions of the Indian Institute of Metals,* Indian Institute of Metals, Calcutta (1986).

Fe-S-Se ..... *Ternary Fe2* 268-269
Fe-S-Si ..... *Ternary Fe2* 270-278
Fe-S-Sn ..... *Ternary Fe2* 279-291
Fe-S-Ta ..... *Ternary Fe2* 292-296
Fe-S-Th ..... *Ternary Fe2* 297-298
Fe-S-Ti ..... *Ternary Fe2* 299-306
Fe-S-Tl ..... *Ternary Fe2* 307-308
Fe-S-Tm ..... *Ternary Fe2* 309
Fe-S-U ..... *Ternary Fe2* 310-311
Fe-S-V ..... *Ternary Fe2* 312-321
Fe-S-W ..... *JAPD 4*(3) 175-183, *Ternary Fe2* 322-330
Fe-S-X ..... *JAPD 4*(1) 16-36
Fe-S-Y ..... *Ternary Fe2* 331-332
Fe-S-Yb ..... *Ternary Fe2* 333-334
Fe-S-Zn ..... *Ternary Fe2* 335-349, *JAPD 2*(3) 149-158
Fe-S-Zr ..... *JAPD 3*(1) 21-27, *Ternary Fe2* 350-359
Fe-Sb-Se ..... *Ternary Fe6* 1136-1138
Fe-Sb-Si ..... *Ternary Fe6* 1139-1146
Fe-Sb-Te ..... *Ternary Fe6* 1147-1149
Fe-Sc-Si ..... *Ternary Fe6* 1150-1154
Fe-Sc-Th ..... *Ternary Fe6* 1155
Fe-Se-Sn ..... *Ternary Fe6* 1156-1157
Fe-Se-Ti ..... *Ternary Fe6* 1158-1160
Fe-Se-Tl ..... *Ternary Fe6* 1161-1162
Fe-Si-Sn ..... *Ternary Fe6* 1163-1172
Fe-Si-Ti ..... *Ternary Fe1* 65-72
Fe-Si-U ..... *Ternary Fe6* 1173-1177
Fe-Si-V ..... *JPE 15*(6) 633-634 ad, *IMR 27*(5) 289-306, *Ternary Fe4* 452-465
Fe-Si-W ..... *JPE 15*(6) 634 ad, *IMR 26*(4) 213-249, *Ternary Fe4* 466-472
Fe-Si-Y ..... *Ternary Fe6* 1178-1182
Fe-Si-Zn ..... *Ternary Fe6* 1183-1188
Fe-Si-Zr ..... *Ternary Fe6* 1189-1194
Fe-Sm-Y ..... *Ternary Fe6* 1195-1198
Fe-Sn-Zr ..... *Ternary Fe6* 1199-1204
Fe-Ta-W ..... *Ternary Fe6* 1205-1210
Fe-Ta-Y ..... *Ternary Fe6* 1211-1213
Fe-Ta-Zr ..... *Ternary Fe6* 1214-1215
Fe-Tb-Y ..... *Ternary Fe6* 1216
Fe-Th-U ..... *Ternary Fe6* 1217-1221
Fe-Th-Y ..... *Ternary Fe6* 1222
Fe-Ti-V ..... *JPE 14*(5) 632-633 ad, *Ternary Fe1* 73-84
Fe-Ti-W ..... *JPE 15*(6) 635 ad, *IMR 26*(4) 213-249, *Ternary Fe4* 473-476
Fe-Ti-Zr ..... *Ternary Fe6* 1223-1224
Fe-V-Zr ..... *Ternary Fe6* 1225-1226
Fe-W-Y ..... *Ternary Fe6* 1227-1229
Fe-W-Zr ..... *Ternary Fe6* 1230
Fe-Zn-Mn ..... *JPE 12*(6) 667-672
Ga-Ni-Zn ..... *JAPD 3*(2) 72-76
Ga-Zn-Zr ..... *JAPD 4*(2) 127-132
Gd-Zn-Zr ..... *JAPD 4*(3) 143-147
Ge-Zn-Zr ..... *JAPD 2*(3) 172-175
Hf-N-Si ..... *Ternary BNSiN* 156-157
Hg-Mn-Zn ..... *17*(4)351-355
Ho-N-Si ..... *Ternary BNSiN* 158-160
In-N-Si ..... *Ternary BNSiN* 161-162
La-N-Si ..... *Ternary BNSiN* 163
Li-Mg-Zn ..... *JAPD 3*(1) 12-15
Li-N-Si ..... *Ternary BNSiN* 164
Li-Pb-Zn ..... *JAPD 5*(1) 51-54
Mg-N-Si ..... *Ternary BNSiN* 165
Mg-Zn-Zr ..... *JPE 14*(5) 634-637
Mn-Mo-Ni ..... *Ternary Ni2* 57
Mn-Nb-Ni ..... *Ternary Ni2* 58
Mn-N-Si ..... *Ternary BNSiN* 166-168
Mn-Ni-Ta *PDNTA2* 59
Mn-Ni-Ti ..... *PDTNA* 60-66, *JAPD 6*(3) 176-178
Mn-Ni-V ..... *Ternary Ni2* 67-76, *JAPD 6*(2) 96-102
Mn-Ni-W ..... *Ternary Ni2* 77
Mn-Ti-V ..... *JPE 13*(4) 417-420
Mo-N-Si ..... *Ternary BNSiN* 169-171
Mo-Nb-Ni ..... *Ternary Ni2* 83-92, *JAPD 6*(3) 158-163
Mo-Ni-Ta ..... *Ternary Ni2* 92-107, *JAPD 6*(2) 86-95
Mo-Ni-Ti ..... *Ternary Ni2* 108-123
Mo-Ni-V ..... *Ternary Ni2* 124-133, *JAPD 6*(2) 80-85
Mo-Ni-W ..... *Ternary Ni2* 134-147
Mo-Ti-V ..... *JPE 13*(4) 420-424
N-Nb-Si ..... *Ternary BNSiN* 172-174
N-Ni-Si ..... *Ternary BNSiN* 175-177
N-Pb-Si ..... *Ternary BNSiN* 178-179
N-Re-Si ..... *Ternary BNSiN* 180-182
N-Rh-Si ..... *Ternary BNSiN* 183-184
N-Ru-Si ..... *Ternary BNSiN* 185-186
N-Sb-Si ..... *Ternary BNSiN* 187-188
N-Sc-Si ..... *Ternary BNSiN* 189-190
N-Si-Sm ..... *Ternary BNSiN* 191
N-Si-Sn ..... *Ternary BNSiN* 192-193
N-Si-Sr ..... *Ternary BNSiN* 194
N-Si-Ta ..... *Ternary BNSiN* 195-197
N-Si-Ti ..... *Ternary BNSiN* 198-202
N-Si-Tl ..... *Ternary BNSiN* 203-204
N-Si-V ..... *Ternary BNSiN* 205-207
N-Si-W ..... *Ternary BNSiN* 208-210
N-Si-Y ..... *Ternary BNSiN* 211-212
N-Si-Zn ..... *Ternary BNSiN* 213-214
N-Si-Zr ..... *Ternary BNSiN* 215-218
N-Ti-V ..... *JPE 17*(3) 248-252
N-Zn-Zr ..... *JAPD 6*(1) 28-30
Nb-Ni-Ta ..... *Ternary Ni2* 152-162, *JAPD 6*(2) 123-128
Nb-Ni-Ti ..... *Ternary Ni2* 163-176
Nb-Ni-V ..... *Ternary Ni2* 177-184, *JAPD 6*(1) 54-58
Nb-Ni-W ..... *JPE 13*(1) 87-91, *Ternary Ni2* 185-198
Nb-O-Zr ..... *JAPD 2*(2) 141-148
Nb-Ti-V ..... *JPE 12*(3) 359-362
Ni-Ta-Ti ..... *Ternary Ni2* 203-207
Ni-Ta-V ..... *Ternary Ni2* 208-213
Ni-Ta-W ..... *Ternary Ni2* 214
Ni-Ti-V ..... *Ternary Ni2* 219-229
Ni-Ti-W ..... *Ternary Ni2* 230-235
Ni-V-W ..... *Ternary Ni2* 241
Ni-Zn-Zr ..... *JAPD 5*(1) 60
O-Ti-V ..... *JPE 17*(6) 539-545
Pb-Sb-Sn ..... *BAPD 6*(4) 372-379
Si-Ti-V ..... *JPE 13*(2) 201-205
Sn-Ti-V ..... *JPE 12*(3) 363-371
Ta-Ti-V ..... *JPE 13*(1) 91-94
Ti-V-Zr ..... *JPE 13*(2) 206-210
Ti-V-W* ..... *JPE 14*(2) 214-218

Author Index

For Vol. 17, No. 1, 2, 3, 4, 5, 6

Abbaschian, R.
see Gokhale, A.B.: Re-Si
Alcock, C.B.
see Itkin, V.P.: Pt-Sb
see Itkin, V.P.: O-Te
Artyukh, L.V.
The Scandium-Titanium-Carbon Phase Diagram ..... *17*(5) 403-413 ar
Awasthi, A.
see Garg, S.P.: O-Ta
Bhan, S.
Hg-Mn-Zn ..... *17*(4) 351-355 ev
Baren, M.R.
Ag-Hg ..... *17*(2) 122-128 ev
Bharadwaj, S.R.
see Tripathi, S.N.: Rh-Ru
see Tripathi, S.N.: Ir-Sc
Bodak, O.I.
see Gribanov, A.V.: Isothermal Cross Section of the Ce-Pt-Ge Phase Diagram at 600 °C
see Sologub, O.: The Mn-Nd-Sb System (Manganese-Neodymium-Antimony)
Bolcavage, A.
A Reassessment of the Calculated Ni-Nb Phase Diagram ..... *17*(2) 92-100 ar
Brebrick, R.F.
Analysis of the Zn-Se System ..... *17*(6) 495-501 ar
Brewer, L.
see Wu, H.-F.: Using a Regular Solution Theory Modification
Caghon, J.C.
see Perring, L.: The Germanium-Ruthenium System
Chandrasekharaiah, M.S.
see Tripathi, S.N.: Rh-Ru
Chang, Y.A.
see Lin, J.-C.: Bi-S
see Sharma, R.C.: Cd-Se
see Sharma, R.C.: P-Tl
see Sharma, R.C.: S-Se
see Sharma, R.C.: Sb-Tl
see Sharma, R.C.: Se-Zn
see Lin, J.-C.: Pb-Se
see Sharma, R.C.: S-Zn
see Sharma, R.C.: Cd-S
Chen, G.L.
see Ding, J.J.: Partial Phase Diagram of the Ti-Al Binary System
Cirafici, S.
see Palenzona, A.: Ce-Mn
see Palenzona, A.: Ce-Mo
Clavaguera, N.
Thermodynamic Calculation of the Nd-Al System ..... *17*(2) 107-111 ar
Degterov, S.
Critical Evaluation and Optimization of the Thermodynamic Properties and Phase Diagrams of the CrO-Cr_2O_3, CrO-Cr_2O_3-Al_2O_3, and CrO-Cr_2O_3-CaO Systems ..... *17*(6) 476-487 ar
Critical Evaluation and Optimization of the Thermodynamic Properties and Phase Diagrams of the CrO-Cr_2O_3-SiO_2 and CrO-Cr_2O_3-SiO_2-Al_2O_3 Systems ..... *17*(6) 488-494 ar
Didoukh, V.
Liquid-Liquid Equilibrium in Immiscible In-Se Alloys Suffering Metal-Nonmetal Transition ..... *17*(5) 414-417 ar
Ding, J.J.
Partial Phase Diagram of the Ti-Al Binary System ..... *17*(2) 117-120 ar

Response to a Note by Palm and Inden Concerning the Paper "Partial Phase Diagram of the Ti-Al Binary System" ..... *17*(6) 474-475 co

Du, Y.
see Clavaguera, N.: Thermodynamic Calculation of the Nd-Al System
Thermodynamic Modeling of the Al-Ta System ..... *17*(4) 311-324 ar

Enomoto, M.
C-Ti-V ..... *17*(3) 237-247 ev
N-Ti-V ..... *17*(3) 248-252 ev
O-Ti-V ..... *17*(6) 539-545 ev

Feschotte
see Perring, L.: The Germanium-Ruthenium System

Feutelais, Y.
Phase Diagram Investigation and Proposition of a Thermodynamic Evaluation of the Tin-Selenium System ..... *17* (1) 40-49 ar

Fries, S.G.
see Feutelais, Y.: Phase Diagram Investigation and Proposition of a Thermodynamic Evaluation of the Tin-Selenium System

Gachon, J.-C.
see Mahdouk, K.: Investigation of the Iron-Rich Corner of the Fe-Hf-Zr System

Garg, S.P.
O-Ta ..... *17*(1) 63-77 ev

Gokcen, N.A.
Gibbs-Duhem-Margules Laws... *17*(1) 50-51 ar

Gokhale, A.B.
Re-Si ..... *17*(5) 451-454 ev

Goldstein, J.I.
see Yang, C.-W.: A Revision of the Fe-Ni Phase Diagram at Low Temperatures (<400 °C)

Gribanov, A.V.
Isothermal Cross Section of the Ce-Pt-Ge Phase Diagram at 600 °C ..... 17(3) 196-207 ar

Guminski, C.
see Zabdyr, L.: Bi-Hg
As-Hg ..... *17*(5) 419-421 ev
Hg-Xe ..... *17*(5) 442 ev
Hg-Cm, Bk, Cf, Es, Fm, Md, No ..... *17*(5) 443-444 ev

Han, Q.
see Li, X: Thermodynamic Properties of Liquid Fe-Mg-Al and Fe-Mg-Si Dilute Ternary Solutions

Hao, S.M.
see Ding, J.J.: Partial Phase Diagram of the Ti-Al Binary System
see Ding, J.J.: Response to a Note by Palm and Inden Concerning the Paper "Partial Phase Diagram of the Ti-Al Binary System"

Hoch, M.
Thermodynamics and Phase Diagrams in the Binary Systems Na_2O-SiO_2, Na_2O-GeO_2, Na_2O-B_2O_3, Li_2O-B_2O_3, CaO-B_2O_3, SrO-B_2O_3, and BaO-B_2O_3..... *17*(4) 290-301 ar
The Quaternary System B_2O_3-PbO-SiO_2-ZnO: Thermodynamics and Phase Diagram ..... *17*(4) 302-310 ar

Ilyenko, S.M.
see Aertyukh, L.V.: The Scandium-Titanium-Carbon Phase Diagram

Inaba, H.
Analysis of Interfacial Reactions by the Use of Chemical Potential Diagrams..... *17*(4) 278-289 ar

Inden, G.
see Palm, M.: Notes Concerning the Paper "Partial Phase Diagram of the Ti-Al Binary System" by J.J. Ding, et al.

Itkin, V.P.
B-Sn ..... *17*(2) 129-130 ev
C-Te ..... *17*(2) 131 ev
Pt-Sb ..... *17*(4) 356-361 ev
O-Te ..... *17*(6) 533-538 ev

Kattner, U.R.
see Bolcavage, A.: A Reassessment of the Calculated Ni-Nb Phase Diagram

Krishnamurthy, N.
see Garg, S.P.: O-Ta

Kuz'ma, Y.B.
see Mozharivskyj, Y.: The Ce-Mn-P System (Cerium-Manganese-Phosphorous

Lal, A.
see Bhan, S.: Hg-Mn-Zn

Legendre, B.
see Feutelais, Y.: Phase Diagram Investigation and Proposition of a Thermodynamic Evaluation of the Tin-Selenium System

Leithe-Jasper, A.
see Mozharivskyj, Y.: The Ce-Mn-P System (Cerium-Manganese-Phosphorous)

Li, X.
Thermodynamic Properties of Liquid Fe-Mg-Al and Fe-Mg-Si Dilute Ternary Solutions ..... *17*(1) 21-23 ar

Liao, P.K.
B-Cd ..... *17*(3) 229 ev
B-Er ..... *17*(4) 326-329 ev
B-Gd ..... *17*(4) 330-334 ev
B-Nd ..... *17*(4) 335-339 ev
B-Pd ..... *17*(4) 340-346 ev
B-Sm ..... *17*(4) 347-350 ev

Lin, J.-C.
Bi-S ..... *17*(2) 132-139 ev
Pb-Se ..... *17*(3) 253-260 ev

Liu, H.
see Brebrick, R.F.: Analysis of the Zn-Se System

Lograsso, T.A.
see Zeisler-Mashl, K.L.: Measurement of the Peritectic Phase Composition in the Sn-Cd System through Directional Solidification Techniques

Mahdouk, K.
Investigation of the Iron-Rich Corner of the Fe-Hf-Zr System..... *17*(3) 218-227 ar

Majid, M.
see Feutelais, Y.: Phase Diagram Investigation and Proposition of a Thermodynamic Evaluation of the Tin-Selenium System

Manchester, F.D.
H-Sm ..... *17*(5) 432-441 ev

Mikula, A.
see Qiao, Z.-Y.: Thermodynamic Criterion for Judging the Symmetry of Ternary Systems and Criterion Applications

Mirkovic, J.
see Gribanov, A.V.: Isothermal Cross Section of the Ce-Pt-Ge Phase Diagram at 600 °C

Moser, Z.
see Rzyman, K.: Enthalpies of Formation of Ni_3Al: Experiment Versus Theory

Mozharivskyj, Y.
The Ce-Mn-P System (Cerium-Manganese-Phosphorous)..... *17*(2) 112-116 ar

Neckel, A.
see Tomiska, J.: The Margules Concept: The Basis of Modern Algebraic Representations of Thermodynamic Excess Properties

Neumann, J.P.
see Ray, S.: Calculation of the Binary Chromium-Lanthanide Phase Diagrams

Nikiforov, V.N.
see Gribanov, A.V.: Isothermal Cross Section of the Ce-Pt-Ge Phase Diagram at 600 °C

Okamoto, H.
Ir-Mn ..... *17*(1) 60-62 ev

Palenzona, A.
Ce-Mn ..... *17*(1) 53-56 ev
Ce-Mo ..... *17*(1) 57-59 ev

Palm, M.
Notes Concerning the Paper "Partial Phase Diagram of the Ti-Al Binary System" by J.J. Ding, et al. ..... *17*(4) 275-276 co

Perring, L.
The Germanium-Ruthenium System..... *17*(2) 101-106 ar

Pelton, A.D.
see Degterov, S.: Critical Evaluation and Optimization of the Thermodynamic Properties and Phase Diagrams of the CrO-Cr_2O_3, CrO-Cr_2O_3-Al_2O_3, and CrO-Cr_2O_3-CaO Systems
see Degterov, S.: Critical Evaluation and Optimization of the Thermodynamic Properties and Phase Diagrams of the CrO-Cr_2O_3-SiO_2 and CrO-Cr_2O_3-SiO_2-Al_2O_3 Systems

Peng, M.:
see Qiao, Z.-Y.: Thermodynamic Criterion for Judging the Symmetry of Ternary Systems and Criterion Applications

Pettifor, D.G.
Phenomenology and Theory in Structural Prediction ..... *17*(5) 384-395 ar

Petzow, G.
see Seifert, H.J.: Thermodynamic Optimization of the Ti-C System

Pitre, J.M.
see Manchester, F.D.: H-Sm

Plevachuk, Yu.
see Didoukh, V.: Liquid-Liquid Equilibrium in Immiscible In-Se Alloys Suffering Metal-Nonmetal Transition

Qiao, Z.-Y.
see Zie, Y.: Thermodynamic Reoptimization of the Ag-Sn System
Thermodynamic Criterion for Judging the Symmetry of Ternary Systems and Criterion Applications ..... *17*(6) 502-507 ar
see Zhuang, W.: Thermodynamic Evaluation of the Cu-R (R: Ce, Pr, Nd, Sm) Binary Systems

Qin, G.W.
see Ding, J.J.: Partial Phase Diagram of the Ti-Al Binary System

Ray, S.
Calculation of the Binary Chromium-Lanthanide Phase Diagrams..... *17*(3) 179-185 ar

Rogl, P.
see Mozharivskyj, Y.: The Ce-Mn-P System (Cerium-Manganese-Phosphorous)
see Sologub, O.: The Mn-Nd-Sb System (Manganese-Neodymium-Antimony)

Rzyman, K.
Enthalpies of Formation of Ni_3Al: Experiment Versus Theory ..... *17*(3) 173-178 ar

Schlesinger, M.E.
see Liao, P.K.: B-Cd
see Liao, P.K.: B-Er
see Liao, P.K.: B-Gd
see Liao, P.K.: B-Nd
see Liao, P.K.: B-Pd
see Liao, P.K.: B-Sm

Schmid-Fetzer, R.
see Du, Y.: Thermodynamic Modeling of the Al-Ta System

Seifert, H.J.
Thermodynamic Optimization of the Ti-C System..... *17*(1) 24-35 ar

Seropegin, Y.D.
see Gribanov, A.V.: Isothermal Cross Section of the Ce-Pt-Ge Phase Diagram at 600 °C

Sharma, R.C.
see Lin, J.-C.: Bi-S
Cd-Se ..... *17*(2) 140-145 ev
P-Tl ..... *17*(2) 146-147 ev
S-Se ..... *17*(2) 148-150 ev
Sb-Tl ..... *17*(2) 151-154 ev

Se-Zn ..... *17*(2) 155-160 ev
see Lin, J.-C.: Pb-Se
As-Tl ..... *17*(5) 422-424 ev
S-Zn ..... *17*(3) 261-266 ev
Cd-S ..... *17*(5) 425-431 ev

Shen, J.
see Zhuang, W.: Thermodynamic Evaluation of the Cu-R (R: Ce, Pr, Nd, Sm) Binary Systems

Singh, S.
see Bhan, S.: Hg-Mn-Zn

Sokolovskii, B.
see Didoukh, V.: Liquid-Liquid Equilibrium in Immiscible In-Se Alloys Suffering Metal-Nonmetal Transition

Sologub, O.
The Mn-Nd-Sb System (Manganese-Neodymium-Antimony)..... *17*(5) 399-402 ar

Song, B.
see Li, X.: Thermodynamic Properties of Liquid Fe-Mg-Al and Fe-Mg-Si Dilute Ternary Solutions

Spear, K.E.
see Liao, P.K.: B-Cd
see Liao, P.K.: B-Er
see Liao, P.K.: B-Gd
see Liao, P.K.: B-Nd
see Liao, P.K.: B-Pd
see Liao, P.K.: B-Sm

Speyer, R.F.
Three-Dimensional Rendering and Phase Analysis of the CaO-Al_2O_3-SiO_2 System ..... *17*(3) 186-195 ar

Tang, N.-Y.
Accurate Description of Liquid Phase Boundary - A Reply to the Reply by Professors Perrot and Reumont ..... *17*(2) 89-91 co
450 °C Isotherm of Zn-Fe-Al Phase Diagram Update..... *17*(5) 396-398

Tomiscka, J.
The Margules Concept: The Basis of Modern Algebraic Represen5tations of Thermodynamic Excess Properties ..... *17*(1) 11-20 ar

Tripathi, S.N.
Rh-Ru ..... *17*(4) 362-365 ev
Ir-Sc ..... *17*(5) 445-450 ev

Velikanova, T.Ya.
see Aertyukh, L.V.: The Scandium-Titanium-Carbon Phase Diagram

Velikhovskii, A.A.
see Gribanov, A.V.: Isothermal Cross Section of the Ce-Pt-Ge Phase Diagram at 600 °C

Venkatraman, M.
see Garg, S.P.: O-Ta

Wang, X.T.
see Ding, J.J.: Partial Phase Diagram of the Ti-Al Binary System

Watson, R.E.
see Rzyman, K.: Enthalpies of Formation of Ni_3Al: Experiment Versus Theory

Wei, S.
see Zhuang, W.: Thermodynamic Evaluation of the Cu-R (R: Ce, Pr, Nd, Sm) Binary Systems

Weinert, M.
see Rzyman, K.: Enthalpies of Formation of Ni_3Al: Experiment Versus Theory

Williams, D.B. 17(2) 155-160 ev
see Yang, C.-W.: A Revision of the Fe-Ni Phase Diagram at Low Temperatures (<400 °C)

Wu, H.-F.
Calculation of Binary Phase Diagrams of Refractory Metals, Ta, W, Tc, and Re, with Liquid Metals, Am, Cm, and Bk, Using a Regular Solution Theory Modification ..... *17*(1) 36-39 ar

Xie, Y.
Thermodynamic Reoptimization of the Ag-Sn System..... *17*(3) 208-217 ar

Xing, X.
see Qiao, Z.-Y.: Thermodynamic Criterion for Judging the Symmetry of Ternary Systems and Criterion Applications

Yang, C.-W.
A Revision of the Fe-Ni Phase Diagram at Low Temperatures (<400 °C)..... *17*(6) 522-531 ar

Yokokawa, H.
see Inaba, H.: Analysis of Interfacial Reactions by the Use of Chemical Potential Diagrams

Zabdyr, L.
Bi-Hg ..... *17*(3) 230-236 ev

Zeisler-Mashl, K.L.
Measurement of the Peritectic Phase Composition in the Sn-Cd System through Directional Solidification Techniques..... *17*(1) 7-9 co

Zhuang, W.
Thermodynamic Evaluation of the Cu-R (R: Ce, Pr, Nd, Sm) Binary Systems ..... *17*(6) 508-521 ar

ad = addendum; ar = article; co = comment; ev = evaluation